November 1995

ISSN 0301-0104

Chemical Physics

A journal devoted to experimental and theoretical research involving problems of both a chemical and a physical nature

MASTER INDEX

VOLUMES 191–200

FEBRUARY 1995 – NOVEMBER 1995

Editors
ROBIN M. HOCHSTRASSER/G. LUDWIG HOFACKER

NORTH-HOLLAND

CHEMICAL PHYSICS

A journal devoted to experimental and theoretical research involving problems of both a chemical and a physical nature

EDITORS

ROBIN M. HOCHSTRASSER
Department of Chemistry, University of Pennsylvania,
Philadelphia, PA 19104-6323, USA
FAX 1-215-8980590

G. LUDWIG HOFACKER
Lehrstuhl für Theoretische Chemie, Technische Universität München,
Lichtenbergstrasse 4, 85747 Garching, Germany
FAX 49-89-32093622

ASSOCIATE EDITORS

DAVID CHANDLER, Department of Chemistry, University of California Berkeley, Berkeley, CA 94720, USA. FAX 1-510-6428369
H. PETER TROMMSDORFF, Laboratoire de Spectrométrie Physique, Université Joseph-Fourier Grenoble I, B.P. 87, 38402 Saint-Martin-d'Hères Cedex, France. FAX 33-76-514544

ADVISORY EDITORIAL BOARD

Australia
D.P. CRAIG, Canberra
N.S. HUSH, Sydney

Canada
J.C. POLANYI, Toronto

Czech Republic
Z. HERMAN, Prague

Denmark
G.D. BILLING, Copenhagen

France
S. LEACH, Orsay
J.L. MARTIN, Palaiseau
A. TRAMER, Orsay

Germany
H. BÄSSLER, Marburg
B. DICK, Regensburg
S.F. FISCHER, Garching
H. GRABERT, Freiburg
D. HAARER, Bayreuth
P. HÄNGGI, Augsburg
W. LORENZ, Leipzig
D. MENZEL, Garching
E.W. SCHLAG, Garching
W. ZINTH, Munich

Hungary
P. ORMOS, Szeged

Israel
A.I. BURSHTEIN, Rehovot
J. JORTNER, Tel Aviv
R.D. LEVINE, Jerusalem
M. SHAPIRO, Rehovot

Italy
M. CAPITELLI, Bari

Japan
H. HAMAGUCHI, Kawasaki
T. KITAGAWA, Okazaki
T. KOBAYASHI, Tokyo
S. NAGAKURA, Yokohama
K. YOSHIHARA, Okazaki

The Netherlands
D. FRENKEL, Amsterdam

Russian Federation
V.S. LETOKHOV, Moscow

Sweden
R. RIGLER, Stockholm
K. SIEGBAHN, Uppsala

Switzerland
H. FISCHER, Zurich
J.P. MAIER, Basel

Taiwan
Y.T. LEE, Taipei

United Kingdom
A.D. BUCKINGHAM, Cambridge
D.A. KING, Cambridge
P.A. MADDEN, Oxford
J.P. SIMONS, Oxford

USA
A.C. ALBRECHT, Ithaca, NY
H.C. ANDERSEN, Stanford, CA
P.F. BARBARA, Minneapolis, MN
R. BERSOHN, New York, NY
S.G. BOXER, Stanford, CA
K.A. DILL, San Francisco, CA
M.D. FAYER, Stanford, CA
G.R. FLEMING, Chicago, IL
G. FLYNN, New York, NY
R.A. FRIESNER, New York, NY
C.B. HARRIS, Berkeley, CA
E.J. HELLER, Cambridge, MA
B. HUDSON, Eugene, OR
M. KLEIN, Philadelphia, PA

USA (continued)
W.C. LINEBERGER, Boulder, CO
D.S. McCLURE, Princeton, NJ
W.H. MILLER, Berkeley, CA
M.D. NEWTON, Upton, NY
C.S. PARMENTER, Bloomington, IN
A. PINES, Berkeley, CA
W. PLUMMER, Philadelphia, PA
M.A. RATNER, Evanston, IL
G.W. ROBINSON, Lubbock, TX
G.J. SMALL, Ames, IA
J.D. WEEKS, College Park, MD
P.G. WOLYNES, Urbana, IL
R.N. ZARE, Stanford, CA
A.H. ZEWAIL, Pasadena, CA

Important: please adhere to instructions to authors, to be found on the last pages of each volume.

After acceptance of the paper for publication, further correspondence should be sent to the publishers (Drs. H.A. Arends, Editorial Department, Chemistry & Chemical Engineering Department, P.O. Box 330, 1000 AH Amsterdam, The Netherlands; FAX 31-20-4852459; telex 10704 espom nl; electronic mail X400: C=NL; A=400NET; P=SURF; O=ELSEVIER; S=ARENDS, I=H or RFC822: H.ARENDS@ELSEVIER.NL).

Publication information. Chemical Physics (ISSN 0301-0104). For 1996 volumes 201–213 are scheduled for publication. Subscription prices are available upon request from the publisher. Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by surface mail except to the following countries where air delivery via SAL is ensured: Argentina, Australia, Brazil, Canada, Hong Kong, India, Israel, Japan, Malaysia, Mexico, New Zealand, Pakistan, PR China, Singapore, South Africa, South Korea, Taiwan, Thailand, USA. For all other countries airmail rates are available upon request. Claims for missing issues must be made within six months of our publication (mailing) date. Please address all your requests regarding orders and subscription queries to: Elsevier Science B.V., Journal Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands. Tel.: (+31-20)485-3642, Fax: (+31-20)485-3598.

US mailing notice. Chemical Physics (ISSN 0301-0104) is published semi-monthly by Elsevier Science (Molenwerf 1, P.O. Box 211, 1000 AE Amsterdam). Annual subscription price in the USA US$ 4241.00, including air speed delivery, valid in North, Central and South America only. Second class postage paid at Jamaica, NY 11431.
USA POSTMASTERS: Send address changes to: Chemical Physics, Publications Expediting, Inc., 200 Meacham Avenue, Elmont, NY 11003. Airfreight and mailing in the USA by Publication Expediting.

Information for Advertisers. Advertising orders and enquiries can be sent to the Advertising Department, Elsevier Science B.V., P.O. Box 211, 1000 AE Amsterdam, The Netherlands. Tel.: (+31-20) 485-3796; Fax: (+31-20) 485-3810. Courier shipments to street addresses: Molenwerf 1, 1014 AG Amsterdam, The Netherlands.
For Great Britain: TG Scott & Son Ltd., Vanessa Bird, Portland House 21, Narborough Road, Cosby, Leicestershire LE9 5TA. Tel: (44-116) 2750-521/2753-333; Fax: (+44-116) 2750-522.
For USA & Canada: Weston Media Associates, Daniel Lipner, P.O. Box 1110, Greens Farms, CT 06436-1110. Tel: (+1-203) 261-2500; Fax: (+1-203) 261-0101.

Printed in The Netherlands

Published semi-monthly

CHEMICAL PHYSICS

CHEMICAL PHYSICS

A journal devoted to experimental and theoretical research involving problems of both a chemical and a physical nature

EDITORS

ROBIN M. HOCHSTRASSER
Department of Chemistry, University of Pennsylvania,
Philadelphia, PA 19104-6323, USA
FAX 1-215-8980590

G. LUDWIG HOFACKER
Lehrstuhl für Theoretische Chemie, Technische Universität München,
Lichtenbergstrasse 4, 85747 Garching, Germany
FAX 49-89-32093622

ASSOCIATE EDITORS

DAVID CHANDLER, Department of Chemistry, University of California Berkeley, Berkeley, CA 94720, USA. FAX 1-510-6428369
H. PETER TROMMSDORFF, Laboratoire de Spectrométrie Physique, Université Joseph-Fourier Grenoble I, B.P. 87, 38402 Saint-Martin-d'Hères Cedex, France. FAX 33-76-514544

ADVISORY EDITORIAL BOARD

Australia
D.P. CRAIG, Canberra
N.S. HUSH, Sydney

Canada
J.C. POLANYI, Toronto

Czech Republic
Z. HERMAN, Prague

Denmark
G.D. BILLING, Copenhagen

France
S. LEACH, Orsay
J.L. MARTIN, Palaiseau
A. TRAMER, Orsay

Germany
H. BÄSSLER, Marburg
B. DICK, Regensburg
S.F. FISCHER, Garching
H. GRABERT, Freiburg
D. HAARER, Bayreuth
P. HÄNGGI, Augsburg
W. LORENZ, Leipzig
D. MENZEL, Garching
E.W. SCHLAG, Garching
W. ZINTH, Munich

Hungary
P. ORMOS, Szeged

Israel
A.I. BURSHTEIN, Rehovot
J. JORTNER, Tel Aviv
R.D. LEVINE, Jerusalem
M. SHAPIRO, Rehovot

Italy
M. CAPITELLI, Bari

Japan
H. HAMAGUCHI, Kawasaki
T. KITAGAWA, Okazaki
T. KOBAYASHI, Tokyo
S. NAGAKURA, Yokohama
K. YOSHIHARA, Okazaki

The Netherlands
D. FRENKEL, Amsterdam

Russian Federation
V.S. LETOKHOV, Moscow

Sweden
R. RIGLER, Stockholm
K. SIEGBAHN, Uppsala

Switzerland
H. FISCHER, Zurich
J.P. MAIER, Basel

Taiwan
Y.T. LEE, Taipei

United Kingdom
A.D. BUCKINGHAM, Cambridge
D.A. KING, Cambridge
P.A. MADDEN, Oxford
J.P. SIMONS, Oxford

USA
A.C. ALBRECHT, Ithaca, NY
H.C. ANDERSEN, Stanford, CA
P.F. BARBARA, Minneapolis, MN
R. BERSOHN, New York, NY
S.G. BOXER, Stanford, CA
K.A. DILL, San Francisco, CA
M.D. FAYER, Stanford, CA
G.R. FLEMING, Chicago, IL
G. FLYNN, New York, NY
R.A. FRIESNER, New York, NY
C.B. HARRIS, Berkeley, CA
E.J. HELLER, Cambridge, MA
B. HUDSON, Eugene, OR
M. KLEIN, Philadelphia, PA

USA (continued)
W.C. LINEBERGER, Boulder, CO
D.S. McCLURE, Princeton, NJ
W.H. MILLER, Berkeley, CA
M.D. NEWTON, Upton, NY
C.S. PARMENTER, Bloomington, IN
A. PINES, Berkeley, CA
W. PLUMMER, Philadelphia, PA
M.A. RATNER, Evanston, IL
G.W. ROBINSON, Lubbock, TX
G.J. SMALL, Ames, IA
J.D. WEEKS, College Park, MD
P.G. WOLYNES, Urbana, IL
R.N. ZARE, Stanford, CA
A.H. ZEWAIL, Pasadena, CA

CHEMICAL PHYSICS

Editors

ROBIN M. HOCHSTRASSER, Philadelphia

G. LUDWIG HOFACKER, Munich

Associate Editors

DAVID CHANDLER, Berkeley

H. PETER TROMMSDORFF, Saint-Martin-d'Hères

MASTER INDEX

VOLUMES 191–200

FEBRUARY 1995 – NOVEMBER 1995

ELSEVIER

Amsterdam – Lausanne – New York – Oxford – Shannon – Tokyo

© 1995 Elsevier Science BV. All rights reserved

0301-0104/95/$09.50

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the written permission of the Publisher, Elsevier Science BV, Copyright and Permissions Department, P.O. Box 521, 1000 AM Amsterdam, The Netherlands.

Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Special regulations for readers in the USA. *This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. The fee indicated on the first page of an article in this issue will apply retroactively to all articles published in the journal, regardless of the year of publication. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.*

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Although all advertising material is expected to conform to ethical standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

⊖The paper used in this publication meets the requirements of ANSI/NISO 239.48-1992 (Permanence of Paper).

PRINTED IN THE NETHERLANDS

Contents

Author index to volumes 191–200 1

Subject index to volumes 191–200 33

METHODS 33

Theoretical 33
Group theory and algebras 33
Classical mechanics 33
Quantized field theory 34
Many body and quasiparticle approaches 34
Coupling schemes and perturbative treatments 34
Relativistic quantum mechanics 35
Transport quantum mechanics 35
Equilibrium statistical mechanics 36
Statistical mechanics of stationary states 36
Non-equilibrium thermodynamic and hydrodynamic theories 36
Ab initio schemes for stationary properties 36
Computational and simulation methods 39
Molecular dynamics and scattering theory 42

Experimental 44
Magnetic resonances 44
Cyclotron resonance 45
Microwave spectroscopy 45
Infrared spectroscopy 45
Raman spectroscopy 46
Visible and UV spectroscopy 47
Fluorescence spectroscopy 49
Photoelectron and Auger spectroscopy 50
X-ray spectroscopy 51
Electron impact spectroscopy 51
Laser methods 51
Picosecond spectroscopy 52
Non-linear optical spectroscopy 53
Synchrotron spectroscopies 54
Coherent optical spectroscopy 54
Optical pumping 54
Multiple resonance spectroscopy 54
Atomic and molecular beam techniques 55
Time-resolved experiments 55
Mass spectrometry 57
Radiolysis 57
Mössbauer spectroscopy 57
X-ray, electron and neutron diffraction 57
Neutron scattering 58
Field emission and field ionization 58
Measurement of macroscopic variables 58

OBJECTS 58

Bulk systems 58
Gases 58
Supersonic beams 59
Liquids neat 59
Liquid mixtures and solutions 60
Crystals 61
  neat 61
  mixed 62
Glasses 62
Liquid crystals 63
Polymers 63
Semiconductors 63
Thin films 63
Surfaces 64
Low-dimensional materials 64
Dielectrics 64
Plasmas 65
Biological systems 65

Microscopic systems 67
Atoms 67
Molecules (neutral and ionic) 67
  diatomic 68
  small polyatomics 71
  aromatics 72
  other large 74
  polymeric and biological 74
Molecular aggregates 75
  dimers 76
  van der Waals molecules 76
  clusters 77
  complexes 77
Free radicals (including hydronium and muonium) 78
Quasiparticles (including excitons) 79
Defects and impurities 79
Ions and charge carriers 79

PHENOMENA **80**

Molecular structure 80
Vibrations and rotations of molecules 81
Electronic structure and states 83
Electric and magnetic properties 86
Spin splittings 87
Optical activity 87
Molecular interactions 87
Spectral bandshapes and intensities 89
Coupling of electronic and nuclear motion 89
Energy transfer processes 90
Molecular photophysical processes 92
Intramolecular dynamics 93
  radiationless transitions 94
  vibrational energy redistribution (including vibrational dissociation) 94
Luminescence spectra, yields and lifetimes 95
Coherence loss processes 95
Non-linear responses (including optical) 96
Multiphoton phenomena 96
Reactions (including dissociation) 96
  gas phase 97
  condensed phase 98
  photochemical 99
Tunnelling 100
Electron transfer 100
Ionization (including Rydberg states) 102
Molecular motion (including diffusive) 103
Isotopic effects 104
Collective motion and excitations 104
Surface effects and catalysis 104
Thermodynamic and transport properties 104
Structure of solids and liquids 105
Critical phenomena 105
Phase transitions 105

ELSEVIER

Chemical Physics 191–200 (1995) 1–32

Chemical Physics

Author index to volumes 191–200

Aartsma, T.J., see Kennis, J.T.M. 194 (1995) 285
Aartsma, T.J., see Schelvis, J.P.M. 194 (1995) 303
Abbate, F., see Marconi, G. 196 (1995) 383
Abboud, J.-L.M., see Mestres, J. 192 (1995) 99
Aboab, B., see Botrel, A. 194 (1995) 101
Adamowicz, L., see Sobolewski, A.L. 193 (1995) 67
Adamowicz, L., see Gutsev, G.L. 196 (1995) 1
Agranovich, V.M., O.A. Dubovsky and A.M. Kamchatnov, Nonlinear optical vibrations in organic superlattices with interface Fermi resonance 198 (1995) 245
Ågren, H., O. Vahtras and V. Carravetta, Near-edge core photoabsorption in polyacenes: model molecules for graphite 196 (1995) 47
Ågren, H., see Minaev, B.F. 194 (1995) 19
Aguilar, A., see Gilibert, M. 191 (1995) 1
Aguilar, A., see González, M. 200 (1995) 289
Akselrod, L., H.J. Byrne, S. Donovan and S. Roth, A Raman analysis of C_{60} at low temperatures: a study of molecular and crystal-field effects 192 (1995) 307
Al-Adel, F., see Baskin, J.S. 200 (1995) 181
Al-Kahali, M.S.N., see Lawley, K.P. 197 (1995) 37
Alain, V., see Blanchard-Desce, M. 199 (1995) 253
Albrecht, U. and H. Bässler, Efficiency of charge recombination in organic light emitting diodes 199 (1995) 207
Alekseyev, A.B., K.K. Das, H.-P. Liebermann, R.J. Buenker and G. Hirsch, Ab initio CI study of the electronic spectrum of bismuth iodide employing relativistic effective core potentials 198 (1995) 333
Alekseyev, A.B., see Das, K.K. 196 (1995) 395
Allcock, P., see Andrews, D.L. 198 (1995) 35
Allen, J.P., see Woodbury, N.W. 197 (1995) 405
Allnatt, A.R., see Dham, A.K. 196 (1995) 81
Allouche, A.R., M. Aubert-Frécon, G. Nicolas and F. Spiegelmann, Theoretical study of the electronic structure of the Ba_2 molecule 200 (1995) 63
Almlöf, J., see Reza Ahmadi, G. 199 (1995) 33
Alon, O.E. and N. Moiseyev, Broken dynamical symmetry condition to control a chemical reaction by the complex coordinate (t, t') method 196 (1995) 499
Alonso, J.A., see Glossman, M.D. 196 (1995) 455
Altner, S.B., see Maniloff, E.S. 193 (1995) 173
Amesz, J., see Kennis, J.T.M. 194 (1995) 285
Aminov, K.L. and J.B. Pedersen, Improved finite difference calculation of magnetic field effects; inclusion of analytic asymptotics 193 (1995) 297

Ammer, F., A. Penzkofer and P. Weidner, Concentration-dependent fluorescence behaviour of oxazine 750 and rhodamine 6G in porous silicate xerogel monoliths 192 (1995) 325
Amoros, J., The roughness factor for polyatomic molecules from the shear viscosity coefficient 200 (1995) 281
Amovilli, C. and R. McWeeny, Molecular interactions: a study of charge transfer effects 198 (1995) 71
Andersson, B., see Pålsson, L.-O. 194 (1995) 291
Ando, I., see Kuroki, S. 195 (1995) 107
Ando, K., see Ishii, K. 199 (1995) 245
Ando, S., see Kuroki, S. 195 (1995) 107
André, J.-M., see Jacquemin, D. 197 (1995) 107
Andréasson, L.-E., see Käß, H. 194 (1995) 419
Andrews, D.L. and P. Allcock, Polarisation analysis of bimolecular excitations mediated by energy transfer: A common theoretical framework for fluorescence migration and sequential Raman scattering 198 (1995) 35
Andrews, D.L., see Juzeliūnas, G. 200 (1995) 3
Andrews, S.R., F.M. Harris and D.E. Parry, Double ionization of the propyne molecule to ground and electronically excited states of the doubly charged ion 194 (1995) 215
Andrianambinintsoa, S., see Nabedryk, E. 194 (1995) 371
Angeloni, L., see Marconi, G. 196 (1995) 383
Angerhofer, A., F. Bornhäuser, A. Gall and R.J. Cogdell, Optical and optically detected magnetic resonance investigation on purple photosynthetic bacterial antenna complexes 194 (1995) 259
Aquino, A.J.A., P. Beroza, D.N. Beratan and J.N. Onuchic, Docking and electron transfer between cytochrome c_2 and the photosynthetic reaction center 197 (1995) 277
Archirel, P., Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the $(ArCO)^+$ cluster 193 (1995) 55
Ashokkumar, M., see Gauduel, Y. 197 (1995) 167
Asselin, P., F. Piuzzi, M. Mons and I. Dimicoli, Determination of the vibrationless level of Sn states of chlorobenzene by double resonance multiphoton ionization photoelectron spectroscopy. Evidence of IVR within these states 191 (1995) 261
Åstrand, P.-O., P. Linse and G. Karlström ua, Molecular dynamics study of water adopting a potential function with explicit atomic dipole moments and anisotropic polarizabilities 191 (1995) 195
Atanasov, M., Intraconfigurational transitions in tetrahedral d^2 ions: on the expediency of the ligand field model for transition metal ions in high-oxidations states 195 (1995) 49
Athmer, P.B., see van der Kamp, A.B. 193 (1995) 181
Aubanel, E.E., see Bandrauk, A.D. 198 (1995) 159
Aubert-Frécon, M., see Allouche, A.R. 200 (1995) 63
Azinović, D., S. Milošević and G. Pichler, Photochemical population of KHg^* states 196 (1995) 267
Azriel, V.M., G.D. Billing, L.Yu. Rusin and M.B. Sevryuk, A test of the semiclassical Wigner method for the reaction $F + H_2 \rightarrow H + HF$ 195 (1995) 243
Azriel, V.M., L.Y. Rusin and M.B. Sevryuk, A hard-sphere model for the reactions of two diatomic molecules with ionic bond 199 (1995) 195

Baddour-Hadjean, R., F. Fillaux, N. Floquet, S. Belushkin, I. Natkaniec, L. Desgranges and D. Grebille, Inelastic neutron scattering study of proton dynamics in $Ca(OH)_2$ at 20 K 197 (1995) 81
Bagryansky, V.A., see Korolev, V.V. 196 (1995) 317
Bak, K.L., see Ruud, K. 195 (1995) 157
Balbás, L.C., see Glossman, M.D. 196 (1995) 455
Ballard, C.C., see Palmer, M.H. 192 (1995) 111

Ballesteros, E., see Mestres, J. 192 (1995) 99
Baltzer, P., L. Karlsson, M. Lundqvist, B. Wannberg, D.M.P. Holland and M.A. MacDonald, An experimental study of the valence shell photoelectron spectrum of hydrogen sulphide 195 (1995) 403
Baltzer, P., B. Wannberg, M. Lundqvist, L. Karlsson, D.M.P. Holland, M.A. MacDonald and W. von Niessen, An experimental and theoretical study of the valence shell photoelectron spectrum of allene 196 (1995) 551
Baltzer, P., see Holland, D.M.P. 192 (1995) 333
Baňacký, P., see Szőcs, V. 199 (1995) 1
Bancroft, G.M., see Liu, Z.F. 192 (1995) 255
Bandrauk, A.D. and E.E. Aubanel, Electron control in photodissociation by two-color multiphoton processes 198 (1995) 159
Bao-Zheng, Z., see Mei-Rong, L. 200 (1995) 439
Barbara, P.F., C. von Borczyskowski, R. Casalegno, A. Corval, C. Kryschi, Y. Romanowski and H.P. Trommsdorff, Proton tunnelling reactions in pentacene doped benzoic acid crystals 199 (1995) 285
Barber, J., see Klug, D.R. 194 (1995) 433
Barbon, A., P. Lettinga and P.L. Nordio, Analysis of temperature dependent fluorescence polarization for dimethylaminobenzonitrile 200 (1995) 41
Bartocci, G., see Marconi, G. 196 (1995) 383
Barvík, I., see Warns, Ch. 194 (1995) 117
Barzoukas, M., see Runser, C. 193 (1995) 309
Barzoukas, M., see Blanchard-Desce, M. 199 (1995) 253
Basilevsky, M.V., A.V. Soudackov and M.V. Vener, Electron–proton free-energy surfaces for proton transfer reaction in polar solvents: test calculations for carbon–carbon reaction centres 200 (1995) 87
Baskin, J.S., F. Al-Adel and A. Hamdan, Unexpectedly rich vibronic structure in supersonic jet spectra of sulfur dioxide between 360 and 308 nm 200 (1995) 181
Bässler, H., see Hartenstein, B. 191 (1995) 321
Bässler, H., see Albrecht, U. 199 (1995) 207
Bässler, H., see Heun, S. 200 (1995) 265
Bauschlicher Jr., C.W., see Ricca, A. 200 (1995) 337
Baylis, W.E., see Bieroń, J.R. 197 (1995) 129
Bazhin, N.M., see Korolev, V.V. 196 (1995) 317
Beaufils, S., see Rufflé, B. 195 (1995) 339
Becker, S., C. Braatz, J. Lindner and E. Tiemann, Investigation of the predissociation of SO_2: state selective detection of the SO and O fragments 196 (1995) 275
Becucci, M., see Kerstel, E.R.Th. 199 (1995) 263
Beghin, A., T. Stoecklin and J.C. Rayez, Rate constant calculations for atom–diatom reactions involving an open shell atom and a molecule in a Π electronic state: Application to the $C(^3P) + NO(X\ ^2\Pi)$ reaction 195 (1995) 259
Belchior, J.C. and J.P. Braga, The symmetrization in the classical path approach applied to vibrational cross sections 200 (1995) 137
Belford, R.L., see Canfield, J.M. 191 (1995) 347
Belford, R.L., see Canfield, J.M. 195 (1995) 59
Belushkin, S., see Baddour-Hadjean, R. 197 (1995) 81
Ben-Nun, M., see Wang, X. 197 (1995) 1

Benderskii, V.A., S.Yu. Grebenshchikov and G.V. Mil'nikov, Tunneling splittings in model 2D potentials. II. $V(X,Y)=\lambda(X^2-X_0^2)^2-CX^2(Y-Y_0)+\frac{1}{2}\Omega^2(Y-Y_0+CX_0^2/\Omega^2)^2-C^2X_0^4/2\Omega^2$ 194 (1995) 1
Benderskii, V.A., S.Yu. Grebenshchikov and G.V. Mil'nikov, Tunneling splittings in model 2D potentials. III. $V(X,Y)=\lambda(X^2-X_0^2)^2-CXY+\frac{1}{2}kY^2+(C^2/2k)X^2$. Generalization to N-dimensional case 198 (1995) 281
Benetis, N.P. and U.E. Nordh, Non-secular simulation of frequency domain two-pulse powder ESEEM signals in multinuclear systems 200 (1995) 107
Beratan, D.N., see Aquino, A.J.A. 197 (1995) 277
Berengolts, A., E.I. Dashevskaya, E.E. Nikitin and J. Troe, Dynamic orientation of diatomic fragments formed in the decomposition of statistical triatomic complexes. I. Semiclassical study 195 (1995) 271
Berengolts, A., E.I. Dashevskaya, E.E. Nikitin and J. Troe, Dynamic orientation of diatomic fragments formed in the decomposition of statistical triatomic complexes. II. Classical simulation 195 (1995) 283
Berlin, Yu.A., S.F. Fischer, N.I. Chekunaev and V.I. Goldanskii, Non-exponential non-Arrhenius relaxation in the course of CO rebinding to heme proteins 200 (1995) 369
Bernet, S., see Maniloff, E.S. 193 (1995) 173
Bernhard, C., see Roduner, E. 192 (1995) 231
Beroza, P., see Aquino, A.J.A. 197 (1995) 277
Berriche, H. and F.X. Gadea, Ab initio study of the LiH_+ molecule, electronic interaction analysis and LiH UV photoelectron spectrum 191 (1995) 119
Bertagnolli, H., see Crüsemann, R. 194 (1995) 81
Bertault, M., see Longeville, S. 195 (1995) 371
Bertrán, J., see Mestres, J. 192 (1995) 99
Besnard, M., see Zoidis, E. 196 (1995) 521
Bettermann, H. and I. Dasting, Excited-state geometries derived from the analysis of resonance Raman spectra. Example: $^1(\pi-\pi^*)$ state of 3,5-di-tert-butyl-*o*-benzoquinone 196 (1995) 531
Bieroń, J.R. and W.E. Baylis, Potential energy curves of HgCd and spectroscopic constants of group IIB metal dimers 197 (1995) 129
Billing, G.D., see Marković, N. 191 (1995) 247
Billing, G.D., see Azriel, V.M. 195 (1995) 243
Binninger, U., see Roduner, E. 192 (1995) 231
Bittersmann-Weidlich, E., see Käß, H. 194 (1995) 419
Bittl, R., see Prisner, T.F. 194 (1995) 361
Bittner, T., G.P. Wiederrecht, K.-D. Irrgang, G. Renger and M.R. Wasielewski, Femtosecond transient absorption spectroscopy on the light-harvesting Chl a/b protein complex of Photosystem II at room temperature and 12 K 194 (1995) 311
Bixon, M., J. Jortner and M.E. Michel-Beyerle, A kinetic analysis of the primary charge separation in bacterial photosynthesis. Energy gaps and static heterogeneity 197 (1995) 389
Bizzarri, A.R., O.A. Iakovleva and F. Parak, Spin–lattice relaxation in Mössbauer spectra of metmyoglobin: investigation of crystals, water and water–glycerol solutions 191 (1995) 185
Blanchard-Desce, M., C. Runser, A. Fort, M. Barzoukas, J.-M. Lehn, V. Bloy and V. Alain, Large quadratic hyperpolarizabilities with donor–acceptor polyenes functionalized with strong donors. Comparison with donor–acceptor diphenylpolyenes 199 (1995) 253
Blankenship, R.E., see Savikhin, S. 194 (1995) 245
Bloy, V., see Blanchard-Desce, M. 199 (1995) 253
Boissel, P., see Granucci, G. 191 (1995) 165

Bojarski, C., see Kułak, L. 191 (1995) 43
Bojarski, C., see Kułak, L. 191 (1995) 67
Bökman, F., see Crüsemann, R. 194 (1995) 81
Bolender, J.P., see Glover-Fischer, D.P. 198 (1995) 207
Bolotsky, V.V., see Korolev, V.V. 196 (1995) 317
Bolvin, H. and O. Kahn, Ising model for low-spin high-spin transitions in molecular compounds; within and beyond the mean-field approximation 192 (1995) 295
Bolvin, H., see Tchougréeff, A.L. 193 (1995) 19
Bönigk, B., see Käß, H. 194 (1995) 419
Bornhäuser, F., see Angerhofer, A. 194 (1995) 259
Borowski, P., see Rauk, A. 197 (1995) 73
Borrás-Almenar, J.J., J.M. Clemente, E. Coronado and B.S. Tsukerblat, Mixed-valence polyoxometalate clusters. I. Delocalization of electronic pairs in dodecanuclear heteropoly blues with Keggin structure 195 (1995) 1
Borrás-Almenar, J.J., J.M. Clemente, E. Coronado and B.S. Tsukerblat, Mixed-valence polyoxometalate clusters. II. Delocalization of electronic pairs in 18-site heteropoly blues with Wells–Dawson structure 195 (1995) 17
Borrás-Almenar, J.J., J.M. Clemente, E. Coronado and B.S. Tsukerblat, Mixed-valence polyoxometalate clusters. III. Vibronic problem for the 2-electron reduced heteropoly blue with the Keggin structure 195 (1995) 29
Borsenberger, P., see Hartenstein, B. 191 (1995) 321
Borsenberger, P., see Heun, S. 200 (1995) 265
Borsenberger, P.M., W.T. Gruenbaum, E.H. Magin and L.J. Sorriero, Hole transport in tri-*p*-tolylamine doped polymers: the role of the polymer dipole moment 195 (1995) 435
Borsenberger, P.M. and M.B. O'Regan, The role of dipole moments on hole transport in triphenylamine doped poly(styrene) 200 (1995) 257
Borsenberger, P.M., see Heun, S. 200 (1995) 245
Boschetti, A., see Iannotta, S. 194 (1995) 133
Botrel, A., B. Aboab, F. Corre and F. Tonnard, A theoretical investigation of solvatochromism. Application to merocyanines similar to colored forms obtained by flash-photolysis of spiropyrans 194 (1995) 101
Boussac, A., Exchange of chloride by bromide in the manganese Photosystem-II complex studied by cw- and pulsed-EPR 194 (1995) 409
Boxer, S.G., see Lao, K. 197 (1995) 259
Braatz, C., see Becker, S. 196 (1995) 275
Braga, J.P., see Belchior, J.C. 200 (1995) 137
Bratt, P.J., see Kaminskaya, O. 194 (1995) 335
Brec, R., see Sourisseau, C. 195 (1995) 351
Breton, J., see Nabedryk, E. 194 (1995) 371
Brillante, A., R.G. Della Valle, R. Farina and E. Venuti, Pressure-induced phase transitions in 9,10-anthracene derivatives: anthraquinone 191 (1995) 177
Brillante, A., see Della Valle, R.G. 198 (1995) 79
Brion, C.E., see Cooper, G. 194 (1995) 175
Brion, C.E., see Hollebone, B.P. 196 (1995) 13
Brion, C.E., see Cooper, G. 196 (1995) 293
Briquez, S., A. Lakhlifi, S. Picaud and C. Girardet, Molecular adsorption on ionic substrates: characterization of terrace and step sites 194 (1995) 65
Brȍdka, A., see Pasterny, K. 200 (1995) 79

Broo, A. and M.C. Zerner, Electronic structure of donor–spacer–acceptor molecules of potential interest for molecular electronics. III. Geometry and absorption spectrum of CH_3-αP3CNQ 196 (1995) 407
Broo, A. and M.C. Zerner, Electronic structure of donor–spacer–acceptor molecules of potential interest for molecular electronics. IV. Geometry and device properties of P3CNQ and Q3CNQ 196 (1995) 423
Brown, A. and W.J. Meath, The harmonic two-colour rotating wave approximation; its validity and an application to the effects of permanent dipoles and laser phase in molecular excitations 198 (1995) 91
Bruce, J.M., see Labahn, A. 197 (1995) 355
Bruna, P.J., see Mawhinney, R.C. 199 (1995) 163
Buenker, R.J., see Das, K.K. 196 (1995) 395
Buenker, R.J., see Alekseyev, A.B. 198 (1995) 333
Buntkowsky, G., see Yurkovskaya, A.V. 197 (1995) 157
Buonomo, E. and F.A. Gianturco, Metastable decay of ionic argon clusters: rotational predissociation of $(Ar)_4^+$ 196 (1995) 465
Burton, G.R., see Cooper, G. 196 (1995) 293
Busmann, H.-G., see Lill, Th. 193 (1995) 199
Byrne, H.J., see Akselrod, L. 192 (1995) 307

Cacciatore, M., see Iannotta, S. 194 (1995) 133
Cagol, A., see Iannotta, S. 194 (1995) 133
Canfield, J.M., R.L. Belford, P.G. Debrunner and K.J. Schulten, A perturbation theory treatment of oscillating magnetic fields in the radical pair mechanism (Chemical Physics 182 (1994) 1–18). Erratum 191 (1995) 347
Canfield, J.M., R.L. Belford, P.G. Debrunner and K. Schulten, A perturbation treatment of oscillating magnetic fields in the radical pair mechanism using the Liouville equation 195 (1995) 59
Čápek, V. and E.A. Silinsh, Dynamics of electronic polarization in molecular crystals 200 (1995) 309
Čápek, V., see Silinsh, E.A. 198 (1995) 311
Cardini, G., A comparison between the rigid and flexible model of cyclohexane in the plastic phase by molecular dynamic simulations 193 (1995) 101
Carravetta, V., see Ågren, H. 196 (1995) 47
Casalegno, R., see Barbara, P.F. 199 (1995) 285
Cassidei, L., see Petrella, G. 191 (1995) 203
Castellucci, E., see Marconi, G. 196 (1995) 383
Castellucci, E., see Kerstel, E.R.Th. 199 (1995) 263
Cavagnat, R., see Sourisseau, C. 195 (1995) 351
Chajia, M. and M. Jacon, The effect of rotational excitation on the reaction $^{18}O(^3P) + {}^{16}O^{16}O(^3\Sigma_g^-) \rightarrow {}^{18}O^{16}O(^3\Sigma_g^-) + {}^{16}O(^3P)$. A comparison of quasiclassical and hemiquantal hyperspherical dynamics 195 (1995) 195
Champagne, B., see Jacquemin, D. 197 (1995) 107
Chan, W.F., see Cooper, G. 196 (1995) 293
Chandler, G.S., D. Jayatilaka and M. Wajrak, Ab initio study of the cyclic isomers of N_2S_4 198 (1995) 169
Chandra, A., Dielectric relaxation of binary dipolar liquids 195 (1995) 93
Chandra, A.K. and V. Sreedhara Rao, Further examination of the BEBO model with the results of ab initio calculations of a reaction series 200 (1995) 387
Chandra, A.K., see Sreedhara Rao, V. 192 (1995) 247
Chang, A., see Dolg, M. 195 (1995) 71

Chang, H.-C., G.J. Small and R. Jankowiak, Temperature dependent hole burning of the 684 nm chlorophyll *a* of the isolated reaction center of Photosystem II: confirmation of the linker model 194 (1995) 323
Chang, H.-C., R. Jankowiak, N.R.S. Reddy and G.J. Small, Pressure dependence of primary charge separation in a photosynthetic reaction center 197 (1995) 307
Chang, Y.-W. and N.S. Wang, Rates of the reactions CN + H_2CO and NCO + H_2CO in the temperature range 294–769 K 200 (1995) 431
Chekunaev, N.I., see Berlin, Yu.A. 200 (1995) 369
Chernyak, V. and S. Mukamel, Gauge invariant formulation of molecular electrodynamics and the multipolar Hamiltonian 198 (1995) 133
Chou, K.-C., see Zhang, C.-T. 191 (1995) 17
Chronister, E.L., see L'Espérance, D. 195 (1995) 387
Chynwat, V. and H.A. Frank, The application of the energy gap law to the S_1 energies and dynamics of carotenoids 194 (1995) 237
Clary, D.C., see Nyman, G. 191 (1995) 223
Clemente, J.M., see Borrás-Almenar, J.J. 195 (1995) 1
Clemente, J.M., see Borrás-Almenar, J.J. 195 (1995) 17
Clemente, J.M., see Borrás-Almenar, J.J. 195 (1995) 29
Cogdell, R.J., see Angerhofer, A. 194 (1995) 259
Coletta, F., A. Ferrarini, F. Gottardi and P.L. Nordio, NMR relaxation in long-chain quaternary ammonium ions: the role of torsional flexibility 192 (1995) 19
Combellas, C., see Runser, C. 193 (1995) 309
Compagno, G., G.M. Palma, R. Passante and F. Persico, Relativistic causality and quantum-mechanical states in the Fermi problem 198 (1995) 19
Cooper, G., T.N. Olney and C.E. Brion, Absolute UV and Soft X-ray photoabsorption of ethylene by high resolution dipole (e, e) spectroscopy 194 (1995) 175
Cooper, G., G.R. Burton, W.F. Chan and C.E. Brion, Absolute oscillator strengths for the photoabsorption of silane in the valence and Si 2p and 2s regions (7.5–350 eV) 196 (1995) 293
Coronado, E., see Borrás-Almenar, J.J. 195 (1995) 1
Coronado, E., see Borrás-Almenar, J.J. 195 (1995) 17
Coronado, E., see Borrás-Almenar, J.J. 195 (1995) 29
Corre, F., see Botrel, A. 194 (1995) 101
Corval, A., see Barbara, P.F. 199 (1995) 285
Crüsemann, R., F. Bökman, V. Fritzsche and H. Bertagnolli, A multiple scattering EXAFS study of organometallic compounds: $W(CO)_6$ and (1,3,5-trimethylbenzene)$W(CO)_3$ 194 (1995) 81
Czuchaj, E., F. Rebentrost, H. Stoll and H. Preuss, Pseudopotential calculations for the potential energies of LiHe and BaHe 196 (1995) 37

Daffertshofer, M., H. Port and H.C. Wolf, Fluorescence quenching of ultrathin anthracene films by dielectric and metallic substrates 200 (1995) 225
Dähne, L., A. Horvath and G. Weiser, Influence of aggregation on the optical spectra of a polymethine dye in single crystals 196 (1995) 307
Dai, S., L.M. Toth, G.D. Del Cul and D.H. Metcalf, Near-IR absorption transition of $^3H_4$ to $^3F_2$ for UCl_6^{2-} complex in M_2ZrCl_6 host crystals ($M = K^+$, Rb^+, and Cs^+): an experimental and theoretical study 200 (1995) 271
Dai, S., see Xu, W. 193 (1995) 339
Daivis, P.J. and D.J. Evans, Temperature dependence of the thermal conductivity for two models of liquid butane 198 (1995) 25

Dargelos, A., see Habas, M.-p. 199 (1995) 177
Das, K.K., A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker, Spin–orbit configuration interaction study of the electronic spectrum of antimony iodide 196 (1995) 395
Das, K.K., see Alekseyev, A.B. 198 (1995) 333
Dashevskaya, E.I., see Berengolts, A. 195 (1995) 271
Dashevskaya, E.I., see Berengolts, A. 195 (1995) 283
Dasting, I., see Bettermann, H. 196 (1995) 531
Daverkausen, J., see Gudipati, M.S. 192 (1995) 37
Davidson, E.R., see Hollebone, B.P. 196 (1995) 13
Davister, M. and R. Locht, The dissociative ionization of C_2H_2 and C_2D_2. The $[CH(CD)]_+$ dissociation channel. The H(D)C ≡ C(D)H binding energy 191 (1995) 333
Davister, M., see Locht, R. 195 (1995) 443
De Alti, G., see Fronzoni, G. 195 (1995) 171
De Benedictis, S. and G. Dilecce, Vibrational relaxation of $N_2(C, v)$ state in N_2 pulsed rf discharge: electron impact and pooling reactions 192 (1995) 149
Debrunner, P.G., see Canfield, J.M. 191 (1995) 347
Debrunner, P.G., see Canfield, J.M. 195 (1995) 59
Decleva, P., see Stener, M. 191 (1995) 141
Decleva, P., see Guillot, F. 191 (1995) 289
Decleva, P., see Fronzoni, G. 195 (1995) 171
Dedonder-Lardeux, C., C. Jouvet, S. Martrenchard, D. Solgadi, J. McCombie, B.D. Howells, T.F. Palmer, A. Subaric-Leitis, C. Monte, W. Rettig and P. Zimmermann, Photochemistry in jet-cooled aniline derivatives 191 (1995) 271
Dejonghe, D., see Nabedryk, E. 194 (1995) 371
Del Cul, G.D., see Dai, S. 200 (1995) 271
Della Valle, R.G., E. Venuti and A. Brillante, Pressure and temperature effects in lattice dynamics: the case of naphthalene 198 (1995) 79
Della Valle, R.G., see Brillante, A. 191 (1995) 177
Dellis, D. and J. Samios, Dynamical properties of carbonyl sulphide diluted in argon at different densities. A molecular dynamics investigation 192 (1995) 281
Delugeard, Y., see Longeville, S. 195 (1995) 371
Demidenko, A.A., see Petrov, E.G. 193 (1995) 237
DeRose, V.J., M.J. Latimer, J.-L. Zimmermann, I. Mukerji, V.K. Yachandra, K. Sauer and M.P. Klein, Fluoride substitution in the Mn cluster from Photosystem II: EPR and X-ray absorption spectroscopy studies 194 (1995) 443
De Schryver, F.C., see Hartenstein. B. 191 (1995) 321
Desgranges, L., see Baddour-Hadjean, R. 197 (1995) 81
Dézarnaud-Dandine, C. and A. Sevin, A theoretical investigation on the electron–acceptor properties of polar CS bonds of $CH_{3-n}F_nSH$ ($n = 0$–3) thiols and $CH_{3-n}F_nSCH_{3-n}F_n$ ($n = 0$–3) sulfides 197 (1995) 51
Dézarnaud-Dandine, C., see Guillot, F. 191 (1995) 289
Dham, A.K., A.R. Allnatt, A. Koide and W.J. Meath, Representations of dispersion energy damping functions for interactions of closed shell atoms and molecules 196 (1995) 81
Dham, A.K. and W.J. Meath, Exchange–Coulomb potential energy surfaces, and related physical properties, for Kr–N_2 196 (1995) 125
Dibble, T.S., see Su, Y. 196 (1995) 59
Dickinson, A.S., see Viehland, L.A. 193 (1995) 255
Dilecce, G., see De Benedictis, S. 192 (1995) 149

Dimicoli, I., see Asselin, P. 191 (1995) 261
Ding, G.-w., see Yang, W.-s. 193 (1995) 345
Dmitryuk, A.V., see Syutkin, V.M. 196 (1995) 139
Dohle, M., J. Manz, G.K. Paramonov and H. Quast, Design of substituted semibullvalenes suitable for control of the Cope rearrangement by two ps IR laser pulses 197 (1995) 91
Doktorov, A.B., see Kipriyanov, A.A. 191 (1995) 101
Dolg, M., P. Fulde, H. Stoll, H. Preuss, A. Chang and R.M. Pitzer, Formally tetravalent cerium and thorium compounds: a configuration interaction study of cerocene $Ce(C_8H_8)_2$ and thorocene $Th(C_8H_8)_2$ using energy-adjusted quasirelativistic ab initio pseudopotentials 195 (1995) 71
Domcke, W., see Plöhn, H. 200 (1995) 11
Donaldson, D.J., I.V. Okuda and J.J. Sloan, Dynamics of CO formation in the reaction $O(^3P) + C_2H_3$ 193 (1995) 37
Donovan, R.J., see Lawley, K.P. 197 (1995) 37
Donovan, S., see Akselrod, L. 192 (1995) 307
Dorfmüller, T., see Zoidis, E. 196 (1995) 171
Dracheva, T.V., V.I. Novoderezhkin and A.P. Razjivin, Exciton theory of spectra and energy transfer in photosynthesis: spectral hole burning in the antenna of purple bacteria 194 (1995) 223
Dubovsky, O.A., see Agranovich, V.M. 198 (1995) 245
Dupré, P., P.G. Green and R.W. Field, Quantum beat spectroscopic studies of Zeeman anticrossings in the $\tilde{A}\,^1A_u$ state of the acetylene molecule (C_2H_2) 196 (1995) 211
Dupré, P., Study of Zeeman anticrossing spectra of the $\tilde{A}\,^1A_u$ state of the acetylene molecule (C_2H_2) by Fourier transform: product $\rho_{vib}\langle V \rangle$ and isomerization barrier 196 (1995) 239
Duran, M., see Mestres, J. 192 (1995) 99
Durrant, J.R., see Klug, D.R. 194 (1995) 433
Dutton, P.L., see Moser, C.C. 197 (1995) 343
Dvinskih, S.V., see Yurkovskaya, A.V. 197 (1995) 157
Dvořák, J. and L. Skála, Theory of excitation energy transfer in the primary processes of photosynthesis. III. Mono-exponential regime 191 (1995) 31
Dyke, J.M., see Haggerston, D. 196 (1995) 353

Eggert, J.H., see Soos, Z.G. 200 (1995) 23
Eichler, H.J., R. Macdonald, R. Menzel and R. Sander, Excited state absorption of 5CB (4′-*n*-pentyl-4-cyanobiphenyl) in cyclohexane 195 (1995) 381
Elder, S.H., see Sourisseau, C. 195 (1995) 351
Ellinger, Y., see Granucci, G. 191 (1995) 165
Erickson, R., A. Lund and M. Lindgren, Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in $CFCl_3$ matrix 193 (1995) 89
Esteban, M., see Garay, M. 195 (1995) 235
Evans, C.M. and A.C. Legon, Pre-chemical interactions in a pulsed jet: the angular geometry of thiirane $\cdots$ HCl and the nonlinearity of its hydrogen bond from rotational spectroscopy 198 (1995) 119
Evans, D.J., see Daivis, P.J. 198 (1995) 25
Evans, M.C.W., see Kaminskaya, O. 194 (1995) 335
Even, J., see Longeville, S. 195 (1995) 371

Fahr, A., A.K. Nayak and M.J. Kurylo, The ultraviolet absorption cross sections of CH_3I temperature dependent gas and liquid phase measurements 197 (1995) 195

Fahr, A., A.K. Nayak and R.E. Huie, Temperature dependence of the ultraviolet absorption cross section of CF_3I 199 (1995) 275
Farina, R., see Brillante, A. 191 (1995) 177
Faubel, M., see Gianturco, F.A. 200 (1995) 405
Fave, J.L., see Longeville, S. 195 (1995) 371
Feher, G., see Labahn, A. 197 (1995) 355
Felder, P., see Gejo, T. 195 (1995) 423
Ferrarini, A., see Coletta, F. 192 (1995) 19
Ferretti, A., A. Lami and G. Villani, Control of the yield of photophysical/photochemical processes by excitation with properly delayed ultrashort phase-locked light pulses: a model study on the pyrazine $S_2 \rightarrow S_1$ internal conversion 196 (1995) 447
Field, R.W., see Dupré, P. 196 (1995) 211
Fillaux, F., see Baddour-Hadjean, R. 197 (1995) 81
Fink, K., see Wang, C. 192 (1995) 25
Fischer, G. and P. Wormell, The electronic spectrum of phthalazine. Theory and experiment 198 (1995) 183
Fischer, G., see Nicholson, J.A. 196 (1995) 327
Fischer, S.F., see Scherer, P.O.J. 197 (1995) 333
Fischer, S.F., see Berlin, Yu.A. 200 (1995) 369
Fišer, J., see Vojtík, J. 193 (1995) 47
Fisz, J.J., An algorithm for analyzing the polarization-free picosecond fluorescence experiments on TICT, CT, PT and other relevant systems in solutions 192 (1995) 163
Floquet, N., see Baddour-Hadjean, R. 197 (1995) 81
Floris, F., M. Persico, A. Tani and J. Tomasi, Free energies and structures of hydrated cations, based on effective pair potentials 195 (1995) 207
Fort, A., see Runser, C. 193 (1995) 309
Fort, A., see Blanchard-Desce, M. 199 (1995) 253
Fouassier, M., see Sourisseau, C. 195 (1995) 351
Fourré, I. and M. Raoult, Vibrational structure of the $Ar–NO^+$ van der Waals cation 199 (1995) 215
Francisco, J.S., see Su, Y. 196 (1995) 59
Frank, H.A., see Chynwat, V. 194 (1995) 237
Frank, I., S. Grimme, M. von Arnim and S.D. Peyerimhoff, The solvent shift in the $n \rightarrow \pi^*$ excitation of $CH_2O \cdot nH_2O$: An MRD-CI investigation using effective potentials for the representation of the water molecules 199 (1995) 145
Franzen, S., see Lao, K. 197 (1995) 259
Freiberg, A., see Timpmann, K. 194 (1995) 275
Freitag, A., Ch. van Wüllen and V. Staemmler, An ab initio study of the chemical bond and the ^{129}Xe NMR chemical shifts in $M^+–Xe$ compounds, M = Li, Na, K, Cu, Ag 192 (1995) 267
Friese, M., see Hartwich, G. 197 (1995) 423
Fritzsche, V., see Crüsemann, R. 194 (1995) 81
Fronzoni, G., G. De Alti, P. Decleva and A. Lisini, Correlation effects in core and valence photoelectron spectra of alkene molecules 195 (1995) 171
Fronzoni, G., see Guillot, F. 191 (1995) 289
Fujii, T., see Kishi, H. 192 (1995) 387
Fujimura, Y., see Sugawara, M. 196 (1995) 113
Fulde, P., see Dolg, M. 195 (1995) 71
Furuya, K., see Yonekura, N. 199 (1995) 313

Fuß, W., K.L. Kompa and S. Weizbauer, IR spectrum of HCF_2CF_2Br: hindered intramolecular vibrational energy redistribution 196 (1995) 179

Gadea, F.X., see Berriche, H. 191 (1995) 119
Gai, H., see Ying-Chieh, 200 (1995) 357
Gall, A., see Angerhofer, A. 194 (1995) 259
Gallier, J., see Rufflé, B. 195 (1995) 339
Garay, M., M. Esteban, E. Verdasco and A. González Ureña, Reaction cross-section and product polarization in the $Ca(^1D_2) + HBr \rightarrow CaBr(A,B) + H$ reaction 195 (1995) 235
Gast, P., E.J. Lous and A.J. Hoff, Triplet–singlet difference spectra of *Rps. viridis* recorded with magneto-optical difference spectroscopy at 1.2–286 K. Temperature dependence of position and width of the long-wavelength absorption band 194 (1995) 387
Gauduel, Y., H. Gelabert and M. Ashokkumar, Short-lived charge-transfer-to-solvent-states and multiple electronic relaxations following femtosecond excitation of aqueous chloride ion 197 (1995) 167
Gejo, T., P. Felder and J.R. Huber, The concerted photodissociation of azomethane at 193 nm 195 (1995) 423
Gelabert, H., see Gauduel, Y. 197 (1995) 167
German, E.D., see Tikhomirov, V.A. 191 (1995) 25
Gianturco, F.A. and S. Kumar, Dynamics of vibrationally inelastic collisions in $H^+–H_2$: comparing quantum calculations with experiments 196 (1995) 485
Gianturco, F.A., F. Ragnetti, M. Faubel, B. Martínez-Haya, L.Y. Rusin, F. Sondermann and U. Tappe, A further test of the shape and anisotropy of the $F–H_2$ interaction potential 200 (1995) 405
Gianturco, F.A., see Buonomo, E. 196 (1995) 465
Gilibert, M., X. Giménez, M. González, R. Sayós and A. Aguilar, A comparison between experimental, quantum and quasiclassical properties for the $N(_4S) + O_2(X_3\text{-}\Sigma_g)_r NO(X_2\Pi) + O(_3P)$ reaction 191 (1995) 1
Gilibert, M., see González, M. 200 (1995) 289
Gillbro, T., see Pålsson, L.-O. 194 (1995) 291
Giménez, X., see Gilibert, M. 191 (1995) 1
Girard, A., see Longeville, S. 195 (1995) 371
Girardet, C., see Briquez, S. 194 (1995) 65
Glasbeek, M., see Middelhoek, E.R. 198 (1995) 373
Glosli, J.N., see Philpott, M.R. 198 (1995) 53
Glossman, M.D., L.C. Balbás and J.A. Alonso, Incipient manifestation of the shell structure of atoms within the WDA model for the exchange and kinetic energy density functionals 196 (1995) 455
Glover-Fischer, D.P., D.H. Metcalf, J.P. Bolender and F.S. Richardson, Chiral discrimination in electronic energy-transfer processes in solution. Effects of temperature and solution properties on chirality-dependent rate parameters 198 (1995) 207
Goldanskii, V.I., see Berlin, Yu.A. 200 (1995) 369
Golzan, M.M., P.B. Lukins, D.R. McKenzie, A.M. Vassallo and J.V. Hanna, NMR evidence for strained carbon bonding in tetrahedral amorphous carbon 193 (1995) 167
Gompper, R., see Schilder, A. 193 (1995) 321
Gonzales, D.A. and P.L. Varghese, Vibrational relaxation models for dilute shock heated gases 195 (1995) 83
González, M., M. Gilibert, A. Aguilar and R. Sayós, Influence of the potential energy surface on the reaction cross section: the $K + HF \rightarrow KF + H$ system 200 (1995) 289

González, M., see Gilibert, M. 191 (1995) 1
González Ureña, A., see Garay, M. 195 (1995) 235
Gopich, I.V., see Kipriyanov, A.A. 191 (1995) 101
Gorbach, V.V., see Petrov, E.G. 193 (1995) 237
Görlach, E., H. Gygax, P. Lubini and U.P. Wild, Solvent relaxation of oxazine-4 in 2-methyltetrahydrofuran 194 (1995) 185
Goto, T., see Matsui, A.H. 194 (1995) 167
Gotschy, B., see Schilder, A. 193 (1995) 321
Gottardi, F., see Coletta, F. 192 (1995) 19
Grabowska, J. and K. Sienicki, Energy transfer between finite-sized interacting molecules in a one-dimensional system 192 (1995) 89
Graf, F.R., see Maniloff, E.S. 193 (1995) 173
Graff, R., see Runser, C. 193 (1995) 309
Granucci, G., Y. Ellinger and P. Boissel, The energetics of fragmentation of the naphthalene cation 191 (1995) 165
Grätzel, M., see Nüesch, F. 193 (1995) 1
Gravili, C., see Iannotta, S. 194 (1995) 133
Grebenshchikov, S.Yu., see Benderskii, V.A. 194 (1995) 1
Grebenshchikov, S.Yu., see Benderskii, V.A. 198 (1995) 281
Grebille, D., see Baddour-Hadjean, R. 197 (1995) 81
Green, P.G., see Dupré, P. 196 (1995) 211
Greene-Johnson, W., CPA theory with correlative effects: application to the $\nu_s(PF_3)$ stretch of PF_3/Pt(111) 192 (1995) 9
Grein, F., see Hachey, M.R.J. 197 (1995) 61
Grein, F., see Mawhinney, R.C. 199 (1995) 163
Grimme, S., see Frank, I. 199 (1995) 145
Gruenbaum, W.T., see Borsenberger, P.M. 195 (1995) 435
Gu, X., see Lin, S.H. 197 (1995) 435
Gu, Y.-s., see Yang, W.-s. 193 (1995) 345
Gudipati, M.S., M. Maus, J. Daverkausen and G. Hohlneicher, Higher excited states of aromatic hydrocarbons. III. Assigning the in-plane polarized transitions of low-symmetry molecules: chrysene and E-stilbene 192 (1995) 37
Guest, M.F., see Palmer, M.H. 192 (1995) 111
Guillot, F., C. Dézarnaud-Dandine, M. Tronc, A. Lisini, P. Decleva and G. Fronzoni, Experimental and ab initio study of the molybdenum K and L edges excitation in $Mo(CO)_6$ and MoF_6 191 (1995) 289
Gunde, K.E. and F.S. Richardson, Fluorescence-detected two-photon circular dichroism of Gd^{3+} in trigonal $Na_3[Gd(C_4H_4O_5)_3] \cdot 2NaClO_4 \cdot 6H_2O$ 194 (1995) 195
Gutsev, G.L., A.L. Sobolewski and L. Adamowicz, A theoretical study on the structure of acetonitrile (CH_3CN) and its anion CH_3CN^- 196 (1995) 1
Gygax, H., see Maniloff, E.S. 193 (1995) 173
Gygax, H., see Görlach, E. 194 (1995) 185

Habas, M.-p. and A. Dargelos, Ab initio CI calculations of electronic and vibrational spectra of diazomethane 199 (1995) 177
Hachey, M.R.J. and F. Grein, The spectroscopy of thioformaldehyde. MR-CI studies on the triplet states of H_2CS 197 (1995) 61

Haggerston, D., J.M. Dyke and A. Morris, The use of UV photoelectron spectroscopy to monitor production of excited states of atomic lead from the $Pb(^3P_0) + O_2(a\,^1\Delta_g)$ reaction 196 (1995) 353
Hamdan, A., see Baskin, J.S. 200 (1995) 181
Hamm, P., Coherent effects in femtosecond infrared spectroscopy 200 (1995) 415
Hanfland, M., see Soos, Z.G. 200 (1995) 23
Hanna, J.V., see Golzan, M.M. 193 (1995) 167
Harju, T.O., A.H. Huizer and C.A.G.O. Varma, Non-exponential solvation dynamics of electronically excited 4-aminophthalimide in *n*-alcohols 200 (1995) 215
Harris, F.M., see Andrews, S.R. 194 (1995) 215
Hartenstein, B., H. Bässler, S. Heun, P. Borsenberger, M. Van der Auweraer and F.C. De Schryver, Charge transport in molecularly doped polymers at low dopant concentrations: simulation and experiment 191 (1995) 321
Hartl, I., see Huber, H. 197 (1995) 297
Hartwich, G., M. Friese, H. Scheer, A. Ogrodnik and M.E. Michel-Beyerle, Ultrafast internal conversion in 13^2-OH-Ni-bacteriochlorophyll in reaction centers of *Rhodobacter sphaeroides* R26 197 (1995) 423
Havenith, M., see Linnartz, H. 193 (1995) 327
Hawks, M.R., R.O. Johnson and G.P. Perram, Infrared fluorescence study of electronic-to-vibrational energy transfer in the $Br(^2P_{1/2})$–NO system 195 (1995) 395
Hawlicka, E. and D. Swiatla-Wojcik, Molecular dynamics studies on the structure of methanol–water solutions of NaCl 195 (1995) 221
Hayashi, M., see Lin, S.H. 197 (1995) 435
Hayes, M.A., see Shaw, D.A. 198 (1995) 381
He, G.-z., see Yang, W.-s. 193 (1995) 345
Heinrich, P. and F. Stuhl, Electronic quenching of $CH(A^2\Delta)$ and $NH(A^3\Pi)$ between 300 and 950 K 199 (1995) 105
Heinrich, P. and F. Stuhl, Temperature dependent quenching of $CH(A^2\Delta)$, $NH(A^3\Pi)$, $NH(c\,^1\Pi)$, and $PH(A^3\Pi)$ by H_2 199 (1995) 297
Heinzinger, K., see Tóth, G. 200 (1995) 347
Helgaker, T., see Ruud, K. 195 (1995) 157
Hemley, R.J., see Soos, Z.G. 200 (1995) 23
Henry, B.R., see Turnbull, D.M. 195 (1995) 129
Herreros, M., see Mestres, J. 192 (1995) 99
Hertel, I.V., see Lill, Th. 193 (1995) 199
Heun, S. and P.M. Borsenberger, A comparative study of hole transport in vapor-deposited molecular glasses of N,N′,N″,N‴-tetrakis(4-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine and N,N′-diphenyl-N,N′-bis(3-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine 200 (1995) 245
Heun, S., H. Bässler and P. Borsenberger, The spectral assessment of the origin of the polaronic contribution to charge transport in a highly conjugated triarylamine donor molecule 200 (1995) 265
Heun, S., see Hartenstein, B. 191 (1995) 321
Heywang, G., see Winter, I. 194 (1995) 207
Hiemstra, R.S., see van der Kamp, A.B. 193 (1995) 181
Hikida, T., see Ide, Y. 194 (1995) 159
Hirsch, G., see Das, K.K. 196 (1995) 395
Hirsch, G., see Alekseyev, A.B. 198 (1995) 333
Hochstrasser, R.M., see Wynne, K. 193 (1995) 211

Hochstrasser, R.M., see Moser, C.C. 197 (1995) 343
Hofer, A., see Roduner, E. 192 (1995) 231
Hoff, A.J., see Gast, P. 194 (1995) 387
Hohlneicher, G., see Gudipati, M.S. 192 (1995) 37
Holland, D.M.P., M.A. MacDonald, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg and W. von Niessen, An experimental and theoretical study of the valence shell photoelectron spectrum of sulphur hexafluoride 192 (1995) 333
Holland, D.M.P., see Baltzer, P. 195 (1995) 403
Holland, D.M.P., see Baltzer, P. 196 (1995) 551
Holland, D.M.P., see Shaw, D.A. 198 (1995) 381
Hollebone, B.P., J.J. Neville, Y. Zheng, C.E. Brion, Y. Wang and E.R. Davidson, Valence electron momentum distributions of ethylene; comparison of EMS measurements with near Hartree–Fock limit, configuration interaction and density functional theory calculations 196 (1995) 13
Holten, D., see Laporte, L. 197 (1995) 225
Hopkirk, A., see Shaw, D.A. 198 (1995) 381
Hormes, J., see Winter, I. 194 (1995) 207
Horvath, A., see Dähne, L. 196 (1995) 307
Howells, B.D., see Dedonder-Lardeux, C. 191 (1995) 271
Hoxha, A., see Leyh, B. 192 (1995) 65
Huber, H., M. Meyer, T. Nägele, I. Hartl, H. Scheer, W. Zinth and J. Wachtveitl, Primary photosynthesis in reaction centers containing four different types of electron acceptors at site H_A 197 (1995) 297
Huber, J.R., see Gejo, T. 195 (1995) 423
Huber, M. and J.T. Törring, High-field EPR on the primary electron donor cation radical in single crystals of heterodimer mutant reaction centers of photosynthetic bacteria – first characterization of the *G*-tensor 194 (1995) 379
Huie, R.E., see Fahr, A. 199 (1995) 275
Huizer, A.H., see van der Burgt, M.J. 196 (1995) 193
Huizer, A.H., see Harju, T.O. 200 (1995) 215
Hush, N.S., see Reimers, J.R. 197 (1995) 323

Iakovleva, O.A., see Bizzarri, A.R. 191 (1995) 185
Iannotta, S., C. Gravili, A. Boschetti, A. Cagol and M. Cacciatore, Energy transfer processes and surface corrugation: a combined collision dynamics and experimental study of the Xe–GaSe(001) system 194 (1995) 133
Ide, Y. and T. Hikida, Vibrational energy dependence of nonradiative decay rate: triplet benzene studied by time-resolved and steady-state photosensitized phosphorescence 194 (1995) 159
Illas, F., see Pacchioni, G. 199 (1995) 155
Im, H.-S., see Kang, W.K. 196 (1995) 363
Irrgang, K.-D., see Bittner, T. 194 (1995) 311
Isakov, S.V., N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev, An exactly solvable model of the dipole–dipole relaxation of the electron spins of micellized radical pairs 199 (1995) 119
Ishii, K., H. Nakayama, M. Kawahara, K. Koyama, K. Ando and J. Yokoyama, Raman spectra and relaxation in amorphous naphthalene 199 (1995) 245
Ivanov, A.I., V.A. Mikhailova and A.M. Volodin, The effect of magnetic and spin interactions on outer-sphere electron transfer 197 (1995) 19

Jacon, M., see Chajia, M. 195 (1995) 195
Jacquemin, D., B. Champagne and J.-M. André, Molecular orbital expressions for approximate uncoupled Hartree–Fock second hyperpolarizabilities. A Pariser–Parr–Pople assessment for model polyacetylene chains 197 (1995) 107
Jankowiak, R., see Chang, H.-C. 194 (1995) 323
Jankowiak, R., see Chang, H.-C. 197 (1995) 307
Jayatilaka, D., see Chandler, G.S. 198 (1995) 169
Johnson, R.O., see Hawks, M.R. 195 (1995) 395
Johr, T., see Werncke, W. 199 (1995) 65
Jonas, F., see Winter, I. 194 (1995) 207
Jonsson, D., see Minaev, B.F. 194 (1995) 19
Jørgensen, P., see Ruud, K. 195 (1995) 157
Jortner, J., see Bixon, M. 197 (1995) 389
Joseph, D.M., see Klug, D.R. 194 (1995) 433
Jouvet, C., see Dedonder-Lardeux, C. 191 (1995) 271
Jug, K., see Krack, M. 192 (1995) 127
Jung, K.-H., see Kang, W.K. 196 (1995) 363
Jung, K.W., see Kang, W.K. 196 (1995) 363
Jüpner, H.-J., see Werncke, W. 199 (1995) 65
Juranić, N., see Zolnai, Z. 200 (1995) 161
Juřek, M., V. Špirko and W.P. Kraemer, Ab initio determination of the rate coefficient for radiative association of $He(^1S) + H^+$ 193 (1995) 287
Juzeliūnas, G., Molecule–radiation and molecule–molecule processes in condensed media: a microscopic QED theory 198 (1995) 145
Juzeliūnas, G. and D.L. Andrews, Quantum electrodynamics of bimolecular multiphoton processes in the condensed phase 200 (1995) 3

Kahn, O., see Bolvin, H. 192 (1995) 295
Kahn, O., see Tchougréeff, A.L. 193 (1995) 19
Kamchatnov, A.M., see Agranovich, V.M. 198 (1995) 245
Kaminskaya, O., P.J. Bratt and M.C.W. Evans, EPR properties of the four hemes in the cytochrome subunit of reaction centres from *Rhodopseudomonas viridis*: characterization of the individual hemes 194 (1995) 335
Kang, W.K., K.W. Jung, D.C. Kim, K.-H. Jung and H.-S. Im, Energy partitioning in photodissociation of methyl, ethyl and *n*-propyl iodides at 304 nm 196 (1995) 363
Kapsomenos, G., see Karafiloglou, P. 196 (1995) 69
Karafiloglou, P. and G. Kapsomenos, Local description of a polyenic radical cation 196 (1995) 69
Karlsson, L., see Holland, D.M.P. 192 (1995) 333
Karlsson, L., see Baltzer, P. 195 (1995) 403
Karlsson, L., see Baltzer, P. 196 (1995) 551
Karlström ua, G., see Åstrand, P.-O. 191 (1995) 195
Karni, Y. and E.E. Nikitin, Adiabatically corrected quasiclassical model for the vibrational predissociation of van der Waals complexes 191 (1995) 235
Käß, H., E. Bittersmann-Weidlich, L.-E. Andréasson, B. Bönigk and W. Lubitz, ENDOR and ESEEM of the ^{15}N labelled radical cations of chlorophyll a and the primary donor P_{700} in Photosystem I 194 (1995) 419
Katoh, R., K. Lacmann and W.F. Schmidt, Effect of high pressure on photoionization of N,N,N′,N′-tetramethyl-*p*-phenylenediamine (TMPD) in liquid 2,2-dimethylbutane (DMB) 195 (1995) 457

Kawahara, M., see Ishii, K. 199 (1995) 245
Kearley, G.J., see Navarro, A. 200 (1995) 395
Kennis, J.T.M., T.J. Aartsma and J. Amesz, Energy transfer between antenna complexes in the purple sulfur bacteria *Chromatium tepidum* and *Chromatium vinosum* 194 (1995) 285
Kerstel, E.R.Th., M. Becucci, G. Pietraperzia and E. Castellucci, High-resolution absorption, excitation, and microwave–UV double resonance spectroscopy on a molecular beam: S_1 aniline 199 (1995) 263
Kiefer, P.M., V.B.P. Leite and R.M. Whitnell, A simple model for proton transfer 194 (1995) 33
Kim, D.C., see Kang, W.K. 196 (1995) 363
Kintzinger, J.P., see Runser, C. 193 (1995) 309
Kipriyanov, A.A., I.V. Gopich and A.B. Doktorov, A modification of the non-Markovian encounter theory. III. Hopping and diffusion mechanisms of reactions 191 (1995) 101
Kirmaier, C., see Laporte, L. 197 (1995) 225
Kishi, H. and T. Fujii, Low-work-function surfaces with φ as low as 2.0 eV produced by alkaline earth element carbonate decomposition 192 (1995) 387
Kjaergaard, H.G., see Turnbull, D.M. 195 (1995) 129
Klein, M.P., see DeRose, V.J. 194 (1995) 443
Klimkāns, A., see Silinsh, E.A. 198 (1995) 311
Klug, D.R., T. Rech, D.M. Joseph, J. Barber, J.R. Durrant and G. Porter, Primary processes in isolated Photosystem II reaction centres probed by magic angle transient absorption spectroscopy 194 (1995) 433
Knowles, P.J., see Naumkin, F.Yu. 193 (1995) 27
Koide, A., see Dham, A.K. 196 (1995) 81
Kompa, K.L., see Fuß, W. 196 (1995) 179
Korolev, V.V., V.V. Bolotsky, N.V. Shokhirev, E.B. Krissinel', V.A. Bagryansky and N.M. Bazhin, Diffusion of molecular oxygen in glassy matrices, studied by luminescence quenching 196 (1995) 317
Korolev, V.V., see Vasenkov, S.V. 195 (1995) 305
Koyama, K., see Ishii, K. 199 (1995) 245
Krack, M. and K. Jug, Reactivity of silicon clusters 192 (1995) 127
Kraemer, W.P., see Juřek, M. 193 (1995) 287
Krausz, E., see Riesen, H. 198 (1995) 269
Kreitzman, S.R. and E. Roduner, Theory of avoided level-crossing relaxation dynamics for axial muonated radicals 192 (1995) 189
Krempl, S., see Plöhn, H. 200 (1995) 11
Krissinel', E.B., see Korolev, V.V. 196 (1995) 317
Kryschi, C., see Barbara, P.F. 199 (1995) 285
Kułak, L. and C. Bojarski, Forward and reverse electronic energy transport and trapping in solution. I. Theory 191 (1995) 43
Kułak, L. and C. Bojarski, Forward and reverse electronic energy transport and trapping in solution. II. Numerical results and Monte Carlo simulations 191 (1995) 67
Kumar, S., see Gianturco, F.A. 196 (1995) 485
Kuntz, P.J., I. Paidarová and R. Polák, Theoretical charge-transfer cross-sections for $H^+ + HCl(X\ ^1\Sigma^+) \rightarrow H(^2S_g) + HCL^+(A\ ^2\Sigma^+)$ from a diatomics-in-molecules effective Hamiltonian 199 (1995) 53
Kupriyanov, D.V., Semiclassical study of polarization-dependent optical collisions: application to $Mg(3p\ ^1P_1 \rightarrow 5s\ ^1S_0)$ and $Ar(^1S_0)$ collision 193 (1995) 141

Kuroki, S., S. Ando and I. Ando, An MO study of nuclear quadrupolar coupling constant and nuclear shielding of the carbonyl oxygen in solid peptides with hydrogen bonds 195 (1995) 107
Kurylo, M.J., see Fahr, A. 197 (1995) 195
Kuznetsov, A.M., see Tikhomirov, V.A. 191 (1995) 25

Labahn, A., J.M. Bruce, M.Y. Okamura and G. Feher, Direct charge recombination from $D^+Q_AQ_B^-$ to DQ_AQ_B in bacterial reaction centers from *Rhodobacter sphaeroides* containing low potential quinone in the Q_A site 197 (1995) 355
Lacher, F., see Lill, Th. 193 (1995) 199
Lacmann, K., see Katoh, R. 195 (1995) 457
Lakhlifi, A., see Briquez, S. 194 (1995) 65
Lambright, D., see Lao, K. 197 (1995) 259
Lami, A., see Ferretti, A. 196 (1995) 447
Lao, K., S. Franzen, M. Steffen, D. Lambright, R. Stanley and S.G. Boxer, Effects of applied electric fields on the quantum yields for the initial electron transfer steps in bacterial photosynthesis. II. Dynamic Stark effect 197 (1995) 259
Laporte, L., C. Kirmaier, C.C. Schenck and D. Holten, Free-energy dependence of the rate of electron transfer to the primary quinone in beta-type reaction centers 197 (1995) 225
Larsson, S., see Silinsh, E.A. 198 (1995) 311
Latimer, M.J., see DeRose, V.J. 194 (1995) 443
Lau, A., see Werncke, W. 199 (1995) 65
Lawley, K.P., T. Ridley, Z. Min, P.J. Wilson, M.S.N. Al-Kahali and R.J. Donovan, Vibronic coupling between Rydberg and ion-pair states of I_2 investigated by $(2 + 1)$ resonance enhanced multiphoton ionization spectroscopy 197 (1995) 37
Lawrance, W.D., see Nicholson, J.A. 196 (1995) 327
Le Calvé, N., see Ouafik, Z. 194 (1995) 145
Legon, A.C., see Evans, C.M. 198 (1995) 119
Lehn, J.-M., see Blanchard-Desce, M. 199 (1995) 253
Leite, V.B.P., see Kiefer, P.M. 194 (1995) 33
L'Espérance, D. and E.L. Chronister, Dispersive electronic energy transfer in an organically doped xerogel glass 195 (1995) 387
Lettinga, P., see Barbon, A. 200 (1995) 41
Levine, R.D., see Nyman, G. 191 (1995) 223
Levine, R.D., see Wang, X. 197 (1995) 1
Leyh, B. and A. Hoxha, Reaction window in the single-electron capture by ammonia dications 192 (1995) 65
Li, Z., see Su, Y. 196 (1995) 59
Liebermann, H.-P., see Das, K.K. 196 (1995) 395
Liebermann, H.-P., see Alekseyev, A.B. 198 (1995) 333
Lill, Th., H.-G. Busmann, F. Lacher and I.V. Hertel, The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces 193 (1995) 199
Limtrakul, J., Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts 193 (1995) 79
Lin, S., see Savikhin, S. 194 (1995) 245
Lin, S., see Woodbury, N.W. 197 (1995) 405
Lin, S.H., M. Hayashi, S. Suzuki, X. Gu, W. Xiao and M. Sugawara, Theoretical analyses on femtosecond time-resolved spectra of initial electron transfer of photosynthetic reaction centers at low temperatures 197 (1995) 435
Lin, X., see Woodbury, N.W. 197 (1995) 405

Lindgren, M., see Erickson, R. 193 (1995) 89
Lindner, J., see Becker, S. 196 (1995) 275
Linert, W., see Vyazovkin, S. 193 (1995) 109
Linnartz, H., W.L. Meerts and M. Havenith, The ammonia dimer: new infrared–far infrared double resonance results 193 (1995) 327
Linse, P., see Åstrand, P.-O. 191 (1995) 195
Lipp, M.J. and J.J. O'Brien, Temperature and population measurements of $n = 2$ hydrogen atoms in H_2 RF discharges from H_α (Balmer) spectral profiles obtained by intracavity laser spectroscopy 192 (1995) 355
Lisini, A., see Stener, M. 191 (1995) 141
Lisini, A., see Guillot, F. 191 (1995) 289
Lisini, A., see Fronzoni, G. 195 (1995) 171
Liu, W., D.T. Vu and K.A.R. Mitchell, LEED crystallographic determination for the restructured surface formed by phosphorus bonded at Cu(110) 198 (1995) 235
Liu, Z.F., G.M. Bancroft, J.S. Tse and Z.Z. Yang, Multiple-scattering-Xα studies of the $L_{2,3}$ near edge photoabsorption spectra of H_2S, HCl and Cl_2, and on the intensity variation in the $L_{2,3}$ near edge spectra of XH_n, X = Si, P, S, Cl and $n = 4, 3, 2, 1$ 192 (1995) 255
Locht, R. and M. Davister, The dissociative ionization of C_2H_2. The C^+, C_2^+ and CH_2^+ dissociation channels. The vinylidene ion as a transient? 195 (1995) 443
Locht, R., see Davister, M. 191 (1995) 333
Longeville, S., M. Bertault, J. Even, J.L. Fave, A. Girard and Y. Delugeard, A Raman study of the disorder induced by polymer chains in mixed monomer–polymer crystals of the diacetylene pTS-D 195 (1995) 371
López, M.R., see Martínez, E. 199 (1995) 305
López González, J.J., see Navarro, A. 200 (1995) 395
Lou, N.-q., see Yang, W.-s. 193 (1995) 345
Lous, E.J., see Gast, P. 194 (1995) 387
Lubini, P., see Görlach, E. 194 (1995) 185
Lubitz, W., see van der Est, A. 194 (1995) 349
Lubitz, W., see Prisner, T.F. 194 (1995) 361
Lubitz, W., see Käß, H. 194 (1995) 419
Ludwig, R., NMR relaxation studies in water-alcohol mixtures: the water-rich region 195 (1995) 329
Lukin, L.V., Electron localization in laser ionization of liquid water 192 (1995) 135
Lukins, P.B., see Golzan, M.M. 193 (1995) 167
Lukzen, N.N., V.A. Morozov and R.Z. Sagdeev, The influence of ^{13}C nuclei on quantum beats in the recombination luminescence of radical ion pairs undergoing ion–molecular charge transfer 200 (1995) 119
Lukzen, N.N., see Isakov, S.V. 199 (1995) 119
Luna, A., M. Merchán and B.O. Roos, A theoretical analysis of the lowest excited states in HNO/NOH and HPO/POH 196 (1995) 437
Lund, A., see Erickson, R. 193 (1995) 89
Lundqvist, M., see Holland, D.M.P. 192 (1995) 333
Lundqvist, M., see Baltzer, P. 195 (1995) 403
Lundqvist, M., see Baltzer, P. 196 (1995) 551
Lusztyk, J., see van der Burgt, M.J. 196 (1995) 193

MacDonald, M.A., see Holland, D.M.P. 192 (1995) 333
MacDonald, M.A., see Baltzer, P. 195 (1995) 403

MacDonald, M.A., see Baltzer, P. 196 (1995) 551
MacDonald, M.A., see Shaw, D.A. 198 (1995) 381
Macdonald, R., see Eichler, H.J. 195 (1995) 381
Macrae, R.M., see Roduner, E. 192 (1995) 231
Macura, S., see Zolnai, Z. 200 (1995) 161
Magin, E.H., see Borsenberger, P.M. 195 (1995) 435
Malzahn, D. and V. May, Guided motion in a dissipative quantum system: vibrational state preparation using picosecond infrared pulses 197 (1995) 205
Maniloff, E.S., F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild, Power broadening of the spectral hole width in an optically thick sample 193 (1995) 173
Manz, J., see Dohle, M. 197 (1995) 91
Mao, H.-k., see Soos, Z.G. 200 (1995) 23
Marconi, G., G. Bartocci, U. Mazzucato, A. Spalletti, F. Abbate, L. Angeloni and E. Castellucci, Role of internal conversion on the excited state properties of trans-styryl-pyridines 196 (1995) 383
Markley, J.L., see Zolnai, Z. 200 (1995) 161
Marković, N. and G.D. Billing, Wave packet calculations on ion–molecule reactions 191 (1995) 247
Marković, N., see Simonson, M. 200 (1995) 141
Martin, J.-P., see Wallaart, H.L. 196 (1995) 149
Martin, M.M., P. Plaza and Y.H. Meyer, Ultrafast intramolecular charge transfer in the merocyanine dye DCM 192 (1995) 367
Martínez, E., M.R. López, A. Notario and F. Poblete, The $A(0^+)$–$X(0^+)$ transition of BiBr: radiative lifetimes of the A state 199 (1995) 305
Martínez, H. and T.J. Morgan, Absolute cross-section measurements for collisional destruction of He Rydberg atoms and single electron capture of He^+ ions in collision with SF_6 193 (1995) 193
Martínez-Haya, B., see Gianturco, F.A. 200 (1995) 405
Martrenchard, S., see Dedonder-Lardeux, C. 191 (1995) 271
Matsui, A.H., K. Mizuno, O. Nishi, Y. Matsushima, M. Shimizu, T. Goto and M. Takeshima, Densities of states and band widths of excitons in anthracene microcrystallites embedded in PMMA 194 (1995) 167
Matsushima, Y., see Matsui, A.H. 194 (1995) 167
Maus, M., see Gudipati, M.S. 192 (1995) 37
Mawhinney, R.C., P.J. Bruna and F. Grein, An ab initio investigation of the infrared and visible–UV spectra of BN^+, and photoionization spectrum of BN 199 (1995) 163
May, V., see Malzahn, D. 197 (1995) 205
Mazzucato, U., see Marconi, G. 196 (1995) 383
McCombie, J., see Dedonder-Lardeux, C. 191 (1995) 271
McKenzie, D.R., see Golzan, M.M. 193 (1995) 167
McNaughton, D., G.F. Metha and R. Tay, Generation of transient species by laser induced pyrolysis. The high resolution Fourier transform infrared spectrum of NCN 198 (1995) 107
McSweeney, S.M., see Shaw, D.A. 198 (1995) 381
McWeeny, R., see Amovilli, C. 198 (1995) 71
Meath, W.J., see Dham, A.K. 196 (1995) 81
Meath, W.J., see Dham, A.K. 196 (1995) 125
Meath, W.J., see Brown, A. 198 (1995) 91
Meerts, W.L., see Linnartz, H. 193 (1995) 327
Mei-Rong, L., Z. Qing-Chun, L. Yao-Ming, Z. Bao-Zheng and C. Wen-Ju, Detection of higher excited states of *p*-fluorotoluene with (3 + 1)RMPI spectra 200 (1995) 439

Mejías, J.A., J. Oviedo and J.F. Sanz, A method for including environment polarization effects in ab initio cluster embedded calculations. Application to the water deprotonation over an ideal Al–MgO surface 191 (1995) 133
Menzel, R., see Eichler, H.J. 195 (1995) 381
Merchán, M., see Luna, A. 196 (1995) 437
Mestres, J., M. Duran, J. Bertrán, E. Ballesteros, M. Herreros and J.-L.M. Abboud, Is there a hydride transfer between N_2OH^+ and saturated hydrocarbons? 192 (1995) 99
Metcalf, D.H., see Glover-Fischer, D.P. 198 (1995) 207
Metcalf, D.H., see Dai, S. 200 (1995) 271
Metha, G.F., see McNaughton, D. 198 (1995) 107
Meyer, H., T. Müller and A. Schweig, Accurate inelastic scattering factors for lithium to argon calculated from MR-SDCI wavefunctions 191 (1995) 213
Meyer, M., see Huber, H. 197 (1995) 297
Meyer, Y.H. and P. Plaza, Ultrafast excited singlet state absorption/gain spectroscopy of perylene in solution 200 (1995) 235
Meyer, Y.H., see Martin, M.M. 192 (1995) 367
Michel-Beyerle, M.E., see Bixon, M. 197 (1995) 389
Michel-Beyerle, M.E., see Hartwich, G. 197 (1995) 423
Middelhoek, E.R., P. van der Meulen, J.W. Verhoeven and M. Glasbeek, Picosecond time-dependent Stokes shift studies of fluoroprobe in liquid solution 198 (1995) 373
Mikhailova, V.A., see Ivanov, A.I. 197 (1995) 19
Miller, T.A., see Preppernau, B.L. 196 (1995) 371
Mil'nikov, G.V., see Benderskii, V.A. 194 (1995) 1
Mil'nikov, G.V., see Benderskii, V.A. 198 (1995) 281
Milošević, S., see Azinović, D. 196 (1995) 267
Min, Z., see Lawley, K.P. 197 (1995) 37
Minaev, B.F., D. Jonsson, P. Norman and H. Ågren, Character and spectra of triplet states in short polyenes 194 (1995) 19
Ming, L., T.D. Sewell and S. Nordholm, A simulation study of energy transfer in methyl isocyanide–inert gas collisions 199 (1995) 83
Misurkin, I.A., see Tchougréeff, A.L. 193 (1995) 19
Mitchell, K.A.R., see Liu, W. 198 (1995) 235
Mizuno, K., see Matsui, A.H. 194 (1995) 167
Möbius, K., see Prisner, T.F. 194 (1995) 361
Möbius, K., see Plato, M. 197 (1995) 289
Moiseyev, N., see Alon, O.E. 196 (1995) 499
Mons, M., see Asselin, P. 191 (1995) 261
Monshouwer, R., see Pullerits, T. 194 (1995) 395
Monte, C., see Dedonder-Lardeux, C. 191 (1995) 271
Morgan, T.J., see Martínez, H. 193 (1995) 193
Morozov, V.A., see Isakov, S.V. 199 (1995) 119
Morozov, V.A., see Lukzen, N.N. 200 (1995) 119
Morozova, O.B., see Yurkovskaya, A.V. 197 (1995) 157
Morris, A., see Haggerston, D. 196 (1995) 353
Moser, C.C., R.J. Sension, A.Z. Szarka, S.T. Repinec, R.M. Hochstrasser and P.L. Dutton, Initial charge separation kinetics of bacterial photosynthetic reaction centers in oriented Langmuir–Blodgett films in an applied electric field 197 (1995) 343
Mukamel, S., see Skourtis, S.S. 197 (1995) 367

Mukamel, S., see Chernyak, V. 198 (1995) 133
Mukerji, I., see DeRose, V.J. 194 (1995) 443
Müller, T., see Meyer, H. 191 (1995) 213
Murrell, J.N., see Naumkin, F.Yu. 193 (1995) 27

Nabedryk, E., S. Andrianambinintsoa, D. Dejonghe and J. Breton, FTIR spectroscopy of the photoreduction of the bacteriopheophytin electron acceptor in reaction centers of *Rb. sphaeroides* and *Rps. viridis* 194 (1995) 371
Nägele, T., see Huber, H. 197 (1995) 297
Nakamatsu, H., Relation between X-ray absorption near-edge spectra and interatomic distances 200 (1995) 49
Nakashima, K., see Yonekura, N. 199 (1995) 313
Nakayama, H., see Ishii, K. 199 (1995) 245
Natkaniec, I., see Baddour-Hadjean, R. 197 (1995) 81
Naumkin, F.Yu., P.J. Knowles and J.N. Murrell, Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions 193 (1995) 27
Navarro, A., J.J. López González, G.J. Kearley, J. Tomkinson, S.F. Parker and D.S. Sivia, Vibrational analysis of the inelastic neutron scattering spectrum of s-triazine and trichloro-s-triazine 200 (1995) 395
Nayak, A.K., see Fahr, A. 197 (1995) 195
Nayak, A.K., see Fahr, A. 199 (1995) 275
Neidlinger, Th., see Warns, Ch. 194 (1995) 117
Neuheuser, T., N. Sukumar and S.D. Peyerimhoff, Nonadiabatic coupling of the 1 $^1A''$ and 2 $^1A''$ states of ozone 194 (1995) 45
Neville, J.J., see Hollebone, B.P. 196 (1995) 13
Nicholson, J.A., W.D. Lawrance and G. Fischer, Single vibronic level fluorescence spectra from $\tilde{A}$ ($^1B_{2u}$) benzene: Fermi resonances and S_0 IVR lifetimes 196 (1995) 327
Nickel, B., Orientation factor in Förster energy transfer with photoselection of donor and acceptor 198 (1995) 353
Nicolas, G., see Allouche, A.R. 200 (1995) 63
Niedermayer, C., see Roduner, E. 192 (1995) 231
Niedzielski, J., see Turulski, J. 192 (1995) 319
Nikitin, E.E., see Karni, Y. 191 (1995) 235
Nikitin, E.E., see Berengolts, A. 195 (1995) 271
Nikitin, E.E., see Berengolts, A. 195 (1995) 283
Nishi, O., see Matsui, A.H. 194 (1995) 167
Nobusada, K. and K. Sakimoto, A quantum mechanical study of dissociative $He + H_2$ collisions 197 (1995) 147
Nonella, M. and P. Tavan, An unscaled quantum mechanical harmonic force field for *p*-benzoquinone 199 (1995) 19
Nordh, U.E., see Benetis, N.P. 200 (1995) 107
Nordholm, S., see Ming, L. 199 (1995) 83
Nordholm, S., see Simonson, M. 200 (1995) 141
Nordio, P.L., see Coletta, F. 192 (1995) 19
Nordio, P.L., see Barbon, A. 200 (1995) 41
Norman, P., see Minaev, B.F. 194 (1995) 19
Notario, A., see Martínez, E. 199 (1995) 305

Novoa, J.J., see Rovira, M.C. 200 (1995) 319
Novoderezhkin, V.I., see Dracheva, T.V. 194 (1995) 223
Nüesch, F. and M. Grätzel, H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties 193 (1995) 1
Nyman, G., D.C. Clary and R.D. Levine, Potential energy surface effects on differential cross sections for polyatomic reactions 191 (1995) 223

O'Brien, J.J., see Lipp, M.J. 192 (1995) 355
Ogawa, T., see Yonekura, N. 199 (1995) 313
Ogrodnik, A., see Hartwich, G. 197 (1995) 423
Okamura, M.Y., see Labahn, A. 197 (1995) 355
Okuda, I.V., see Donaldson, D.J. 193 (1995) 37
Olney, T.N., see Cooper, G. 194 (1995) 175
Olsen, J., see Ruud, K. 195 (1995) 157
Onuchic, J.N., see Aquino, A.J.A. 197 (1995) 277
O'Regan, M.B., see Borsenberger, P.M. 200 (1995) 257
Otorbaev, D.K., Catalytic properties of surfaces with respect to generation of CO_2 molecules in the plasma 196 (1995) 543
Ottinger, Ch., A.F. Vilesov and D.D. Xu, High-resolution study of the luminescent electronic energy transfer reaction of $Xe(^3P_{0,2})$ with $^{14}N_2$ and $^{15}N_2$ 192 (1995) 49
Otto, F., E. Tränkle and C. von Borczyskowski, Simulation of exciton transport in binary molecular crystals and comparison with experiments in chemically mixed crystals 197 (1995) 139
Ouafik, Z., N. Le Calvé and B. Pasquier, Vibrational study of various crystalline phases of thallium dihydrogen arsenate TlH_2AsO_4. Comparison with thallium dihydrogen phosphate TlH_2PO_4 194 (1995) 145
Oviedo, J., see Mejías, J.A. 191 (1995) 133

Pacchioni, G. and F. Illas, Does the electronegativity scale apply to ionic crystals as to molecules? A theoretical study of the bonding character in molecular and crystalline alkaline-earth oxides based on dipole moments 199 (1995) 155
Paidarová, I., see Kuntz, P.J. 199 (1995) 53
Palma, G.M., see Compagno, G. 198 (1995) 19
Palmer, M.H., I.C. Walker, C.C. Ballard and M.F. Guest, The electronic states of furan studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations 192 (1995) 111
Palmer, T.F., see Dedonder-Lardeux, C. 191 (1995) 271
Pålsson, L.-O., S.E. Tjus, B. Andersson and T. Gillbro, Energy transfer in photosystem I. Time resolved fluorescence of the native photosystem I complex and its core complex 194 (1995) 291
Panich, A.M., NMR study of the F–H · · · F hydrogen bond. Relation between hydrogen atom position and F–H · · · F bond length 196 (1995) 511
Parak, F., see Bizzarri, A.R. 191 (1995) 185
Paramonov, G.K., see Dohle, M. 197 (1995) 91
Paramzina, S.E., see Syutkin, V.M. 196 (1995) 139
Parker, S.F., see Navarro, A. 200 (1995) 395
Parry, D.E., see Andrews, S.R. 194 (1995) 215
Parthiban, S., B.N. Raghunandan and R. Sumathi, Ab initio study of the molecular structure and vibrational spectra of dichlorine hexoxide and its significance to stratospheric ozone depletion 199 (1995) 183

Pasquier, B., see Ouafik, Z. 194 (1995) 145
Passante, R., see Compagno, G. 198 (1995) 19
Pasterny, K. and A. Bròdka, Rattling of carbon disulphide molecules in liquids 200 (1995) 79
Pearce, K., see Preppernau, B.L. 196 (1995) 371
Pedersen, J.B., see Aminov, K.L. 193 (1995) 297
Peloquin, J.M., see Woodbury, N.W. 197 (1995) 405
Penzkofer, A., see Weidner, P. 191 (1995) 303
Penzkofer, A., see Ammer, F. 192 (1995) 325
Perram, G.P., see Hawks, M.R. 195 (1995) 395
Perrin, M.-Y., see Wallaart, H.L. 196 (1995) 149
Persico, F., see Compagno, G. 198 (1995) 19
Persico, M., see Floris, F. 195 (1995) 207
Persky, A., see Rosenman, E. 195 (1995) 291
Persson, B.J., see Simonson, M. 200 (1995) 141
Peterson, J.R., see van der Kamp, A.B. 193 (1995) 181
Peterson, J.R., see Xu, W. 193 (1995) 339
Petrella, G. and L. Cassidei, Theoretical study of interactions among surface defects by He scattering technique: the reason for the failure of the cross section geometric overlap hypothesis 191 (1995) 203
Petrov, E.G., I.S. Tolokh, A.A. Demidenko and V.V. Gorbach, Electron-transfer properties of quantum molecular wires 193 (1995) 237
Peyerimhoff, S.D., see Neuheuser, T. 194 (1995) 45
Peyerimhoff, S.D., see Frank, I. 199 (1995) 145
Pezler, B., see Turulski, J. 192 (1995) 319
Pfeiffer, M., see Werncke, W. 199 (1995) 65
Philpott, M.R. and J.N. Glosli, Molecular dynamics simulation of the adsorption of benzene on charged metal electrodes in the presence of aqueous electrolyte 198 (1995) 53
Piar, B., see Wallaart, H.L. 196 (1995) 149
Picaud, S., see Briquez, S. 194 (1995) 65
Pichler, G., see Azinović, D. 196 (1995) 267
Pietraperzia, G., see Kerstel, E.R.Th. 199 (1995) 263
Pitzer, R.M., see Dolg, M. 195 (1995) 71
Piuzzi, F., see Asselin, P. 191 (1995) 261
Plato, M. and K. Möbius, Structural characterization of the primary donor in photosynthetic bacteria by its electronic g-tensor 197 (1995) 289
Plaza, P., see Martin, M.M. 192 (1995) 367
Plaza, P., see Meyer, Y.H. 200 (1995) 235
Plöhn, H., S. Krempl, M. Winterstetter and W. Domcke, Path-integral treatment of the real-time dynamics of few-mode spin–boson models 200 (1995) 11
Poblete, F., see Martínez, E. 199 (1995) 305
Polák, R., see Kuntz, P.J. 199 (1995) 53
Port, H., see Daffertshofer, M. 200 (1995) 225
Porter, G., see Klug, D.R. 194 (1995) 433
Power, E.A. and T. Thirunamachandran, Two- and three-body dispersion forces with one excited molecule 198 (1995) 5
Prassides, K., see Roduner, E. 192 (1995) 231
Preppernau, B.L., K. Pearce, A. Tserepi, E. Wurzberg and T.A. Miller, Angular momentum state mixing and quenching of $n = 3$ atomic hydrogen fluorescence 196 (1995) 371

Preuss, H., see Dolg, M. 195 (1995) 71
Preuss, H., see Czuchaj, E. 196 (1995) 37
Prisner, T.F., A. van der Est, R. Bittl, W. Lubitz, D. Stehlik and K. Möbius, Time-resolved W-band (95 GHz) EPR spectroscopy of Zn-substituted reaction centers of *Rhodobacter sphaeroides* R-26 194 (1995) 361
Pullerits, T., R. Monshouwer, F. van Mourik and R. van Grondelle, Temperature dependence of electron–vibronic spectra of photosynthetic systems. Computer simulations and comparison with experiment 194 (1995) 395

Qing-Chun, Z., see Mei-Rong, L. 200 (1995) 439
Quast, H., see Dohle, M. 197 (1995) 91

Raghunandan, B.N., see Parthiban, S. 199 (1995) 183
Ragnetti, F., see Gianturco, F.A. 200 (1995) 405
Raoult, M., see Fourré, I. 199 (1995) 215
Rauk, A., D. Yu, P. Borowski and B. Roos, CASSCF, CASPT2, and MRCI investigations of formyloxyl radical ($HCOO^{\cdot}$) 197 (1995) 73
Rayez, J.C., see Beghin, A. 195 (1995) 259
Razjivin, A.P., see Dracheva, T.V. 194 (1995) 223
Rebentrost, F., see Czuchaj, E. 196 (1995) 37
Rech, T., see Klug, D.R. 194 (1995) 433
Reddy, N.R.S., see Chang, H.-C. 197 (1995) 307
Reese, C., see Winter, I. 194 (1995) 207
Reid, I.D., see Roduner, E. 192 (1995) 231
Reimers, J.R. and N.S. Hush, Nature of the ground and first excited states of the radical cations of photosynthetic bacterial reaction centres 197 (1995) 323
Reineker, P., see Warns, Ch. 194 (1995) 117
Reineker, P., see Szőcs, V. 199 (1995) 1
Renger, G., see Bittner, T. 194 (1995) 311
Renn, A., see Maniloff, E.S. 193 (1995) 173
Repinec, S.T., see Moser, C.C. 197 (1995) 343
Rettig, W., see Dedonder-Lardeux, C. 191 (1995) 271
Reza Ahmadi, G., J. Almlöf and I. Røeggen, The interatomic potential for the $X\,^1\Sigma^+$ state of $ArNa^+$, $NeNa^+$ and $HeNa^+$ 199 (1995) 33
Ricca, A. and C.W. Bauschlicher Jr., The low-lying electronic states of YCu 200 (1995) 337
Richardson, F.S., see Gunde, K.E. 194 (1995) 195
Richardson, F.S., see Glover-Fischer, D.P. 198 (1995) 207
Ridley, T., see Lawley, K.P. 197 (1995) 37
Riesen, H., L. Wallace and E. Krausz, Vibrational sidelines in the localized ^{3}MLCT luminescence of $[Ru(bpy)_{3-x}(L)_x]^{2+}$ ($x = 0$ to 3, L = 3,3′-bipyridazine, bpy-d_8) in the C2/c $[Zn(bpy)_3](ClO_4)_2$ lattice 198 (1995) 269
Robinson, G.W., see Singh, S. 198 (1995) 257
Rode, B.M., see Vizoso, S. 199 (1995) 129
Roduner, E., K. Prassides, R.M. Macrae, I.M. Thomas, C. Niedermayer, U. Binninger, C. Bernhard, A. Hofer and I.D. Reid, Reorientational dynamics of C_{60} in the solid state. An avoided level-crossing muon spin resonance study 192 (1995) 231
Roduner, E., see Kreitzman, S.R. 192 (1995) 189
Røeggen, I., see Reza Ahmadi, G. 199 (1995) 33

Romanowski, Y., see Barbara, P.F. 199 (1995) 285
Roos, B., see Rauk, A. 197 (1995) 73
Roos, B.O., see Luna, A. 196 (1995) 437
Rosenman, E. and A. Persky, Quasiclassical trajectory study of the $F + H_2$ system. Rate constants, kinetic isotope effects and energy partitioning among reaction products 195 (1995) 291
Roth, S., see Akselrod, L. 192 (1995) 307
Rovira, M.C., J.J. Novoa, M.-H. Whangbo and J.M. Williams, Ab initio computation of the potential energy surfaces of the water $\cdots$ hydrocarbon complexes $H_2O \cdots C_2H_2$, $H_2O \cdots C_2H_4$ and $H_2O \cdots CH_4$: minimum energy structures, vibrational frequencies and hydrogen bond energies 200 (1995) 319
Rufflé, B., S. Beaufils and J. Gallier, Low-frequency motions in an alkali phosphate glass studied by ^7Li and ^{31}P NMR 195 (1995) 339
Runser, C., A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger, Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities 193 (1995) 309
Runser, C., see Blanchard-Desce, M. 199 (1995) 253
Rusin, L.Y., see Azriel, V.M. 199 (1995) 195
Rusin, L.Y., see Gianturco, F.A. 200 (1995) 405
Rusin, L.Yu., see Azriel, V.M. 195 (1995) 243
Ruud, K., T. Helgaker, K.L. Bak, P. Jørgensen and J. Olsen, Accurate magnetizabilities of the isoelectronic series BeH^-, BH, and CH^+. The MCSCF-GIAO approach 195 (1995) 157

Saalfrank, P., Photodesorption of neutrals from metal surfaces: a wave packet study 193 (1995) 119
Sagarik, K. and E. Spohr, Statistical mechanical simulations on properties of liquid pyridine 199 (1995) 73
Sagdeev, R.Z., see Yurkovskaya, A.V. 197 (1995) 157
Sagdeev, R.Z., see Isakov, S.V. 199 (1995) 119
Sagdeev, R.Z., see Lukzen, N.N. 200 (1995) 119
Sakimoto, K., see Nobusada, K. 197 (1995) 147
Samios, J., see Dellis, D. 192 (1995) 281
Sander, R., see Eichler, H.J. 195 (1995) 381
Sanz, J.F., see Mejías, J.A. 191 (1995) 133
Sathyanarayana, D.N., see Vijay, A. 198 (1995) 345
Sauer, K., see DeRose, V.J. 194 (1995) 443
Savel'ev, V.A., see Sokolov, N.D. 196 (1995) 583
Savikhin, S., P.I. van Noort, Y. Zhu, S. Lin, R.E. Blankenship and W.S. Struve, Ultrafast energy transfer in light-harvesting chlorosomes from the green sulfur bacterium *Chlorobium tepidum* 194 (1995) 245
Sayós, R., see Gilibert, M. 191 (1995) 1
Sayós, R., see González, M. 200 (1995) 289
Schamps, J., see Sefyani, F.L. 191 (1995) 155
Scharnagl, C., see Scherer, P.O.J. 197 (1995) 333
Scheer, H., see Huber, H. 197 (1995) 297
Scheer, H., see Hartwich, G. 197 (1995) 423
Schelvis, J.P.M. and T.J. Aartsma, Transient absorption changes of a degenerate dimer induced by exciton scattering; implications for Photosystem II of photosynthesis 194 (1995) 303
Schenck, C.C., see Laporte, L. 197 (1995) 225

Scherer, P.O.J., C. Scharnagl and S.F. Fischer, Symmetry breakage in the electronic structure of bacterial reaction centers 197 (1995) 333
Schilder, A., B. Gotschy, A. Seidl and R. Gompper, Preparation and characterisation of the C_{60} charge transfer complex C_{60}^{-}[1,1′,3,3′-tetramethyl-$\Delta^{2,2'}$-bi(imidazolidine)]$^{+\cdot}$ 193 (1995) 321
Schmidt, W.F., see Katoh, R. 195 (1995) 457
Schriver, A., see Schriver-Mazzuoli, L. 199 (1995) 227
Schriver-Mazzuoli, L., A. Schriver and M. Wierzejewska-Hnat, Fourier transform infrared study of sulfur dioxide dimer. II. Argon matrix 199 (1995) 227
Schulten, K., see Canfield, J.M. 195 (1995) 59
Schulten, K.J., see Canfield, J.M. 191 (1995) 347
Schweig, A., see Meyer, H. 191 (1995) 213
Sefyani, F.L. and J. Schamps, The lowest-lying Rydberg states of Si_2: an ab initio study 191 (1995) 155
Seidl, A., see Schilder, A. 193 (1995) 321
Sension, R.J., see Moser, C.C. 197 (1995) 343
Sevin, A., see Dézarnaud-Dandine, C. 197 (1995) 51
Sevryuk, M.B., see Azriel, V.M. 195 (1995) 243
Sevryuk, M.B., see Azriel, V.M. 199 (1995) 195
Sewell, T.D., see Ming, L. 199 (1995) 83
Shaw, D.A., D.M.P. Holland, M.A. Hayes, M.A. MacDonald, A. Hopkirk and S.M. McSweeney, A study of the absolute photoabsorption, photoionisation and photodissociation cross sections and the photoionisation quantum efficiency of carbon dioxide from the ionisation threshold to 345 Å 198 (1995) 381
Shimizu, M., see Matsui, A.H. 194 (1995) 167
Shokhirev, N.V., see Korolev, V.V. 196 (1995) 317
Sieckmann, I., see van der Est, A. 194 (1995) 349
Sienicki, K., see Grabowska, J. 192 (1995) 89
Silinsh, E.A., A. Klimkāns, S. Larsson and V. Čápek, Molecular polaron states in polyacene crystals. Formation and transfer processes 198 (1995) 311
Silinsh, E.A., see Čápek, V. 200 (1995) 309
Simonson, M., N. Marković, S. Nordholm and B.J. Persson, Quasiclassical trajectory study of the C + NO reaction on a new potential energy surface 200 (1995) 141
Singh, J., On the theory of Frenkel excitonic polarons 198 (1995) 63
Singh, S. and G.W. Robinson, An analytical study of the Berezhkovskii–Pollak–Zitserman theory of rate processes in the memory-suppression region 198 (1995) 257
Sivia, D.S., see Navarro, A. 200 (1995) 395
Skála, L., see Dvořák, J. 191 (1995) 31
Skourtis, S.S. and S. Mukamel, Superexchange versus sequential long range electron transfer; density matrix pathways in Liouville space 197 (1995) 367
Skrebkov, O.V., Diffusional description of vibrational relaxation in a binary mixture of diatomic molecules – quantum oscillators 191 (1995) 87
Skrebkov, O.V. and A.L. Smirnov, Classical dynamics of vibrational-translational energy transfer in linear collisions of an atom and a diatomic molecule/anharmonic oscillator 198 (1995) 297
Sloan, J.J., see Donaldson, D.J. 193 (1995) 37
Small, G.J., On the validity of the standard model for primary charge separation in the bacterial reaction center 197 (1995) 239
Small, G.J., see Chang, H.-C. 194 (1995) 323
Small, G.J., see Chang, H.-C. 197 (1995) 307

Smirnov, A.L., see Skrebkov, O.V. 198 (1995) 297
Smirnov, Yu.M., Dissociative excitation of K and K^+ emission by electron impact on KI molecules 192 (1995) 379
Sobolewski, A.L. and L. Adamowicz, Theoretical investigations of the excited-state intramolecular proton transfer reaction in N-substituted-3-hydroxypyridinones 193 (1995) 67
Sobolewski, A.L., see Gutsev, G.L. 196 (1995) 1
Sokolov, N.D. and V.A. Savel'ev, Isotope effects in weak hydrogen bonds. Allowance for two stretching and two bending modes of the A–H...B fragment (Chemical Physics 181 (1994) 305–317) 196 (1995) 583
Solgadi, D., see Dedonder-Lardeux, C. 191 (1995) 271
Sondermann, F., see Gianturco, F.A. 200 (1995) 405
Soos, Z.G., J.H. Eggert, R.J. Hemley, M. Hanfland and H.-k. Mao, Charge transfer and electron–vibron coupling in dense solid hydrogen 200 (1995) 23
Sorriero, L.J., see Borsenberger, P.M. 195 (1995) 435
Soudackov, A.V., see Tchougréeff, A.L. 193 (1995) 19
Soudackov, A.V., see Basilevsky, M.V. 200 (1995) 87
Sourisseau, C., R. Cavagnat, M. Fouassier, R. Brec and S.H. Elder, Infrared, Raman, resonance Raman spectra and lattice dynamics calculations of the solid potassium(I) nickel(II) thiophosphate compound, $KNiPS_4$ 195 (1995) 351
Spalletti, A., see Marconi, G. 196 (1995) 383
Spanget-Larsen, J., see Waluk, J. 200 (1995) 201
Spiegelmann, F., see Allouche, A.R. 200 (1995) 63
Špirko, V., see Juřek, M. 193 (1995) 287
Spohr, E., see Sagarik, K. 199 (1995) 73
Spohr, E., see Tóth, G. 200 (1995) 347
Springborg, M., On solitonic defects in hydrogen-bonded $(HF)_x$ 195 (1995) 143
Springborg, M., On electron localization in periodic $(C_2H_nCl_{4-n})_x$ polymers 196 (1995) 101
Sreedhara Rao, V. and A.K. Chandra, Reactions of cyanogen radical with alkanes and an explanation for negative temperature dependence of rate constants 192 (1995) 247
Sreedhara Rao, V., see Chandra, A.K. 200 (1995) 387
Staemmler, V., see Wang, C. 192 (1995) 25
Staemmler, V., see Freitag, A. 192 (1995) 267
Stanley, R., see Lao, K. 197 (1995) 259
Steer, R.P., see Tittelbach-Helmrich, D. 197 (1995) 99
Steffen, M., see Lao, K. 197 (1995) 259
Stehlik, D., see van der Est, A. 194 (1995) 349
Stehlik, D., see Prisner, T.F. 194 (1995) 361
Stener, M., A. Lisini and P. Decleva, Density functional calculations of excitation energies and oscillator strengths for $C1s \rightarrow \pi_*$ and $O1s \rightarrow \pi_*$ excitations and ionization potentials in carbonyl containing molecules 191 (1995) 141
Stoecklin, T., see Beghin, A. 195 (1995) 259
Stoll, H., see Dolg, M. 195 (1995) 71
Stoll, H., see Czuchaj, E. 196 (1995) 37
Storozhev, A.V. and M.L. Strekalov, Rotational energy relaxation of symmetric top molecules by collisions with atoms 200 (1995) 125
Strekalov, M.L., see Storozhev, A.V. 200 (1995) 125
Struve, W.S., see Savikhin, S. 194 (1995) 245
Stuhl, F., see Heinrich, P. 199 (1995) 105

Stuhl, F., see Heinrich, P. 199 (1995) 297
Su, Y., T.S. Dibble, J.S. Francisco and Z. Li, Dissociation of acetyl bromide: an experimental and theoretical study 196 (1995) 59
Suba, C., see Runser, C. 193 (1995) 309
Subaric-Leitis, A., see Dedonder-Lardeux, C. 191 (1995) 271
Sugawara, M. and Y. Fujimura, Control of quantum dynamics by a locally optimized laser field. Multi-photon dissociation of hydrogen fluoride 196 (1995) 113
Sugawara, M., see Lin, S.H. 197 (1995) 435
Sukumar, N., see Neuheuser, T. 194 (1995) 45
Sultan, R.F., The stability of propagating chemical spike structures and the transition to traveling pulses 192 (1995) 239
Sumathi, R., see Parthiban, S. 199 (1995) 183
Sun, W.-z., see Yang, W.-s. 193 (1995) 345
Sundström, V., see Timpmann, K. 194 (1995) 275
Suzuki, S., see Lin, S.H. 197 (1995) 435
Swiatla-Wojcik, D., see Hawlicka, E. 195 (1995) 221
Syutkin, V.M., V.A. Tolkatchev, A.V. Dmitryuk and S.E. Paramzina, Diffusion of silver ions towards radiation-induced traps in the glass $37.2Na_2O–12.8CaO–50P_2O_5$ 196 (1995) 139
Szarka, A.Z., see Moser, C.C. 197 (1995) 343
Szőcs, V., P. Bañacký and P. Reineker, Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density matrix approach 199 (1995) 1

Taguchi, A.K.W., see Woodbury, N.W. 197 (1995) 405
Takeshima, M., see Matsui, A.H. 194 (1995) 167
Takeshita, K., A theoretical study on the ionic states, with analysis of vibrational levels of the photoelectron spectrum, of formic acid (CH_2O_2 and CD_2O_2) 195 (1995) 117
Tani, A., see Floris, F. 195 (1995) 207
Tappe, U., see Gianturco, F.A. 200 (1995) 405
Tavan, P., see Nonella, M. 199 (1995) 19
Tay, R., see McNaughton, D. 198 (1995) 107
Tchougréeff, A.L., A.V. Soudackov, I.A. Misurkin, H. Bolvin and O. Kahn, High-spin–low-spin transitions in Fe(II) complexes by effective Hamiltonian method 193 (1995) 19
Thiébault, A., see Runser, C. 193 (1995) 309
Thirunamachandran, T., see Power, E.A. 198 (1995) 5
Thomas, I.M., see Roduner, E. 192 (1995) 231
Thulstrup, E.W., see Waluk, J. 200 (1995) 201
Tiemann, E., see Becker, S. 196 (1995) 275
Tikhomirov, V.A., E.D. German and A.M. Kuznetsov, A study of the carbon–halogen bond breaking in tert-butyl halides by the PM3 quantum chemical method 191 (1995) 25
Timpmann, K., A. Freiberg and V. Sundström, Energy trapping and detrapping in the photosynthetic bacterium *Rhodopseudomonas viridis*: transfer-to-trap-limited dynamics 194 (1995) 275
Tittelbach-Helmrich, D. and R.P. Steer, Measurements of the subpicosecond relaxation rates of the first excited singlet states of some pseudoazulenes in solution 197 (1995) 99
Tjus, S.E., see Pålsson, L.-O. 194 (1995) 291
Tolkatchev, V.A., see Vasenkov, S.V. 195 (1995) 305
Tolkatchev, V.A., see Vyazovkin, V.L. 195 (1995) 313
Tolkatchev, V.A., see Syutkin, V.M. 196 (1995) 139
Tolokh, I.S., see Petrov, E.G. 193 (1995) 237

Tomasi, J., see Floris, F. 195 (1995) 207
Tomkinson, J., see Navarro, A. 200 (1995) 395
Tonnard, F., see Botrel, A. 194 (1995) 101
Törring, J.T., see Huber, M. 194 (1995) 379
Tóth, G., E. Spohr and K. Heinzinger, SCF calculations of the interactions of alkali and halide ions with the mercury surface 200 (1995) 347
Toth, L.M., see Xu, W. 193 (1995) 339
Toth, L.M., see Dai, S. 200 (1995) 271
Tränkle, E., see Otto, F. 197 (1995) 139
Traytak, S.D., Diffusion-controlled reaction rate to an active site 192 (1995) 1
Traytak, S.D., The diffusive interaction in diffusion-limited reactions: the time-dependent case 193 (1995) 351
Troe, J., see Berengolts, A. 195 (1995) 271
Troe, J., see Berengolts, A. 195 (1995) 283
Trommsdorff, H.P., see Barbara, P.F. 199 (1995) 285
Tronc, M., see Guillot, F. 191 (1995) 289
Tse, J.S., see Liu, Z.F. 192 (1995) 255
Tserepi, A., see Preppernau, B.L. 196 (1995) 371
Tsukerblat, B.S., see Borrás-Almenar, J.J. 195 (1995) 1
Tsukerblat, B.S., see Borrás-Almenar, J.J. 195 (1995) 17
Tsukerblat, B.S., see Borrás-Almenar, J.J. 195 (1995) 29
Turnbull, D.M., H.G. Kjaergaard and B.R. Henry, Intensities of CH-stretching overtones in 2-butenes 195 (1995) 129
Turulski, J., J. Niedzielski and B. Pezler, The capture rate of an ion by a symmetrical top quadrupole 192 (1995) 319

Vahtras, O., see Ågren, H. 196 (1995) 47
Van der Auweraer, M., see Hartenstein, B. 191 (1995) 321
Van der Burgt, M.J., A.H. Huizer, C.A.G.O. Varma, B.D. Wagner and J. Lusztyk, Evidence for molecular distortion involving the carbonyl group in triplet states of carbonyl derivatives of naphthalene obtained from time resolved vibrational spectroscopic studies 196 (1995) 193
Van der Est, A., I. Sieckmann, W. Lubitz and D. Stehlik, Differences in the binding of the primary quinone acceptor in Photosystem I and reaction centres of *Rhodobacter Sphaeroides*-R26 studied with transient EPR spectroscopy 194 (1995) 349
Van der Est, A., see Prisner, T.F. 194 (1995) 361
Van der Kamp, A.B., P.B. Athmer, R.S. Hiemstra, J.R. Peterson and W.J. van der Zande, Evidence for quasibound states in highly excited CO^+ and NO^+ 193 (1995) 181
Van der Meulen, P., see Middelhoek, E.R. 198 (1995) 373
Van der Zande, W.J., see van der Kamp, A.B. 193 (1995) 181
Van Grondelle, R., see Pullerits, T. 194 (1995) 395
Van Mourik, F., see Pullerits, T. 194 (1995) 395
Van Noort, P.I., see Savikhin, S. 194 (1995) 245
Van Wüllen, Ch., see Freitag, A. 192 (1995) 267
Varandas, A.J.C. and A.I. Voronin, Calculation of the asymptotic interaction and modelling of the potential energy curves of OH and OH^+ 194 (1995) 91
Varghese, P.L., see Gonzales, D.A. 195 (1995) 83
Varma, C.A.G.O., see van der Burgt, M.J. 196 (1995) 193
Varma, C.A.G.O., see Harju, T.O. 200 (1995) 215

Vasenkov, S.V., V.V. Korolev and V.A. Tolkatchev, The influence of deep traps for gas molecules on oxygen transport in the glass of 2-methylpentanol-2 195 (1995) 305
Vassallo, A.M., see Golzan, M.M. 193 (1995) 167
Vauthey, E., Isomerisation dynamics of a thiacarbocyanine dye in different electronic states and in different classes of solvents 196 (1995) 569
Vener, M.V., see Basilevsky, M.V. 200 (1995) 87
Venuti, E., see Brillante, A. 191 (1995) 177
Venuti, E., see Della Valle, R.G. 198 (1995) 79
Verdasco, E., see Garay, M. 195 (1995) 235
Verhoeven, J.W., see Middelhoek, E.R. 198 (1995) 373
Viehland, L.A. and A.S. Dickinson, Transport of diatomic ions in atomic gases 193 (1995) 255
Vieth, H.-M., see Yurkovskaya, A.V. 197 (1995) 157
Vijay, A. and D.N. Sathyanarayana, SCF and electron correlation studies on structure, force constants and vibrational spectra of borane monoammoniate complex 198 (1995) 345
Vilesov, A.F., see Ottinger, Ch. 192 (1995) 49
Villani, G., see Ferretti, A. 196 (1995) 447
Vitali, D., Proton tunneling in symmetric H-bond. A simple microscopic model 192 (1995) 79
Vizoso, S. and B.M. Rode, Na^+ in liquid hydroxylamine: pair potential function from ab initio calculations and Monte Carlo computer simulation of a 0.36 M NaCl solution (2 NaCl/200 NH_2OH) 199 (1995) 129
Vojtík, J. and J. Fišer, Ab initio calculation of the nuclear quadrupole coupling constants of rovibrational levels in the $X^2\Sigma^+$ state of all isotopic variants of LiH^- 193 (1995) 47
Volodin, A.M., see Ivanov, A.I. 197 (1995) 19
Von Arnim, M., see Frank, I. 199 (1995) 145
Von Borczyskowski, C., see Otto, F. 197 (1995) 139
Von Borczyskowski, C., see Barbara, P.F. 199 (1995) 285
Von Niessen, W., see Holland, D.M.P. 192 (1995) 333
Von Niessen, W., see Baltzer, P. 196 (1995) 551
Voronin, A.I., see Varandas, A.J.C. 194 (1995) 91
Voth, G.A., see Ying-Chieh, 200 (1995) 357
Vu, D.T., see Liu, W. 198 (1995) 235
Vyazovkin, S. and W. Linert, False isokinetic relationships found in the nonisothermal decomposition of solids 193 (1995) 109
Vyazovkin, V.L. and V.A. Tolkatchev, H-atom abstraction from alcohols by alkyl radicals. Cooperative effects in the reactions of alkyl radicals in glassy methanol-d_3 195 (1995) 313

Wachtveitl, J., see Huber, H. 197 (1995) 297
Wagner, B.D., see van der Burgt, M.J. 196 (1995) 193
Wajrak, M., see Chandler, G.S. 198 (1995) 169
Walker, I.C., see Palmer, M.H. 192 (1995) 111
Wallaart, H.L., B. Piar, M.-Y. Perrin and J.-P. Martin, Transfer of vibrational energy to electronic excited states and vibration enhanced carbon production in optically excited V–V pumped CO 196 (1995) 149
Wallace, L., see Riesen, H. 198 (1995) 269
Waluk, J., J. Spanget-Larsen and E.W. Thulstrup, Electronic states of symmetrically disubstituted *s*-tetrazines 200 (1995) 201
Wang, C., K. Fink and V. Staemmler, A quantum chemical ab initio study of the superexchange coupling in binuclear oxygen-bridged Ni(II) complexes 192 (1995) 25

Wang, N.S., see Chang, Y.-W. 200 (1995) 431
Wang, X., M. Ben-Nun and R.D. Levine, Peripheral dynamics of the $Cl + CH_4 \rightarrow HCl + CH_3$ reaction. A classical trajectory computation 197 (1995) 1
Wang, Y., see Hollebone, B.P. 196 (1995) 13
Wannberg, B., see Holland, D.M.P. 192 (1995) 333
Wannberg, B., see Baltzer, P. 195 (1995) 403
Wannberg, B., see Baltzer, P. 196 (1995) 551
Warns, Ch., I. Barvík, P. Reineker and Th. Neidlinger, Influence of dichotomic colored energy fluctuations on excitonic optical line shapes of trimers and tetramers 194 (1995) 117
Wasielewski, M.R., see Bittner, T. 194 (1995) 311
Weidner, P. and A. Penzkofer, Picosecond transient spectral hole-burning studies on oxazine 750 in a silicate xerogel 191 (1995) 303
Weidner, P., see Ammer, F. 192 (1995) 325
Weiser, G., see Dähne, L. 196 (1995) 307
Weizbauer, S., see Fuß, W. 196 (1995) 179
Wen-Ju, C., see Mei-Rong, L. 200 (1995) 439
Werncke, W., M. Pfeiffer, T. Johr, A. Lau and H.-J. Jüpner, Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene vinylenes 199 (1995) 65
Whangbo, M.-H., see Rovira, M.C. 200 (1995) 319
Whitnell, R.M., see Kiefer, P.M. 194 (1995) 33
Wiederrecht, G.P., see Bittner, T. 194 (1995) 311
Wierzejewska-Hnat, M., see Schriver-Mazzuoli, L. 199 (1995) 227
Wild, U.P., see Maniloff, E.S. 193 (1995) 173
Wild, U.P., see Görlach, E. 194 (1995) 185
Williams, J.A.C., see Woodbury, N.W. 197 (1995) 405
Williams, J.M., see Rovira, M.C. 200 (1995) 319
Wilson, P.J., see Lawley, K.P. 197 (1995) 37
Winter, I., C. Reese, J. Hormes, G. Heywang and F. Jonas, The thermal ageing of poly(3,4-ethylenedioxythiophene). An investigation by X-ray absorption and X-ray photoelectron spectroscopy 194 (1995) 207
Winterstetter, M., see Plöhn, H. 200 (1995) 11
Wolf, H.C., see Daffertshofer, M. 200 (1995) 225
Woodbury, N.W., S. Lin, X. Lin, J.M. Peloquin, A.K.W. Taguchi, J.A.C. Williams and J.P. Allen, The role of reaction center excited state evolution during charge separation in a *Rb. sphaeroides* mutant with an initial electron donor midpoint potential 260 mV above wild type 197 (1995) 405
Wormell, P., see Fischer, G. 198 (1995) 183
Wurzberg, E., see Preppernau, B.L. 196 (1995) 371
Wynne, K. and R.M. Hochstrasser, The theory of ultrafast vibrational spectroscopy 193 (1995) 211

Xiao, W., see Lin, S.H. 197 (1995) 435
Xu, D.-l., see Yang, W.-s. 193 (1995) 345
Xu, D.D., see Ottinger, Ch. 192 (1995) 49
Xu, W., S. Dai, L.M. Toth and J.R. Peterson, Blue up-conversion emission from U^{4+}-ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation 193 (1995) 339

Yachandra, V.K., see DeRose, V.J. 194 (1995) 443
Yang, W.-s., G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou, The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ ($n = 1, 2, 3, 4$) reactions 193 (1995) 345
Yang, Z.Z., see Liu, Z.F. 192 (1995) 255
Yao-Ming, L., see Mei-Rong, L. 200 (1995) 439
Yarwood, J., see Zoidis, E. 196 (1995) 521
Ying-Chieh,, H. Gai and G.A. Voth, Vibrational energy relaxation dynamics of Si–H stretching modes on stepped H/Si(111)1 × 1 surfaces 200 (1995) 357
Yokoyama, J., see Ishii, K. 199 (1995) 245
Yonekura, N., K. Furuya, K. Nakashima and T. Ogawa, Fano plot of the Paschen line of the excited hydrogen atom ($n = 4$) produced in $e–H_2$ collisions 199 (1995) 313
Yu, D., see Rauk, A. 197 (1995) 73
Yurkovskaya, A.V., O.B. Morozova, R.Z. Sagdeev, S.V. Dvinskih, G. Buntkowsky and H.-M. Vieth, The influence of scavenging on CIDNP field dependences in biradicals during the photolysis of large-ring cycloalkanones 197 (1995) 157

Zerner, M.C., see Broo, A. 196 (1995) 407
Zerner, M.C., see Broo, A. 196 (1995) 423
Zhang, C.-T. and K.-C. Chou, The nonlinear stretching model of hydrogen bonds and local self-fluctuation of base rotation in DNA 191 (1995) 17
Zheng, Y., see Hollebone, B.P. 196 (1995) 13
Zhu, Y., see Savikhin, S. 194 (1995) 245
Zimmermann, J.-L., see DeRose, V.J. 194 (1995) 443
Zimmermann, P., see Dedonder-Lardeux, C. 191 (1995) 271
Zinth, W., see Huber, H. 197 (1995) 297
Zoidis, E. and T. Dorfmüller, Far infrared interaction induced absorption spectra of $CS_2–C_6H_6$ liquid mixtures. A low concentration study 196 (1995) 171
Zoidis, E., M. Besnard and J. Yarwood, An infrared study of the interaction-induced vibrational spectra of benzene in liquid binary mixtures containing CS_2 and C_6F_6 196 (1995) 521
Zolnai, Z., N. Juranić, J.L. Markley and S. Macura, Magnetization exchange network editing: mathematical principles and experimental demonstration 200 (1995) 161

ELSEVIER

Chemical Physics 191–200 (1995) 33–105

Chemical Physics

Subject index to volumes 191–200

Methods

Theoretical

Group theory and algebras

Mixed-valence polyoxometalate clusters. I. Delocalization of electronic pairs in dodecanuclear heteropoly blues with Keggin structure, J.J. Borrás-Almenar, J.M. Clemente, E. Coronado and B.S. Tsukerblat 195 (1995) 1

Mixed-valence polyoxometalate clusters. II. Delocalization of electronic pairs in 18-site heteropoly blues with Wells–Dawson structure, J.J. Borrás-Almenar, J.M. Clemente, E. Coronado and B.S. Tsukerblat 195 (1995) 17

Classical mechanics

H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties, F. Nüesch and M. Grätzel 193 (1995) 1

Tunneling splittings in model 2D potentials. II. $V(X, Y) = \lambda(X^2 - X_0^2)^2 - CX^2(Y - Y_0) + \frac{1}{2}\Omega^2(Y - Y_0 + CX_0^2/\Omega^2)^2 - C^2X_0^4/2\Omega^2$, V.A. Benderskii, S.Yu. Grebenshchikov and G.V. Mil'nikov 194 (1995) 1

Tunneling splittings in model 2D potentials. III. $V(X, Y) = \lambda(X^2 - X_0^2)^2 - CXY + \frac{1}{2}kY^2 + (C^2/2k)X^2$. Generalization to N-dimensional case, V.A. Benderskii, S.Yu. Grebenshchikov and G.V. Mil'nikov 198 (1995) 281

Classical dynamics of vibrational-translational energy transfer in linear collisions of an atom and a diatomic molecule/anharmonic oscillator, O.V. Skrebkov and A.L. Smirnov 198 (1995) 297

Influence of the potential energy surface on the reaction cross section: the K + HF → KF + H system, M. González, M. Gilibert, A. Aguilar and R. Sayós 200 (1995) 289

A comparison between experimental, quantum and quasiclassical properties for the $N(_4S) + O_2(X_3\Sigma_g)_r NO(X_2\Pi) + O(_3P)$ reaction, M. Gilibert, X. Giménez, M. González, R. Sayós and A. Aguilar 191 (1995) 1

The nonlinear stretching model of hydrogen bonds and local self-fluctuation of base rotation in DNA, C.-T. Zhang and K.-C. Chou 191 (1995) 17

Diffusion-controlled reaction rate to an active site, S.D. Traytak 192 (1995) 1

Peripheral dynamics of the $Cl + CH_4 \rightarrow HCl + CH_3$ reaction. A classical trajectory computation, X. Wang, M. Ben-Nun and R.D. Levine 197 (1995) 1

Quantized field theory
Two- and three-body dispersion forces with one excited molecule, E.A. Power and T. Thirunamachandran 198 (1995) 5
Relativistic causality and quantum-mechanical states in the Fermi problem, G. Compagno, G.M. Palma, R. Passante and F. Persico 198 (1995) 19
Gauge invariant formulation of molecular electrodynamics and the multipolar Hamiltonian, V. Chernyak and S. Mukamel 198 (1995) 133
Molecule–radiation and molecule–molecule processes in condensed media: a microscopic QED theory, G. Juzeliūnas 198 (1995) 145
Quantum electrodynamics of bimolecular multiphoton processes in the condensed phase, G. Juzeliūnas and D.L. Andrews 200 (1995) 3

Many body and quasiparticle approaches
High-spin–low-spin transitions in Fe(II) complexes by effective Hamiltonian method, A.L. Tchougréeff, A.V. Soudackov, I.A. Misurkin, H. Bolvin and O. Kahn 193 (1995) 19
Intraconfigurational transitions in tetrahedral d^2 ions: on the expediency of the ligand field model for transition metal ions in high-oxidations states, M. Atanasov 195 (1995) 49
A theoretical study on the structure of acetonitrile (CH_3CN) and its anion CH_3CN^-, G.L. Gutsev, A.L. Sobolewski and L. Adamowicz 196 (1995) 1
Valence electron momentum distributions of ethylene; comparison of EMS measurements with near Hartree–Fock limit, configuration interaction and density functional theory calculations, B.P. Hollebone, J.J. Neville, Y. Zheng, C.E. Brion, Y. Wang and E.R. Davidson 196 (1995) 13
On the theory of Frenkel excitonic polarons, J. Singh 198 (1995) 63
Molecular polaron states in polyacene crystals. Formation and transfer processes, E.A. Silinsh, A. Klimkāns, S. Larsson and V. Čápek 198 (1995) 311
Quantum electrodynamics of bimolecular multiphoton processes in the condensed phase, G. Juzeliūnas and D.L. Andrews 200 (1995) 3
Path-integral treatment of the real-time dynamics of few-mode spin–boson models, H. Plöhn, S. Krempl, M. Winterstetter and W. Domcke 200 (1995) 11
Proton tunneling in symmetric H-bond. A simple microscopic model, D. Vitali 192 (1995) 79
The effect of magnetic and spin interactions on outer-sphere electron transfer, A.I. Ivanov, V.A. Mikhailova and A.M. Volodin 197 (1995) 19

Coupling schemes and perturbative treatments
The theory of ultrafast vibrational spectroscopy, K. Wynne and R.M. Hochstrasser 193 (1995) 211
Character and spectra of triplet states in short polyenes, B.F. Minaev, D. Jonsson, P. Norman and H. Ågren 194 (1995) 19
Mixed-valence polyoxometalate clusters. III. Vibronic problem for the 2-electron reduced heteropoly blue with the Keggin structure, J.J. Borrás-Almenar, J.M. Clemente, E. Coronado and B.S. Tsukerblat 195 (1995) 29
A perturbation treatment of oscillating magnetic fields in the radical pair mechanism using the Liouville equation, J.M. Canfield, R.L. Belford, P.G. Debrunner and K. Schulten 195 (1995) 59
Nonlinear optical vibrations in organic superlattices with interface Fermi resonance, V.M. Agranovich, O.A. Dubovsky and A.M. Kamchatnov 198 (1995) 245
An exactly solvable model of the dipole–dipole relaxation of the electron spins of micellized radical pairs, S.V. Isakov, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev 199 (1995) 119

Charge transfer and electron–vibron coupling in dense solid hydrogen, Z.G. Soos, J.H. Eggert, R.J. Hemley, M. Hanfland and H.-k. Mao 200 (1995) 23
A study of the carbon–halogen bond breaking in tert-butyl halides by the PM3 quantum chemical method, V.A. Tikhomirov, E.D. German and A.M. Kuznetsov 191 (1995) 25
Vibronic coupling between Rydberg and ion-pair states of I_2 investigated by (2 + 1) resonance enhanced multiphoton ionization spectroscopy, K.P. Lawley, T. Ridley, Z. Min, P.J. Wilson, M.S.N. Al-Kahali and R.J. Donovan 197 (1995) 37
Molecular orbital expressions for approximate uncoupled Hartree–Fock second hyperpolarizabilities. A Pariser–Parr–Pople assessment for model polyacetylene chains, D. Jacquemin, B. Champagne and J.-M. André 197 (1995) 107
Superexchange versus sequential long range electron transfer; density matrix pathways in Liouville space, S.S. Skourtis and S. Mukamel 197 (1995) 367
A kinetic analysis of the primary charge separation in bacterial photosynthesis. Energy gaps and static heterogeneity, M. Bixon, J. Jortner and M.E. Michel-Beyerle 197 (1995) 389
Theoretical analyses on femtosecond time-resolved spectra of initial electron transfer of photosynthetic reaction centers at low temperatures, S.H. Lin, M. Hayashi, S. Suzuki, X. Gu, W. Xiao and M. Sugawara 197 (1995) 435

Relativistic quantum mechanics

Formally tetravalent cerium and thorium compounds: a configuration interaction study of cerocene $Ce(C_8H_8)_2$ and thorocene $Th(C_8H_8)_2$ using energy-adjusted quasirelativistic ab initio pseudopotentials, M. Dolg, P. Fulde, H. Stoll, H. Preuss, A. Chang and R.M. Pitzer 195 (1995) 71
Spin–orbit configuration interaction study of the electronic spectrum of antimony iodide, K.K. Das, A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker 196 (1995) 395
Ab initio CI study of the electronic spectrum of bismuth iodide employing relativistic effective core potentials, A.B. Alekseyev, K.K. Das, H.-P. Liebermann, R.J. Buenker and G. Hirsch 198 (1995) 333

Transport quantum mechanics

Electron-transfer properties of quantum molecular wires, E.G. Petrov, I.S. Tolokh, A.A. Demidenko and V.V. Gorbach 193 (1995) 237
Tunneling splittings in model 2D potentials. II. $V(X, Y) = \lambda(X^2 - X_0^2)^2 - CX^2(Y - Y_0) + \frac{1}{2}\Omega^2(Y - Y_0 + CX_0^2/\Omega^2)^2 - C^2X_0^4/2\Omega^2$, V.A. Benderskii, S.Yu. Grebenshchikov and G.V. Mil'nikov 194 (1995) 1
A simple model for proton transfer, P.M. Kiefer, V.B.P. Leite and R.M. Whitnell 194 (1995) 33
On the theory of Frenkel excitonic polarons, J. Singh 198 (1995) 63
Molecular polaron states in polyacene crystals. Formation and transfer processes, E.A. Silinsh, A. Klimkāns, S. Larsson and V. Čápek 198 (1995) 311
Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density matrix approach, V. Szőcs, P. Bañacký and P. Reineker 199 (1995) 1
Dynamics of electronic polarization in molecular crystals, V. Čápek and E.A. Silinsh 200 (1995) 309
Theory of excitation energy transfer in the primary processes of photosynthesis. III. Mono-exponential regime, J. Dvoŗrák and L. Skála 191 (1995) 31
Theory of avoided level-crossing relaxation dynamics for axial muonated radicals, S.R. Kreitzman and E. Roduner 192 (1995) 189
Guided motion in a dissipative quantum system: vibrational state preparation using picosecond infrared pulses, D. Malzahn and V. May 197 (1995) 205

Superexchange versus sequential long range electron transfer; density matrix pathways in Liouville space, S.S. Skourtis and S. Mukamel 197 (1995) 367

Equilibrium statistical mechanics

Na^+ in liquid hydroxylamine: pair potential function from ab initio calculations and Monte Carlo computer simulation of a 0.36 M NaCl solution (2 NaCl/200 NH_2OH), S. Vizoso and B.M. Rode 199 (1995) 129

Forward and reverse electronic energy transport and trapping in solution. I. Theory, L. Kułak and C. Bojarski 191 (1995) 43

Forward and reverse electronic energy transport and trapping in solution. II. Numerical results and Monte Carlo simulations, L. Kułak and C. Bojarski 191 (1995) 67

CPA theory with correlative effects: application to the $\nu_s(PF_3)$ stretch of PF_3/Pt(111), W. Greene-Johnson 192 (1995) 9

Energy transfer between finite-sized interacting molecules in a one-dimensional system, J. Grabowska and K. Sienicki 192 (1995) 89

Statistical mechanics of stationary states

Transport of diatomic ions in atomic gases, L.A. Viehland and A.S. Dickinson 193 (1995) 255

An analytical study of the Berezhkovskii–Pollak–Zitserman theory of rate processes in the memory-suppression region, S. Singh and G.W. Robinson 198 (1995) 257

Near-IR absorption transition of $^3H_4$ to $^3F_2$ for UCl_6^{2-} complex in M_2ZrCl_6 host crystals ($M = K^+$, Rb^+, and Cs^+): an experimental and theoretical study, S. Dai, L.M. Toth, G.D. Del Cul and D.H. Metcalf 200 (1995) 271

The roughness factor for polyatomic molecules from the shear viscosity coefficient, J. Amoros 200 (1995) 281

Non-equilibrium thermodynamic and hydrodynamic theories

Vibrational relaxation models for dilute shock heated gases, D.A. Gonzales and P.L. Varghese 195 (1995) 83

Dielectric relaxation of binary dipolar liquids, A. Chandra 195 (1995) 93

Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density matrix approach, V. Szőcs, P. Bařnacký and P. Reineker 199 (1995) 1

Analysis of temperature dependent fluorescence polarization for dimethylaminobenzonitrile, A. Barbon, P. Lettinga and P.L. Nordio 200 (1995) 41

Diffusional description of vibrational relaxation in a binary mixture of diatomic molecules – quantum oscillators, O.V. Skrebkov 191 (1995) 87

A modification of the non-Markovian encounter theory. III. Hopping and diffusion mechanisms of reactions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 191 (1995) 101

NMR relaxation in long-chain quaternary ammonium ions: the role of torsional flexibility, F. Coletta, A. Ferrarini, F. Gottardi and P.L. Nordio 192 (1995) 19

The stability of propagating chemical spike structures and the transition to traveling pulses, R.F. Sultan 192 (1995) 239

Ab initio schemes for stationary properties

Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions, F.Yu. Naumkin, P.J. Knowles and J.N. Murrell 193 (1995) 27

Dynamics of CO formation in the reaction $O(^3P) + C_2H_3$, D.J. Donaldson, I.V. Okuda and J.J. Sloan 193 (1995) 37
Ab initio calculation of the nuclear quadrupole coupling constants of rovibrational levels in the $X^2\Sigma^+$ state of all isotopic variants of LiH^-, J. Vojtík and J. Fišer 193 (1995) 47
Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the $(ArCO)^+$ cluster, P. Archirel 193 (1995) 55
Theoretical investigations of the excited-state intramolecular proton transfer reaction in N-substituted-3-hydroxypyridinones, A.L. Sobolewski and L. Adamowicz 193 (1995) 67
Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts, J. Limtrakul 193 (1995) 79
Ab initio determination of the rate coefficient for radiative association of $He(^1S) + H^+$, M. Juřek, V. Špirko and W.P. Kraemer 193 (1995) 287
Character and spectra of triplet states in short polyenes, B.F. Minaev, D. Jonsson, P. Norman and H. Ågren 194 (1995) 19
Nonadiabatic coupling of the 1 $^1A''$ and 2 $^1A''$ states of ozone, T. Neuheuser, N. Sukumar and S.D. Peyerimhoff 194 (1995) 45
An MO study of nuclear quadrupolar coupling constant and nuclear shielding of the carbonyl oxygen in solid peptides with hydrogen bonds, S. Kuroki, S. Ando and I. Ando 195 (1995) 107
A theoretical study on the ionic states, with analysis of vibrational levels of the photoelectron spectrum, of formic acid (CH_2O_2 and CD_2O_2), K. Takeshita 195 (1995) 117
Intensities of CH-stretching overtones in 2-butenes, D.M. Turnbull, H.G. Kjaergaard and B.R. Henry 195 (1995) 129
On solitonic defects in hydrogen-bonded $(HF)_x$, M. Springborg 195 (1995) 143
Accurate magnetizabilities of the isoelectronic series BeH^-, BH, and CH^+. The MCSCF-GIAO approach, K. Ruud, T. Helgaker, K.L. Bak, P. Jørgensen and J. Olsen 195 (1995) 157
Correlation effects in core and valence photoelectron spectra of alkene molecules, G. Fronzoni, G. De Alti, P. Decleva and A. Lisini 195 (1995) 171
A theoretical study on the structure of acetonitrile (CH_3CN) and its anion CH_3CN^-, G.L. Gutsev, A.L. Sobolewski and L. Adamowicz 196 (1995) 1
Pseudopotential calculations for the potential energies of LiHe and BaHe, E. Czuchaj, F. Rebentrost, H. Stoll and H. Preuss 196 (1995) 37
Near-edge core photoabsorption in polyacenes: model molecules for graphite, H. Ågren, O. Vahtras and V. Carravetta 196 (1995) 47
Dissociation of acetyl bromide: an experimental and theoretical study, Y. Su, T.S. Dibble, J.S. Francisco and Z. Li 196 (1995) 59
Local description of a polyenic radical cation, P. Karafiloglou and G. Kapsomenos 196 (1995) 69
Representations of dispersion energy damping functions for interactions of closed shell atoms and molecules, A.K. Dham, A.R. Allnatt, A. Koide and W.J. Meath 196 (1995) 81
On electron localization in periodic $(C_2H_nCl_{4-n})_x$ polymers, M. Springborg 196 (1995) 101
Spin–orbit configuration interaction study of the electronic spectrum of antimony iodide, K.K. Das, A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker 196 (1995) 395
Electronic structure of donor–spacer–acceptor molecules of potential interest for molecular electronics. III. Geometry and absorption spectrum of CH_3-αP3CNQ, A. Broo and M.C. Zerner 196 (1995) 407
A theoretical analysis of the lowest excited states in HNO/NOH and HPO/POH, A. Luna, M. Merchán and B.O. Roos 196 (1995) 437
Molecular interactions: a study of charge transfer effects, C. Amovilli and R. McWeeny 198 (1995) 71
The electronic spectrum of phthalazine. Theory and experiment, G. Fischer and P. Wormell 198 (1995) 183

Ab initio CI study of the electronic spectrum of bismuth iodide employing relativistic effective core potentials, A.B. Alekseyev, K.K. Das, H.-P. Liebermann, R.J. Buenker and G. Hirsch 198 (1995) 333
SCF and electron correlation studies on structure, force constants and vibrational spectra of borane monoammoniate complex, A. Vijay and D.N. Sathyanarayana 198 (1995) 345
An unscaled quantum mechanical harmonic force field for *p*-benzoquinone, M. Nonella and P. Tavan 199 (1995) 19
The interatomic potential for the $X\ ^1\Sigma^+$ state of $ArNa^+$, $NeNa^+$ and $HeNa^+$, G. Reza Ahmadi, J. Almlöf and I. Røeggen 199 (1995) 33
Na^+ in liquid hydroxylamine: pair potential function from ab initio calculations and Monte Carlo computer simulation of a 0.36 M NaCl solution (2 NaCl/200 NH_2OH), S. Vizoso and B.M. Rode 199 (1995) 129
The solvent shift in the $n \rightarrow \pi^*$ excitation of $CH_2O \cdot nH_2O$: An MRD-CI investigation using effective potentials for the representation of the water molecules, I. Frank, S. Grimme, M. von Arnim and S.D. Peyerimhoff 199 (1995) 145
Does the electronegativity scale apply to ionic crystals as to molecules? A theoretical study of the bonding character in molecular and crystalline alkaline-earth oxides based on dipole moments, G. Pacchioni and F. Illas 199 (1995) 155
An ab initio investigation of the infrared and visible–UV spectra of BN^+, and photoionization spectrum of BN, R.C. Mawhinney, P.J. Bruna and F. Grein 199 (1995) 163
Ab initio CI calculations of electronic and vibrational spectra of diazomethane, M.-p. Habas and A. Dargelos 199 (1995) 177
Ab initio study of the molecular structure and vibrational spectra of dichlorine hexoxide and its significance to stratospheric ozone depletion, S. Parthiban, B.N. Raghunandan and R. Sumathi 199 (1995) 183
Relation between X-ray absorption near-edge spectra and interatomic distances, H. Nakamatsu 200 (1995) 49
Theoretical study of the electronic structure of the Ba_2 molecule, A.R. Allouche, M. Aubert-Frécon, G. Nicolas and F. Spiegelmann 200 (1995) 63
Ab initio computation of the potential energy surfaces of the water $\cdots$ hydrocarbon complexes $H_2O \cdots C_2H_2$, $H_2O \cdots C_2H_4$ and $H_2O \cdots CH_4$: minimum energy structures, vibrational frequencies and hydrogen bond energies, M.C. Rovira, J.J. Novoa, M.-H. Whangbo and J.M. Williams 200 (1995) 319
The low-lying electronic states of YCu, A. Ricca and C.W. Bauschlicher Jr. 200 (1995) 337
SCF calculations of the interactions of alkali and halide ions with the mercury surface, G. Tóth, E. Spohr and K. Heinzinger 200 (1995) 347
Ab initio study of the LiH_+ molecule, electronic interaction analysis and LiH UV photoelectron spectrum, H. Berriche and F.X. Gadea 191 (1995) 119
A method for including environment polarization effects in ab initio cluster embedded calculations. Application to the water deprotonation over an ideal Al–MgO surface, J.A. Mejías, J. Oviedo and J.F. Sanz 191 (1995) 133
Density functional calculations of excitation energies and oscillator strengths for $C1s \rightarrow \pi_*$ and $O1s \rightarrow \pi_*$ excitations and ionization potentials in carbonyl containing molecules, M. Stener, A. Lisini and P. Decleva 191 (1995) 141
The lowest-lying Rydberg states of Si_2: an ab initio study, F.L. Sefyani and J. Schamps 191 (1995) 155
The energetics of fragmentation of the naphthalene cation, G. Granucci, Y. Ellinger and P. Boissel 191 (1995) 165

A quantum chemical ab initio study of the superexchange coupling in binuclear oxygen-bridged Ni(II) complexes, C. Wang, K. Fink and V. Staemmler 192 (1995) 25
Is there a hydride transfer between N_2OH^+ and saturated hydrocarbons?, J. Mestres, M. Duran, J. Bertrán, E. Ballesteros, M. Herreros and J.-L.M. Abboud 192 (1995) 99
The electronic states of furan studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker, C.C. Ballard and M.F. Guest 192 (1995) 111
Reactivity of silicon clusters, M. Krack and K. Jug 192 (1995) 127
Reactions of cyanogen radical with alkanes and an explanation for negative temperature dependence of rate constants, V. Sreedhara Rao and A.K. Chandra 192 (1995) 247
Multiple-scattering-Xα studies of the $L_{2,3}$ near edge photoabsorption spectra of H_2S, HCl and Cl_2, and on the intensity variation in the $L_{2,3}$ near edge spectra of XH_n, X = Si, P, S, Cl and n = 4, 3, 2, 1, Z.F. Liu, G.M. Bancroft, J.S. Tse and Z.Z. Yang 192 (1995) 255
An ab initio study of the chemical bond and the ^{129}Xe NMR chemical shifts in M^+–Xe compounds, M = Li, Na, K, Cu, Ag, A. Freitag, Ch. van Wüllen and V. Staemmler 192 (1995) 267
A theoretical investigation on the electron–acceptor properties of polar CS bonds of $CH_{3-n}F_nSH$ (n = 0–3) thiols and $CH_{3-n}F_nSCH_{3-n}F_n$ (n = 0–3) sulfides, C. Dézarnaud-Dandine and A. Sevin 197 (1995) 51
The spectroscopy of thioformaldehyde. MR-CI studies on the triplet states of H_2CS, M.R.J. Hachey and F. Grein 197 (1995) 61
CASSCF, CASPT2, and MRCI investigations of formyloxyl radical ($HCOO^{\cdot}$), A. Rauk, D. Yu, P. Borowski and B. Roos 197 (1995) 73
Potential energy curves of HgCd and spectroscopic constants of group IIB metal dimers, J.R. Bieroń and W.E. Baylis 197 (1995) 129

Computational and simulation methods

Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions, F.Yu. Naumkin, P.J. Knowles and J.N. Murrell 193 (1995) 27
Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in $CFCl_3$ matrix, R. Erickson, A. Lund and M. Lindgren 193 (1995) 89
A comparison between the rigid and flexible model of cyclohexane in the plastic phase by molecular dynamic simulations, G. Cardini 193 (1995) 101
False isokinetic relationships found in the nonisothermal decomposition of solids, S. Vyazovkin and W. Linert 193 (1995) 109
Improved finite difference calculation of magnetic field effects; inclusion of analytic asymptotics, K.L. Aminov and J.B. Pedersen 193 (1995) 297
Tunneling splittings in model 2D potentials. II. $V(X, Y) = \lambda(X^2 - X_0^2)^2 - CX^2(Y - Y_0) + \frac{1}{2}\Omega^2(Y - Y_0 + CX_0^2/\Omega^2)^2 - C^2X_0^4/2\Omega^2$, V.A. Benderskii, S.Yu. Grebenshchikov and G.V. Mil'nikov 194 (1995) 1
Nonadiabatic coupling of the 1 $^1A''$ and 2 $^1A''$ states of ozone, T. Neuheuser, N. Sukumar and S.D. Peyerimhoff 194 (1995) 45
Molecular adsorption on ionic substrates: characterization of terrace and step sites, S. Briquez, A. Lakhlifi, S. Picaud and C. Girardet 194 (1995) 65
A multiple scattering EXAFS study of organometallic compounds: $W(CO)_6$ and (1,3,5-trimethylbenzene)$W(CO)_3$, R. Crüsemann, F. Bökman, V. Fritzsche and H. Bertagnolli 194 (1995) 81
Calculation of the asymptotic interaction and modelling of the potential energy curves of OH and OH^+, A.J.C. Varandas and A.I. Voronin 194 (1995) 91

A theoretical investigation of solvatochromism. Application to merocyanines similar to colored forms obtained by flash-photolysis of spiropyrans, A. Botrel, B. Aboab, F. Corre and F. Tonnard 194 (1995) 101

Influence of dichotomic colored energy fluctuations on excitonic optical line shapes of trimers and tetramers, Ch. Warns, I. Barvík, P. Reineker and Th. Neidlinger 194 (1995) 117

Exciton theory of spectra and energy transfer in photosynthesis: spectral hole burning in the antenna of purple bacteria, T.V. Dracheva, V.I. Novoderezhkin and A.P. Razjivin 194 (1995) 223

Temperature dependence of electron–vibronic spectra of photosynthetic systems. Computer simulations and comparison with experiment, T. Pullerits, R. Monshouwer, F. van Mourik and R. van Grondelle 194 (1995) 395

Vibrational relaxation models for dilute shock heated gases, D.A. Gonzales and P.L. Varghese 195 (1995) 83

The effect of rotational excitation on the reaction $^{18}O(^3P) + {}^{16}O{}^{16}O(^3\Sigma_g^-) \rightarrow {}^{18}O{}^{16}O(^3\Sigma_g^-) + {}^{16}O(^3P)$. A comparison of quasiclassical and hemiquantal hyperspherical dynamics, M. Chajia and M. Jacon 195 (1995) 195

Free energies and structures of hydrated cations, based on effective pair potentials, F. Floris, M. Persico, A. Tani and J. Tomasi 195 (1995) 207

Molecular dynamics studies on the structure of methanol–water solutions of NaCl, E. Hawlicka and D. Swiatla-Wojcik 195 (1995) 221

Control of quantum dynamics by a locally optimized laser field. Multi-photon dissociation of hydrogen fluoride, M. Sugawara and Y. Fujimura 196 (1995) 113

Exchange–Coulomb potential energy surfaces, and related physical properties, for Kr–N_2, A.K. Dham and W.J. Meath 196 (1995) 125

Electronic structure of donor–spacer–acceptor molecules of potential interest for molecular electronics. III. Geometry and absorption spectrum of CH_3-αP3CNQ, A. Broo and M.C. Zerner 196 (1995) 407

Electronic structure of donor–spacer–acceptor molecules of potential interest for molecular electronics. IV. Geometry and device properties of P3CNQ and Q3CNQ, A. Broo and M.C. Zerner 196 (1995) 423

Control of the yield of photophysical/photochemical processes by excitation with properly delayed ultrashort phase-locked light pulses: a model study on the pyrazine $S_2 \rightarrow S_1$ internal conversion, A. Ferretti, A. Lami and G. Villani 196 (1995) 447

Incipient manifestation of the shell structure of atoms within the WDA model for the exchange and kinetic energy density functionals, M.D. Glossman, L.C. Balbás and J.A. Alonso 196 (1995) 455

Temperature dependence of the thermal conductivity for two models of liquid butane, P.J. Daivis and D.J. Evans 198 (1995) 25

Molecular dynamics simulation of the adsorption of benzene on charged metal electrodes in the presence of aqueous electrolyte, M.R. Philpott and J.N. Glosli 198 (1995) 53

Pressure and temperature effects in lattice dynamics: the case of naphthalene, R.G. Della Valle, E. Venuti and A. Brillante 198 (1995) 79

The harmonic two-colour rotating wave approximation; its validity and an application to the effects of permanent dipoles and laser phase in molecular excitations, A. Brown and W.J. Meath 198 (1995) 91

Ab initio study of the cyclic isomers of N_2S_4, G.S. Chandler, D. Jayatilaka and M. Wajrak 198 (1995) 169

Tunneling splittings in model 2D potentials. III. $V(X, Y) = \lambda(X^2 - X_0^2)^2 - CXY + \frac{1}{2}kY^2 + (C^2/2k)X^2$. Generalization to N-dimensional case, V.A. Benderskii, S.Yu. Grebenshchikov and G.V. Mil'nikov 198 (1995) 281

Orientation factor in Förster energy transfer with photoselection of donor and acceptor, B. Nickel 198 (1995) 353
An unscaled quantum mechanical harmonic force field for *p*-benzoquinone, M. Nonella and P. Tavan 199 (1995) 19
Theoretical charge-transfer cross-sections for $H^+ + HCl(X\ ^1\Sigma^+) \rightarrow H(^2S_g) + HCL^+(A\ ^2\Sigma^+)$ from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová and R. Polák 199 (1995) 53
Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene vinylenes, W. Werncke, M. Pfeiffer, T. Johr, A. Lau and H.-J. Jüpner 199 (1995) 65
Statistical mechanical simulations on properties of liquid pyridine, K. Sagarik and E. Spohr 199 (1995) 73
An exactly solvable model of the dipole–dipole relaxation of the electron spins of micellized radical pairs, S.V. Isakov, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev 199 (1995) 119
Na^+ in liquid hydroxylamine: pair potential function from ab initio calculations and Monte Carlo computer simulation of a 0.36 M NaCl solution (2 NaCl/200 NH_2OH), S. Vizoso and B.M. Rode 199 (1995) 129
A hard-sphere model for the reactions of two diatomic molecules with ionic bond, V.M. Azriel, L.Y. Rusin and M.B. Sevryuk 199 (1995) 195
Efficiency of charge recombination in organic light emitting diodes, U. Albrecht and H. Bässler 199 (1995) 207
Relation between X-ray absorption near-edge spectra and interatomic distances, H. Nakamatsu 200 (1995) 49
Rattling of carbon disulphide molecules in liquids, K. Pasterny and A. Bròdka 200 (1995) 79
Electron–proton free-energy surfaces for proton transfer reaction in polar solvents: test calculations for carbon–carbon reaction centres, M.V. Basilevsky, A.V. Soudackov and M.V. Vener 200 (1995) 87
Non-secular simulation of frequency domain two-pulse powder ESEEM signals in multinuclear systems, N.P. Benetis and U.E. Nordh 200 (1995) 107
The influence of ^{13}C nuclei on quantum beats in the recombination luminescence of radical ion pairs undergoing ion–molecular charge transfer, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev 200 (1995) 119
Influence of the potential energy surface on the reaction cross section: the $K + HF \rightarrow KF + H$ system, M. González, M. Gilibert, A. Aguilar and R. Sayós 200 (1995) 289
Ab initio computation of the potential energy surfaces of the water $\cdots$ hydrocarbon complexes $H_2O \cdots C_2H_2$, $H_2O \cdots C_2H_4$ and $H_2O \cdots CH_4$: minimum energy structures, vibrational frequencies and hydrogen bond energies, M.C. Rovira, J.J. Novoa, M.-H. Whangbo and J.M. Williams 200 (1995) 319
Vibrational energy relaxation dynamics of Si–H stretching modes on stepped H/Si(111)1 $\times$ 1 surfaces, Ying-Chieh, H. Gai and G.A. Voth 200 (1995) 357
Non-exponential non-Arrhenius relaxation in the course of CO rebinding to heme proteins, Yu.A. Berlin, S.F. Fischer, N.I. Chekunaev and V.I. Goldanskii 200 (1995) 369
Further examination of the BEBO model with the results of ab initio calculations of a reaction series, A.K. Chandra and V. Sreedhara Rao 200 (1995) 387
Vibrational analysis of the inelastic neutron scattering spectrum of s-triazine and trichloro-s-triazine, A. Navarro, J.J. López González, G.J. Kearley, J. Tomkinson, S.F. Parker and D.S. Sivia 200 (1995) 395
Pressure-induced phase transitions in 9,10-anthracene derivatives: anthraquinone, A. Brillante, R.G. Della Valle, R. Farina and E. Venuti 191 (1995) 177

Spin–lattice relaxation in Mössbauer spectra of metmyoglobin: investigation of crystals, water and water–glycerol solutions, A.R. Bizzarri, O.A. Iakovleva and F. Parak 191 (1995) 185
Molecular dynamics study of water adopting a potential function with explicit atomic dipole moments and anisotropic polarizabilities, P.-O. Åstrand, P. Linse and G. Karlström ua 191 (1995) 195
Higher excited states of aromatic hydrocarbons. III. Assigning the in-plane polarized transitions of low-symmetry molecules: chrysene and E-stilbene, M.S. Gudipati, M. Maus, J. Daverkausen and G. Hohlneicher 192 (1995) 37
Reactions of cyanogen radical with alkanes and an explanation for negative temperature dependence of rate constants, V. Sreedhara Rao and A.K. Chandra 192 (1995) 247
Dynamical properties of carbonyl sulphide diluted in argon at different densities. A molecular dynamics investigation, D. Dellis and J. Samios 192 (1995) 281
Ising model for low-spin high-spin transitions in molecular compounds; within and beyond the mean-field approximation, H. Bolvin and O. Kahn 192 (1995) 295
Simulation of exciton transport in binary molecular crystals and comparison with experiments in chemically mixed crystals, F. Otto, E. Tränkle and C. von Borczyskowski 197 (1995) 139
Docking and electron transfer between cytochrome c_2 and the photosynthetic reaction center, A.J.A. Aquino, P. Beroza, D.N. Beratan and J.N. Onuchic 197 (1995) 277
Nature of the ground and first excited states of the radical cations of photosynthetic bacterial reaction centres, J.R. Reimers and N.S. Hush 197 (1995) 323
Symmetry breakage in the electronic structure of bacterial reaction centers, P.O.J. Scherer, C. Scharnagl and S.F. Fischer 197 (1995) 333

Molecular dynamics and scattering theory

Photodesorption of neutrals from metal surfaces: a wave packet study, P. Saalfrank 193 (1995) 119
Semiclassical study of polarization-dependent optical collisions: application to $Mg(3p\,^1P_1 \rightarrow 5s\,^1S_0)$ and $Ar(^1S_0)$ collision, D.V. Kupriyanov 193 (1995) 141
Ab initio determination of the rate coefficient for radiative association of $He(^1S) + H^+$, M. Jurek, V. Špirko and W.P. Kraemer 193 (1995) 287
Energy transfer processes and surface corrugation: a combined collision dynamics and experimental study of the Xe–GaSe(001) system, S. Iannotta, C. Gravili, A. Boschetti, A. Cagol and M. Cacciatore 194 (1995) 133
The effect of rotational excitation on the reaction $^{18}O(^3P) + {}^{16}O{}^{16}O(^3\Sigma_g^-) \rightarrow {}^{18}O{}^{16}O(^3\Sigma_g^-) + {}^{16}O(^3P)$. A comparison of quasiclassical and hemiquantal hyperspherical dynamics, M. Chajia and M. Jacon 195 (1995) 195
Reaction cross-section and product polarization in the $Ca(^1D_2) + HBr \rightarrow CaBr(A,B) + H$ reaction, M. Garay, M. Esteban, E. Verdasco and A. González Ureña 195 (1995) 235
A test of the semiclassical Wigner method for the reaction $F + H_2 \rightarrow H + HF$, V.M. Azriel, G.D. Billing, L.Yu. Rusin and M.B. Sevryuk 195 (1995) 243
Rate constant calculations for atom–diatom reactions involving an open shell atom and a molecule in a Π electronic state: Application to the $C(^3P) + NO(X\,^2\Pi)$ reaction, A. Beghin, T. Stoecklin and J.C. Rayez 195 (1995) 259
Dynamic orientation of diatomic fragments formed in the decomposition of statistical triatomic complexes. I. Semiclassical study, A. Berengolts, E.I. Dashevskaya, E.E. Nikitin and J. Troe 195 (1995) 271
Dynamic orientation of diatomic fragments formed in the decomposition of statistical triatomic complexes. II. Classical simulation, A. Berengolts, E.I. Dashevskaya, E.E. Nikitin and J. Troe 195 (1995) 283

Quasiclassical trajectory study of the $F + H_2$ system. Rate constants, kinetic isotope effects and energy partitioning among reaction products, E. Rosenman and A. Persky 195 (1995) 291
Control of quantum dynamics by a locally optimized laser field. Multi-photon dissociation of hydrogen fluoride, M. Sugawara and Y. Fujimura 196 (1995) 113
Control of the yield of photophysical/photochemical processes by excitation with properly delayed ultrashort phase-locked light pulses: a model study on the pyrazine $S_2 \rightarrow S_1$ internal conversion, A. Ferretti, A. Lami and G. Villani 196 (1995) 447
Metastable decay of ionic argon clusters: rotational predissociation of $(Ar)_4^+$, E. Buonomo and F.A. Gianturco 196 (1995) 465
Dynamics of vibrationally inelastic collisions in H^+–H_2: comparing quantum calculations with experiments, F.A. Gianturco and S. Kumar 196 (1995) 485
Broken dynamical symmetry condition to control a chemical reaction by the complex coordinate (t, t') method, O.E. Alon and N. Moiseyev 196 (1995) 499
Molecular dynamics simulation of the adsorption of benzene on charged metal electrodes in the presence of aqueous electrolyte, M.R. Philpott and J.N. Glosli 198 (1995) 53
Electron control in photodissociation by two-color multiphoton processes, A.D. Bandrauk and E.E. Aubanel 198 (1995) 159
Classical dynamics of vibrational-translational energy transfer in linear collisions of an atom and a diatomic molecule/anharmonic oscillator, O.V. Skrebkov and A.L. Smirnov 198 (1995) 297
Theoretical charge-transfer cross-sections for $H^+ + HCl(X\ ^1\Sigma^+) \rightarrow H(^2S_g) + HCL^+(A\ ^2\Sigma^+)$ from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová and R. Polák 199 (1995) 53
A simulation study of energy transfer in methyl isocyanide–inert gas collisions, L. Ming, T.D. Sewell and S. Nordholm 199 (1995) 83
A hard-sphere model for the reactions of two diatomic molecules with ionic bond, V.M. Azriel, L.Y. Rusin and M.B. Sevryuk 199 (1995) 195
Vibrational structure of the Ar–NO^+ van der Waals cation, I. Fourré and M. Raoult 199 (1995) 215
Rotational energy relaxation of symmetric top molecules by collisions with atoms, A.V. Storozhev and M.L. Strekalov 200 (1995) 125
The symmetrization in the classical path approach applied to vibrational cross sections, J.C. Belchior and J.P. Braga 200 (1995) 137
Quasiclassical trajectory study of the C + NO reaction on a new potential energy surface, M. Simonson, N. Marković, S. Nordholm and B.J. Persson 200 (1995) 141
Influence of the potential energy surface on the reaction cross section: the $K + HF \rightarrow KF + H$ system, M. González, M. Gilibert, A. Aguilar and R. Sayós 200 (1995) 289
A further test of the shape and anisotropy of the F–H_2 interaction potential, F.A. Gianturco, F. Ragnetti, M. Faubel, B. Martínez-Haya, L.Y. Rusin, F. Sondermann and U. Tappe 200 (1995) 405
A comparison between experimental, quantum and quasiclassical properties for the $N(_4S) + O_2(X_3\Sigma_g)_r NO(X_2\Pi) + O(_3P)$ reaction, M. Gilibert, X. Giménez, M. González, R. Sayós and A. Aguilar 191 (1995) 1
Theoretical study of interactions among surface defects by He scattering technique: the reason for the failure of the cross section geometric overlap hypothesis, G. Petrella and L. Cassidei 191 (1995) 203
Accurate inelastic scattering factors for lithium to argon calculated from MR-SDCI wavefunctions, H. Meyer, T. Müller and A. Schweig 191 (1995) 213
Potential energy surface effects on differential cross sections for polyatomic reactions, G. Nyman, D.C. Clary and R.D. Levine 191 (1995) 223

Adiabatically corrected quasiclassical model for the vibrational predissociation of van der Waals complexes, Y. Karni and E.E. Nikitin 191 (1995) 235
Wave packet calculations on ion–molecule reactions, N. Marković and G.D. Billing 191 (1995) 247
A Raman analysis of C_{60} at low temperatures: a study of molecular and crystal-field effects, L. Akselrod, H.J. Byrne, S. Donovan and S. Roth 192 (1995) 307
The capture rate of an ion by a symmetrical top quadrupole, J. Turulski, J. Niedzielski and B. Pezler 192 (1995) 319
Peripheral dynamics of the $Cl + CH_4 \rightarrow HCl + CH_3$ reaction. A classical trajectory computation, X. Wang, M. Ben-Nun and R.D. Levine 197 (1995) 1
Inelastic neutron scattering study of proton dynamics in $Ca(OH)_2$ at 20 K, R. Baddour-Hadjean, F. Fillaux, N. Floquet, S. Belushkin, I. Natkaniec, L. Desgranges and D. Grebille 197 (1995) 81
Design of substituted semibullvalenes suitable for control of the Cope rearrangement by two ps IR laser pulses, M. Dohle, J. Manz, G.K. Paramonov and H. Quast 197 (1995) 91
A quantum mechanical study of dissociative $He + H_2$ collisions, K. Nobusada and K. Sakimoto 197 (1995) 147

Experimental

Magnetic resonances

NMR evidence for strained carbon bonding in tetrahedral amorphous carbon, M.M. Golzan, P.B. Lukins, D.R. McKenzie, A.M. Vassallo and J.V. Hanna 193 (1995) 167
Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities, C. Runser, A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger 193 (1995) 309
Preparation and characterisation of the C_{60} charge transfer complex C_{60}^{-}[1,1′,3,3′-tetramethyl-$\Delta^{2,2'}$-bi(imidazolidine)]$^{+\cdot}$, A. Schilder, B. Gotschy, A. Seidl and R. Gompper 193 (1995) 321
EPR properties of the four hemes in the cytochrome subunit of reaction centres from *Rhodopseudomonas viridis*: characterization of the individual hemes, O. Kaminskaya, P.J. Bratt and M.C.W. Evans 194 (1995) 335
High-field EPR on the primary electron donor cation radical in single crystals of heterodimer mutant reaction centers of photosynthetic bacteria – first characterization of the *G*-tensor, M. Huber and J.T. Törring 194 (1995) 379
Exchange of chloride by bromide in the manganese Photosystem-II complex studied by cw- and pulsed-EPR, A. Boussac 194 (1995) 409
ENDOR and ESEEM of the ^{15}N labelled radical cations of chlorophyll **a** and the primary donor P_{700} in Photosystem I, H. Käß, E. Bittersmann-Weidlich, L.-E. Andréasson, B. Bönigk and W. Lubitz 194 (1995) 419
Fluoride substitution in the Mn cluster from Photosystem II: EPR and X-ray absorption spectroscopy studies, V.J. DeRose, M.J. Latimer, J.-L. Zimmermann, I. Mukerji, V.K. Yachandra, K. Sauer and M.P. Klein 194 (1995) 443
An MO study of nuclear quadrupolar coupling constant and nuclear shielding of the carbonyl oxygen in solid peptides with hydrogen bonds, S. Kuroki, S. Ando and I. Ando 195 (1995) 107
The influence of deep traps for gas molecules on oxygen transport in the glass of 2-methylpentanol-2, S.V. Vasenkov, V.V. Korolev and V.A. Tolkatchev 195 (1995) 305
H-atom abstraction from alcohols by alkyl radicals. Cooperative effects in the reactions of alkyl radicals in glassy methanol-d_3, V.L. Vyazovkin and V.A. Tolkatchev 195 (1995) 313
NMR relaxation studies in water-alcohol mixtures: the water-rich region, R. Ludwig 195 (1995) 329

Low-frequency motions in an alkali phosphate glass studied by ^{7}Li and ^{31}P NMR, B. Rufflé, S. Beaufils and J. Gallier 195 (1995) 339
Diffusion of silver ions towards radiation-induced traps in the glass $37.2Na_2O–12.8CaO–50P_2O_5$, V.M. Syutkin, V.A. Tolkatchev, A.V. Dmitryuk and S.E. Paramzina 196 (1995) 139
NMR study of the F–H · · · F hydrogen bond. Relation between hydrogen atom position and F–H · · · F bond length, A.M. Panich 196 (1995) 511
Magnetization exchange network editing: mathematical principles and experimental demonstration, Z. Zolnai, N. Juranić, J.L. Markley and S. Macura 200 (1995) 161
NMR relaxation in long-chain quaternary ammonium ions: the role of torsional flexibility, F. Coletta, A. Ferrarini, F. Gottardi and P.L. Nordio 192 (1995) 19
Theory of avoided level-crossing relaxation dynamics for axial muonated radicals, S.R. Kreitzman and E. Roduner 192 (1995) 189
Reorientational dynamics of C_{60} in the solid state. An avoided level-crossing muon spin resonance study, E. Roduner, K. Prassides, R.M. Macrae, I.M. Thomas, C. Niedermayer, U. Binninger, C. Bernhard, A. Hofer and I.D. Reid 192 (1995) 231
The influence of scavenging on CIDNP field dependences in biradicals during the photolysis of large-ring cycloalkanones, A.V. Yurkovskaya, O.B. Morozova, R.Z. Sagdeev, S.V. Dvinskih, G. Buntkowsky and H.-M. Vieth 197 (1995) 157
Structural characterization of the primary donor in photosynthetic bacteria by its electronic *g*-tensor, M. Plato and K. Möbius 197 (1995) 289

Cyclotron resonance
Is there a hydride transfer between N_2OH^+ and saturated hydrocarbons?, J. Mestres, M. Duran, J. Bertrán, E. Ballesteros, M. Herreros and J.-L.M. Abboud 192 (1995) 99

Microwave spectroscopy
The ammonia dimer: new infrared–far infrared double resonance results, H. Linnartz, W.L. Meerts and M. Havenith 193 (1995) 327
Pre-chemical interactions in a pulsed jet: the angular geometry of thiirane · · · HCl and the nonlinearity of its hydrogen bond from rotational spectroscopy, C.M. Evans and A.C. Legon 198 (1995) 119

Infrared spectroscopy
Dynamics of CO formation in the reaction $O(^3P) + C_2H_3$, D.J. Donaldson, I.V. Okuda and J.J. Sloan 193 (1995) 37
The theory of ultrafast vibrational spectroscopy, K. Wynne and R.M. Hochstrasser 193 (1995) 211
The ammonia dimer: new infrared–far infrared double resonance results, H. Linnartz, W.L. Meerts and M. Havenith 193 (1995) 327
Molecular adsorption on ionic substrates: characterization of terrace and step sites, S. Briquez, A. Lakhlifi, S. Picaud and C. Girardet 194 (1995) 65
Vibrational study of various crystalline phases of thallium dihydrogen arsenate TlH_2AsO_4. Comparison with thallium dihydrogen phosphate TlH_2PO_4, Z. Ouafik, N. Le Calvé and B. Pasquier 194 (1995) 145
FTIR spectroscopy of the photoreduction of the bacteriopheophytin electron acceptor in reaction centers of *Rb. sphaeroides* and *Rps. viridis*, E. Nabedryk, S. Andrianambinintsoa, D. Dejonghe and J. Breton 194 (1995) 371
Infrared, Raman, resonance Raman spectra and lattice dynamics calculations of the solid potassium(I) nickel(II) thiophosphate compound, $KNiPS_4$, C. Sourisseau, R. Cavagnat, M. Fouassier, R. Brec and S.H. Elder 195 (1995) 351

Transfer of vibrational energy to electronic excited states and vibration enhanced carbon production in optically excited V–V pumped CO, H.L. Wallaart, B. Piar, M.-Y. Perrin and J.-P. Martin 196 (1995) 149
Far infrared interaction induced absorption spectra of CS_2–C_6H_6 liquid mixtures. A low concentration study, E. Zoidis and T. Dorfmüller 196 (1995) 171
IR spectrum of HCF_2CF_2Br: hindered intramolecular vibrational energy redistribution, W. Fuß, K.L. Kompa and S. Weizbauer 196 (1995) 179
An infrared study of the interaction-induced vibrational spectra of benzene in liquid binary mixtures containing CS_2 and C_6F_6, E. Zoidis, M. Besnard and J. Yarwood 196 (1995) 521
Generation of transient species by laser induced pyrolysis. The high resolution Fourier transform infrared spectrum of NCN, D. McNaughton, G.F. Metha and R. Tay 198 (1995) 107
Fourier transform infrared study of sulfur dioxide dimer. II. Argon matrix, L. Schriver-Mazzuoli, A. Schriver and M. Wierzejewska-Hnat 199 (1995) 227
Charge transfer and electron–vibron coupling in dense solid hydrogen, Z.G. Soos, J.H. Eggert, R.J. Hemley, M. Hanfland and H.-k. Mao 200 (1995) 23
Near-IR absorption transition of $^3H_4$ to $^3F_2$ for UCl_6^{2-} complex in M_2ZrCl_6 host crystals ($M = K^+$, Rb^+, and Cs^+): an experimental and theoretical study, S. Dai, L.M. Toth, G.D. Del Cul and D.H. Metcalf 200 (1995) 271
Vibrational analysis of the inelastic neutron scattering spectrum of s-triazine and trichloro-s-triazine, A. Navarro, J.J. López González, G.J. Kearley, J. Tomkinson, S.F. Parker and D.S. Sivia 200 (1995) 395
Coherent effects in femtosecond infrared spectroscopy, P. Hamm 200 (1995) 415
CPA theory with correlative effects: application to the $\nu_s(PF_3)$ stretch of PF_3/Pt(111), W. Greene-Johnson 192 (1995) 9
Inelastic neutron scattering study of proton dynamics in $Ca(OH)_2$ at 20 K, R. Baddour-Hadjean, F. Fillaux, N. Floquet, S. Belushkin, I. Natkaniec, L. Desgranges and D. Grebille 197 (1995) 81
Short-lived charge-transfer-to-solvent-states and multiple electronic relaxations following femtosecond excitation of aqueous chloride ion, Y. Gauduel, H. Gelabert and M. Ashokkumar 197 (1995) 167

Raman spectroscopy

Vibrational study of various crystalline phases of thallium dihydrogen arsenate TlH_2AsO_4. Comparison with thallium dihydrogen phosphate TlH_2PO_4, Z. Ouafik, N. Le Calvé and B. Pasquier 194 (1995) 145
Infrared, Raman, resonance Raman spectra and lattice dynamics calculations of the solid potassium(I) nickel(II) thiophosphate compound, $KNiPS_4$, C. Sourisseau, R. Cavagnat, M. Fouassier, R. Brec and S.H. Elder 195 (1995) 351
A Raman study of the disorder induced by polymer chains in mixed monomer–polymer crystals of the diacetylene pTS-D, S. Longeville, M. Bertault, J. Even, J.L. Fave, A. Girard and Y. Delugeard 195 (1995) 371
Evidence for molecular distortion involving the carbonyl group in triplet states of carbonyl derivatives of naphthalene obtained from time resolved vibrational spectroscopic studies, M.J. van der Burgt, A.H. Huizer, C.A.G.O. Varma, B.D. Wagner and J. Lusztyk 196 (1995) 193
Excited-state geometries derived from the analysis of resonance Raman spectra. Example: $^1(\pi-\pi^*)$ state of 3,5-di-tert-butyl-*o*-benzoquinone, H. Bettermann and I. Dasting 196 (1995) 531

Polarisation analysis of bimolecular excitations mediated by energy transfer: A common theoretical framework for fluorescence migration and sequential Raman scattering, D.L. Andrews and P. Allcock 198 (1995) 35
Raman spectra and relaxation in amorphous naphthalene, K. Ishii, H. Nakayama, M. Kawahara, K. Koyama, K. Ando and J. Yokoyama 199 (1995) 245
Vibrational analysis of the inelastic neutron scattering spectrum of s-triazine and trichloro-s-triazine, A. Navarro, J.J. López González, G.J. Kearley, J. Tomkinson, S.F. Parker and D.S. Sivia 200 (1995) 395
Pressure-induced phase transitions in 9,10-anthracene derivatives: anthraquinone, A. Brillante, R.G. Della Valle, R. Farina and E. Venuti 191 (1995) 177
Inelastic neutron scattering study of proton dynamics in $Ca(OH)_2$ at 20 K, R. Baddour-Hadjean, F. Fillaux, N. Floquet, S. Belushkin, I. Natkaniec, L. Desgranges and D. Grebille 197 (1995) 81

Visible and UV spectroscopy

H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties, F. Nüesch and M. Grätzel 193 (1995) 1
High-spin–low-spin transitions in Fe(II) complexes by effective Hamiltonian method, A.L. Tchougréeff, A.V. Soudackov, I.A. Misurkin, H. Bolvin and O. Kahn 193 (1995) 19
Power broadening of the spectral hole width in an optically thick sample, E.S. Maniloff, F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild 193 (1995) 173
Blue up-conversion emission from U^{4+}-ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation, W. Xu, S. Dai, L.M. Toth and J.R. Peterson 193 (1995) 339
Vibrational energy dependence of nonradiative decay rate: triplet benzene studied by time-resolved and steady-state photosensitized phosphorescence, Y. Ide and T. Hikida 194 (1995) 159
Densities of states and band widths of excitons in anthracene microcrystallites embedded in PMMA, A.H. Matsui, K. Mizuno, O. Nishi, Y. Matsushima, M. Shimizu, T. Goto and M. Takeshima 194 (1995) 167
Absolute UV and Soft X-ray photoabsorption of ethylene by high resolution dipole (e, e) spectroscopy, G. Cooper, T.N. Olney and C.E. Brion 194 (1995) 175
Energy transfer between antenna complexes in the purple sulfur bacteria *Chromatium tepidum* and *Chromatium vinosum*, J.T.M. Kennis, T.J. Aartsma and J. Amesz 194 (1995) 285
Temperature dependent hole burning of the 684 nm chlorophyll *a* of the isolated reaction center of Photosystem II: confirmation of the linker model, H.-C. Chang, G.J. Small and R. Jankowiak 194 (1995) 323
Triplet–singlet difference spectra of *Rps. viridis* recorded with magneto-optical difference spectroscopy at 1.2–286 K. Temperature dependence of position and width of the long-wavelength absorption band, P. Gast, E.J. Lous and A.J. Hoff 194 (1995) 387
Excited state absorption of 5CB (4′-*n*-pentyl-4-cyanobiphenyl) in cyclohexane, H.J. Eichler, R. Macdonald, R. Menzel and R. Sander 195 (1995) 381
Transfer of vibrational energy to electronic excited states and vibration enhanced carbon production in optically excited V–V pumped CO, H.L. Wallaart, B. Piar, M.-Y. Perrin and J.-P. Martin 196 (1995) 149
Study of Zeeman anticrossing spectra of the $\tilde{A}\,^1A_u$ state of the acetylene molecule (C_2H_2) by Fourier transform: product $\rho_{vib}\langle V \rangle$ and isomerization barrier, P. Dupré 196 (1995) 239
Photochemical population of KHg^* states, D. Azinović, S. Milošević and G. Pichler 196 (1995) 267

Investigation of the predissociation of SO_2: state selective detection of the SO and O fragments, S. Becker, C. Braatz, J. Lindner and E. Tiemann 196 (1995) 275
Absolute oscillator strengths for the photoabsorption of silane in the valence and Si 2p and 2s regions (7.5–350 eV), G. Cooper, G.R. Burton, W.F. Chan and C.E. Brion 196 (1995) 293
Influence of aggregation on the optical spectra of a polymethine dye in single crystals, L. Dähne, A. Horvath and G. Weiser 196 (1995) 307
A theoretical analysis of the lowest excited states in HNO/NOH and HPO/POH, A. Luna, M. Merchán and B.O. Roos 196 (1995) 437
Catalytic properties of surfaces with respect to generation of CO_2 molecules in the plasma, D.K. Otorbaev 196 (1995) 543
The electronic spectrum of phthalazine. Theory and experiment, G. Fischer and P. Wormell 198 (1995) 183
Large quadratic hyperpolarizabilities with donor–acceptor polyenes functionalized with strong donors. Comparison with donor–acceptor diphenylpolyenes, M. Blanchard-Desce, C. Runser, A. Fort, M. Barzoukas, J.-M. Lehn, V. Bloy and V. Alain 199 (1995) 253
High-resolution absorption, excitation, and microwave–UV double resonance spectroscopy on a molecular beam: S_1 aniline, E.R.Th. Kerstel, M. Becucci, G. Pietraperzia and E. Castellucci 199 (1995) 263
Temperature dependence of the ultraviolet absorption cross section of CF_3I, A. Fahr, A.K. Nayak and R.E. Huie 199 (1995) 275
Proton tunnelling reactions in pentacene doped benzoic acid crystals, P.F. Barbara, C. von Borczyskowski, R. Casalegno, A. Corval, C. Kryschi, Y. Romanowski and H.P. Trommsdorff 199 (1995) 285
Unexpectedly rich vibronic structure in supersonic jet spectra of sulfur dioxide between 360 and 308 nm, J.S. Baskin, F. Al-Adel and A. Hamdan 200 (1995) 181
Electronic states of symmetrically disubstituted *s*-tetrazines, J. Waluk, J. Spanget-Larsen and E.W. Thulstrup 200 (1995) 201
Ab initio study of the LiH_+ molecule, electronic interaction analysis and LiH UV photoelectron spectrum, H. Berriche and F.X. Gadea 191 (1995) 119
Determination of the vibrationless level of Sn states of chlorobenzene by double resonance multiphoton ionization photoelectron spectroscopy. Evidence of IVR within these states, P. Asselin, F. Piuzzi, M. Mons and I. Dimicoli 191 (1995) 261
Higher excited states of aromatic hydrocarbons. III. Assigning the in-plane polarized transitions of low-symmetry molecules: chrysene and E-stilbene, M.S. Gudipati, M. Maus, J. Daverkausen and G. Hohlneicher 192 (1995) 37
High-resolution study of the luminescent electronic energy transfer reaction of $Xe(^3P_{0,2})$ with $^{14}N_2$ and $^{15}N_2$, Ch. Ottinger, A.F. Vilesov and D.D. Xu 192 (1995) 49
The electronic states of furan studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker, C.C. Ballard and M.F. Guest 192 (1995) 111
Electron localization in laser ionization of liquid water, L.V. Lukin 192 (1995) 135
Vibrational relaxation of $N_2(C, v)$ state in N_2 pulsed rf discharge: electron impact and pooling reactions, S. De Benedictis and G. Dilecce 192 (1995) 149
Vibronic coupling between Rydberg and ion-pair states of I_2 investigated by $(2 + 1)$ resonance enhanced multiphoton ionization spectroscopy, K.P. Lawley, T. Ridley, Z. Min, P.J. Wilson, M.S.N. Al-Kahali and R.J. Donovan 197 (1995) 37
The ultraviolet absorption cross sections of CH_3I temperature dependent gas and liquid phase measurements, A. Fahr, A.K. Nayak and M.J. Kurylo 197 (1995) 195

On the validity of the standard model for primary charge separation in the bacterial reaction center, G.J. Small 197 (1995) 239
Effects of applied electric fields on the quantum yields for the initial electron transfer steps in bacterial photosynthesis. II. Dynamic Stark effect, K. Lao, S. Franzen, M. Steffen, D. Lambright, R. Stanley and S.G. Boxer 197 (1995) 259
Pressure dependence of primary charge separation in a photosynthetic reaction center, H.-C. Chang, R. Jankowiak, N.R.S. Reddy and G.J. Small 197 (1995) 307
Initial charge separation kinetics of bacterial photosynthetic reaction centers in oriented Langmuir–Blodgett films in an applied electric field, C.C. Moser, R.J. Sension, A.Z. Szarka, S.T. Repinec, R.M. Hochstrasser and P.L. Dutton 197 (1995) 343
Direct charge recombination from $D^+Q_AQ_B^-$ to DQ_AQ_B in bacterial reaction centers from *Rhodobacter sphaeroides* containing low potential quinone in the Q_A site, A. Labahn, J.M. Bruce, M.Y. Okamura and G. Feher 197 (1995) 355
Ultrafast internal conversion in 13^2-OH-Ni-bacteriochlorophyll in reaction centers of *Rhodobacter sphaeroides* R26, G. Hartwich, M. Friese, H. Scheer, A. Ogrodnik and M.E. Michel-Beyerle 197 (1995) 423

Fluorescence spectroscopy

H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties, F. Nüesch and M. Grätzel 193 (1995) 1
Power broadening of the spectral hole width in an optically thick sample, E.S. Maniloff, F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild 193 (1995) 173
Blue up-conversion emission from U^{4+}-ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation, W. Xu, S. Dai, L.M. Toth and J.R. Peterson 193 (1995) 339
Solvent relaxation of oxazine-4 in 2-methyltetrahydrofuran, E. Görlach, H. Gygax, P. Lubini and U.P. Wild 194 (1995) 185
Fluorescence-detected two-photon circular dichroism of Gd^{3+} in trigonal $Na_3[Gd(C_4H_4O_5)_3] \cdot 2NaClO_4 \cdot 6H_2O$, K.E. Gunde and F.S. Richardson 194 (1995) 195
Optical and optically detected magnetic resonance investigation on purple photosynthetic bacterial antenna complexes, A. Angerhofer, F. Bornhäuser, A. Gall and R.J. Cogdell 194 (1995) 259
Energy trapping and detrapping in the photosynthetic bacterium *Rhodopseudomonas viridis*: transfer-to-trap-limited dynamics, K. Timpmann, A. Freiberg and V. Sundström 194 (1995) 275
Temperature dependence of electron–vibronic spectra of photosynthetic systems. Computer simulations and comparison with experiment, T. Pullerits, R. Monshouwer, F. van Mourik and R. van Grondelle 194 (1995) 395
Reaction cross-section and product polarization in the $Ca(^1D_2) + HBr \rightarrow CaBr(A,B) + H$ reaction, M. Garay, M. Esteban, E. Verdasco and A. González Ureña 195 (1995) 235
The influence of deep traps for gas molecules on oxygen transport in the glass of 2-methylpentanol-2, S.V. Vasenkov, V.V. Korolev and V.A. Tolkatchev 195 (1995) 305
Dispersive electronic energy transfer in an organically doped xerogel glass, D. L'Espérance and E.L. Chronister 195 (1995) 387
Infrared fluorescence study of electronic-to-vibrational energy transfer in the $Br(^2P_{1/2})$–NO system, M.R. Hawks, R.O. Johnson and G.P. Perram 195 (1995) 395
Diffusion of molecular oxygen in glassy matrices, studied by luminescence quenching, V.V. Korolev, V.V. Bolotsky, N.V. Shokhirev, E.B. Krissinel', V.A. Bagryansky and N.M. Bazhin 196 (1995) 317

Single vibronic level fluorescence spectra from $\tilde{A}$ ($^1B_{2u}$) benzene: Fermi resonances and S_0 IVR lifetimes, J.A. Nicholson, W.D. Lawrance and G. Fischer 196 (1995) 327
Polarisation analysis of bimolecular excitations mediated by energy transfer: A common theoretical framework for fluorescence migration and sequential Raman scattering, D.L. Andrews and P. Allcock 198 (1995) 35
Electronic quenching of CH($A^2\Delta$) and NH($A^3\Pi$) between 300 and 950 K, P. Heinrich and F. Stuhl 199 (1995) 105
Temperature dependent quenching of CH($A^2\Delta$), NH($A^3\Pi$), NH($c\,^1\Pi$), and PH($A^3\Pi$) by H_2, P. Heinrich and F. Stuhl 199 (1995) 297
The $A(0^+)$–$X(0^+)$ transition of BiBr: radiative lifetimes of the A state, E. Martínez, M.R. López, A. Notario and F. Poblete 199 (1995) 305
Analysis of temperature dependent fluorescence polarization for dimethylaminobenzonitrile, A. Barbon, P. Lettinga and P.L. Nordio 200 (1995) 41
Unexpectedly rich vibronic structure in supersonic jet spectra of sulfur dioxide between 360 and 308 nm, J.S. Baskin, F. Al-Adel and A. Hamdan 200 (1995) 181
Forward and reverse electronic energy transport and trapping in solution. I. Theory, L. Kułak and C. Bojarski 191 (1995) 43
Forward and reverse electronic energy transport and trapping in solution. II. Numerical results and Monte Carlo simulations, L. Kułak and C. Bojarski 191 (1995) 67
Pressure-induced phase transitions in 9,10-anthracene derivatives: anthraquinone, A. Brillante, R.G. Della Valle, R. Farina and E. Venuti 191 (1995) 177
Photochemistry in jet-cooled aniline derivatives, C. Dedonder-Lardeux, C. Jouvet, S. Martrenchard, D. Solgadi, J. McCombie, B.D. Howells, T.F. Palmer, A. Subaric-Leitis, C. Monte, W. Rettig and P. Zimmermann 191 (1995) 271
Energy transfer between finite-sized interacting molecules in a one-dimensional system, J. Grabowska and K. Sienicki 192 (1995) 89
An algorithm for analyzing the polarization-free picosecond fluorescence experiments on TICT, CT, PT and other relevant systems in solutions, J.J. Fisz 192 (1995) 163
Concentration-dependent fluorescence behaviour of oxazine 750 and rhodamine 6G in porous silicate xerogel monoliths, F. Ammer, A. Penzkofer and P. Weidner 192 (1995) 325
Ultrafast internal conversion in 13^2-OH-Ni-bacteriochlorophyll in reaction centers of *Rhodobacter sphaeroides* R26, G. Hartwich, M. Friese, H. Scheer, A. Ogrodnik and M.E. Michel-Beyerle 197 (1995) 423

Photoelectron and Auger spectroscopy

The thermal ageing of poly(3,4-ethylenedioxythiophene). An investigation by X-ray absorption and X-ray photoelectron spectroscopy, I. Winter, C. Reese, J. Hormes, G. Heywang and F. Jonas 194 (1995) 207
A theoretical study on the ionic states, with analysis of vibrational levels of the photoelectron spectrum, of formic acid (CH_2O_2 and CD_2O_2), K. Takeshita 195 (1995) 117
An experimental study of the valence shell photoelectron spectrum of hydrogen sulphide, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg, D.M.P. Holland and M.A. MacDonald 195 (1995) 403
The use of UV photoelectron spectroscopy to monitor production of excited states of atomic lead from the $Pb(^3P_0) + O_2(a\,^1\Delta_g)$ reaction, D. Haggerston, J.M. Dyke and A. Morris 196 (1995) 353

An experimental and theoretical study of the valence shell photoelectron spectrum of allene, P. Baltzer, B. Wannberg, M. Lundqvist, L. Karlsson, D.M.P. Holland, M.A. MacDonald and W. von Niessen 196 (1995) 551

Determination of the vibrationless level of Sn states of chlorobenzene by double resonance multiphoton ionization photoelectron spectroscopy. Evidence of IVR within these states, P. Asselin, F. Piuzzi, M. Mons and I. Dimicoli 191 (1995) 261

Multiple-scattering-Xα studies of the $L_{2,3}$ near edge photoabsorption spectra of H_2S, HCl and Cl_2, and on the intensity variation in the $L_{2,3}$ near edge spectra of XH_n, X = Si, P, S, Cl and n = 4, 3, 2, 1, Z.F. Liu, G.M. Bancroft, J.S. Tse and Z.Z. Yang 192 (1995) 255

An experimental and theoretical study of the valence shell photoelectron spectrum of sulphur hexafluoride, D.M.P. Holland, M.A. MacDonald, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg and W. von Niessen 192 (1995) 333

X-ray spectroscopy

A multiple scattering EXAFS study of organometallic compounds: $W(CO)_6$ and (1,3,5-trimethylbenzene)$W(CO)_3$, R. Crüsemann, F. Bökman, V. Fritzsche and H. Bertagnolli 194 (1995) 81

The thermal ageing of poly(3,4-ethylenedioxythiophene). An investigation by X-ray absorption and X-ray photoelectron spectroscopy, I. Winter, C. Reese, J. Hormes, G. Heywang and F. Jonas 194 (1995) 207

Fluoride substitution in the Mn cluster from Photosystem II: EPR and X-ray absorption spectroscopy studies, V.J. DeRose, M.J. Latimer, J.-L. Zimmermann, I. Mukerji, V.K. Yachandra, K. Sauer and M.P. Klein 194 (1995) 443

Near-edge core photoabsorption in polyacenes: model molecules for graphite, H. Ågren, O. Vahtras and V. Carravetta 196 (1995) 47

Experimental and ab initio study of the molybdenum K and L edges excitation in $Mo(CO)_6$ and MoF_6, F. Guillot, C. Dézarnaud-Dandine, M. Tronc, A. Lisini, P. Decleva and G. Fronzoni 191 (1995) 289

Electron impact spectroscopy

Valence electron momentum distributions of ethylene; comparison of EMS measurements with near Hartree–Fock limit, configuration interaction and density functional theory calculations, B.P. Hollebone, J.J. Neville, Y. Zheng, C.E. Brion, Y. Wang and E.R. Davidson 196 (1995) 13

Fano plot of the Paschen line of the excited hydrogen atom (n = 4) produced in e–H_2 collisions, N. Yonekura, K. Furuya, K. Nakashima and T. Ogawa 199 (1995) 313

Laser methods

The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ (n = 1, 2, 3, 4) reactions, W.-s. Yang, G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou 193 (1995) 345

Ultrafast energy transfer in light-harvesting chlorosomes from the green sulfur bacterium *Chlorobium tepidum*, S. Savikhin, P.I. van Noort, Y. Zhu, S. Lin, R.E. Blankenship and W.S. Struve 194 (1995) 245

Energy transfer in photosystem I. Time resolved fluorescence of the native photosystem I complex and its core complex, L.-O. Pålsson, S.E. Tjus, B. Andersson and T. Gillbro 194 (1995) 291

Intensities of CH-stretching overtones in 2-butenes, D.M. Turnbull, H.G. Kjaergaard and B.R. Henry 195 (1995) 129

The concerted photodissociation of azomethane at 193 nm, T. Gejo, P. Felder and J.R. Huber 195 (1995) 423
Dissociation of acetyl bromide: an experimental and theoretical study, Y. Su, T.S. Dibble, J.S. Francisco and Z. Li 196 (1995) 59
Photochemical population of KHg* states, D. Azinović, S. Milošević and G. Pichler 196 (1995) 267
Investigation of the predissociation of SO_2: state selective detection of the SO and O fragments, S. Becker, C. Braatz, J. Lindner and E. Tiemann 196 (1995) 275
Angular momentum state mixing and quenching of $n = 3$ atomic hydrogen fluorescence, B.L. Preppernau, K. Pearce, A. Tserepi, E. Wurzberg and T.A. Miller 196 (1995) 371
Vibrational sidelines in the localized ^{3}MLCT luminescence of $[Ru(bpy)_{3-x}(L)_x]^{2+}$ ($x = 0$ to 3, L = 3,3′-bipyridazine, bpy-d_8) in the C2/c $[Zn(bpy)_3][ClO_4)_2$ lattice, H. Riesen, L. Wallace and E. Krausz 198 (1995) 269
Electronic quenching of $CH(A^2\Delta)$ and $NH(A^3\Pi)$ between 300 and 950 K, P. Heinrich and F. Stuhl 199 (1995) 105
Large quadratic hyperpolarizabilities with donor–acceptor polyenes functionalized with strong donors. Comparison with donor–acceptor diphenylpolyenes, M. Blanchard-Desce, C. Runser, A. Fort, M. Barzoukas, J.-M. Lehn, V. Bloy and V. Alain 199 (1995) 253
Temperature dependent quenching of $CH(A^2\Delta)$, $NH(A^3\Pi)$, $NH(c\,^1\Pi)$, and $PH(A^3\Pi)$ by H_2, P. Heinrich and F. Stuhl 199 (1995) 297
Rates of the reactions $CN + H_2CO$ and $NCO + H_2CO$ in the temperature range 294–769 K, Y.-W. Chang and N.S. Wang 200 (1995) 431
Temperature and population measurements of $n = 2$ hydrogen atoms in H_2 RF discharges from H_α (Balmer) spectral profiles obtained by intracavity laser spectroscopy, M.J. Lipp and J.J. O'Brien 192 (1995) 355
Design of substituted semibullvalenes suitable for control of the Cope rearrangement by two ps IR laser pulses, M. Dohle, J. Manz, G.K. Paramonov and H. Quast 197 (1995) 91
Pressure dependence of primary charge separation in a photosynthetic reaction center, H.-C. Chang, R. Jankowiak, N.R.S. Reddy and G.J. Small 197 (1995) 307

Picosecond spectroscopy
Solvent relaxation of oxazine-4 in 2-methyltetrahydrofuran, E. Görlach, H. Gygax, P. Lubini and U.P. Wild 194 (1995) 185
Exciton theory of spectra and energy transfer in photosynthesis: spectral hole burning in the antenna of purple bacteria, T.V. Dracheva, V.I. Novoderezhkin and A.P. Razjivin 194 (1995) 223
The application of the energy gap law to the S_1 energies and dynamics of carotenoids, V. Chynwat and H.A. Frank 194 (1995) 237
Energy trapping and detrapping in the photosynthetic bacterium *Rhodopseudomonas viridis*: transfer-to-trap-limited dynamics, K. Timpmann, A. Freiberg and V. Sundström 194 (1995) 275
Energy transfer between antenna complexes in the purple sulfur bacteria *Chromatium tepidum* and *Chromatium vinosum*, J.T.M. Kennis, T.J. Aartsma and J. Amesz 194 (1995) 285
Energy transfer in photosystem I. Time resolved fluorescence of the native photosystem I complex and its core complex, L.-O. Pålsson, S.E. Tjus, B. Andersson and T. Gillbro 194 (1995) 291
Femtosecond transient absorption spectroscopy on the light-harvesting Chl *a/b* protein complex of Photosystem II at room temperature and 12 K, T. Bittner, G.P. Wiederrecht, K.-D. Irrgang, G. Renger and M.R. Wasielewski 194 (1995) 311
Primary processes in isolated Photosystem II reaction centres probed by magic angle transient absorption spectroscopy, D.R. Klug, T. Rech, D.M. Joseph, J. Barber, J.R. Durrant and G. Porter 194 (1995) 433

Role of internal conversion on the excited state properties of trans-styrylpyridines, G. Marconi, G. Bartocci, U. Mazzucato, A. Spalletti, F. Abbate, L. Angeloni and E. Castellucci 196 (1995) 383
Isomerisation dynamics of a thiacarbocyanine dye in different electronic states and in different classes of solvents, E. Vauthey 196 (1995) 569
Picosecond time-dependent Stokes shift studies of fluoroprobe in liquid solution, E.R. Middelhoek, P. van der Meulen, J.W. Verhoeven and M. Glasbeek 198 (1995) 373
Non-exponential solvation dynamics of electronically excited 4-aminophthalimide in *n*-alcohols, T.O. Harju, A.H. Huizer and C.A.G.O. Varma 200 (1995) 215
Fluorescence quenching of ultrathin anthracene films by dielectric and metallic substrates, M. Daffertshofer, H. Port and H.C. Wolf 200 (1995) 225
Ultrafast excited singlet state absorption/gain spectroscopy of perylene in solution, Y.H. Meyer and P. Plaza 200 (1995) 235
Picosecond transient spectral hole-burning studies on oxazine 750 in a silicate xerogel, P. Weidner and A. Penzkofer 191 (1995) 303
An algorithm for analyzing the polarization-free picosecond fluorescence experiments on TICT, CT, PT and other relevant systems in solutions, J.J. Fisz 192 (1995) 163
Ultrafast intramolecular charge transfer in the merocyanine dye DCM, M.M. Martin, P. Plaza and Y.H. Meyer 192 (1995) 367
Measurements of the subpicosecond relaxation rates of the first excited singlet states of some pseudoazulenes in solution, D. Tittelbach-Helmrich and R.P. Steer 197 (1995) 99
Free-energy dependence of the rate of electron transfer to the primary quinone in beta-type reaction centers, L. Laporte, C. Kirmaier, C.C. Schenck and D. Holten 197 (1995) 225
Primary photosynthesis in reaction centers containing four different types of electron acceptors at site H_A, H. Huber, M. Meyer, T. Nägele, I. Hartl, H. Scheer, W. Zinth and J. Wachtveitl 197 (1995) 297
Initial charge separation kinetics of bacterial photosynthetic reaction centers in oriented Langmuir–Blodgett films in an applied electric field, C.C. Moser, R.J. Sension, A.Z. Szarka, S.T. Repinec, R.M. Hochstrasser and P.L. Dutton 197 (1995) 343
The role of reaction center excited state evolution during charge separation in a *Rb. sphaeroides* mutant with an initial electron donor midpoint potential 260 mV above wild type, N.W. Woodbury, S. Lin, X. Lin, J.M. Peloquin, A.K.W. Taguchi, J.A.C. Williams and J.P. Allen 197 (1995) 405

Non-linear optical spectroscopy

Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities, C. Runser, A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger 193 (1995) 309
Fluorescence-detected two-photon circular dichroism of Gd^{3+} in trigonal $Na_3[Gd(C_4H_4O_5)_3] \cdot 2NaClO_4 \cdot 6H_2O$, K.E. Gunde and F.S. Richardson 194 (1995) 195
Excited state absorption of 5CB (4′-*n*-pentyl-4-cyanobiphenyl) in cyclohexane, H.J. Eichler, R. Macdonald, R. Menzel and R. Sander 195 (1995) 381
Angular momentum state mixing and quenching of $n = 3$ atomic hydrogen fluorescence, B.L. Preppernau, K. Pearce, A. Tserepi, E. Wurzberg and T.A. Miller 196 (1995) 371
Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene vinylenes, W. Werncke, M. Pfeiffer, T. Johr, A. Lau and H.-J. Jüpner 199 (1995) 65
Picosecond transient spectral hole-burning studies on oxazine 750 in a silicate xerogel, P. Weidner and A. Penzkofer 191 (1995) 303

On the validity of the standard model for primary charge separation in the bacterial reaction center, G.J. Small 197 (1995) 239

Synchrotron spectroscopies

A multiple scattering EXAFS study of organometallic compounds: $W(CO)_6$ and (1,3,5-trimethylbenzene)$W(CO)_3$, R. Crüsemann, F. Bökman, V. Fritzsche and H. Bertagnolli 194 (1995) 81

An experimental study of the valence shell photoelectron spectrum of hydrogen sulphide, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg, D.M.P. Holland and M.A. MacDonald 195 (1995) 403

Near-edge core photoabsorption in polyacenes: model molecules for graphite, H. Ågren, O. Vahtras and V. Carravetta 196 (1995) 47

An experimental and theoretical study of the valence shell photoelectron spectrum of allene, P. Baltzer, B. Wannberg, M. Lundqvist, L. Karlsson, D.M.P. Holland, M.A. MacDonald and W. von Niessen 196 (1995) 551

A study of the absolute photoabsorption, photoionisation and photodissociation cross sections and the photoionisation quantum efficiency of carbon dioxide from the ionisation threshold to 345 Å, D.A. Shaw, D.M.P. Holland, M.A. Hayes, M.A. MacDonald, A. Hopkirk and S.M. McSweeney 198 (1995) 381

Photochemistry in jet-cooled aniline derivatives, C. Dedonder-Lardeux, C. Jouvet, S. Martrenchard, D. Solgadi, J. McCombie, B.D. Howells, T.F. Palmer, A. Subaric-Leitis, C. Monte, W. Rettig and P. Zimmermann 191 (1995) 271

Higher excited states of aromatic hydrocarbons. III. Assigning the in-plane polarized transitions of low-symmetry molecules: chrysene and E-stilbene, M.S. Gudipati, M. Maus, J. Daverkausen and G. Hohlneicher 192 (1995) 37

The electronic states of furan studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker, C.C. Ballard and M.F. Guest 192 (1995) 111

An experimental and theoretical study of the valence shell photoelectron spectrum of sulphur hexafluoride, D.M.P. Holland, M.A. MacDonald, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg and W. von Niessen 192 (1995) 333

Coherent optical spectroscopy

Coherent effects in femtosecond infrared spectroscopy, P. Hamm 200 (1995) 415

Optical pumping

Design of substituted semibullvalenes suitable for control of the Cope rearrangement by two ps IR laser pulses, M. Dohle, J. Manz, G.K. Paramonov and H. Quast 197 (1995) 91

Multiple resonance spectroscopy

Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in $CFCl_3$ matrix, R. Erickson, A. Lund and M. Lindgren 193 (1995) 89

ENDOR and ESEEM of the ^{15}N labelled radical cations of chlorophyll a and the primary donor P_{700} in Photosystem I, H. Käß, E. Bittersmann-Weidlich, L.-E. Andréasson, B. Bönigk and W. Lubitz 194 (1995) 419

Detection of higher excited states of *p*-fluorotoluene with (3 + 1)RMPI spectra, L. Mei-Rong, Z. Qing-Chun, L. Yao-Ming, Z. Bao-Zheng and C. Wen-Ju 200 (1995) 439

Atomic and molecular beam techniques

Evidence for quasibound states in highly excited CO^+ and NO^+, A.B. van der Kamp, P.B. Athmer, R.S. Hiemstra, J.R. Peterson and W.J. van der Zande 193 (1995) 181

Absolute cross-section measurements for collisional destruction of He Rydberg atoms and single electron capture of He^+ ions in collision with SF_6, H. Martínez and T.J. Morgan 193 (1995) 193

The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ ($n = 1, 2, 3, 4$) reactions, W.-s. Yang, G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou 193 (1995) 345

Energy transfer processes and surface corrugation: a combined collision dynamics and experimental study of the Xe–GaSe(001) system, S. Iannotta, C. Gravili, A. Boschetti, A. Cagol and M. Cacciatore 194 (1995) 133

Double ionization of the propyne molecule to ground and electronically excited states of the doubly charged ion, S.R. Andrews, F.M. Harris and D.E. Parry 194 (1995) 215

The concerted photodissociation of azomethane at 193 nm, T. Gejo, P. Felder and J.R. Huber 195 (1995) 423

A theoretical study on the structure of acetonitrile (CH_3CN) and its anion CH_3CN^-, G.L. Gutsev, A.L. Sobolewski and L. Adamowicz 196 (1995) 1

Energy partitioning in photodissociation of methyl, ethyl and *n*-propyl iodides at 304 nm, W.K. Kang, K.W. Jung, D.C. Kim, K.-H. Jung and H.-S. Im 196 (1995) 363

High-resolution absorption, excitation, and microwave–UV double resonance spectroscopy on a molecular beam: S_1 aniline, E.R.Th. Kerstel, M. Becucci, G. Pietraperzia and E. Castellucci 199 (1995) 263

Fano plot of the Paschen line of the excited hydrogen atom ($n = 4$) produced in e–H_2 collisions, N. Yonekura, K. Furuya, K. Nakashima and T. Ogawa 199 (1995) 313

Unexpectedly rich vibronic structure in supersonic jet spectra of sulfur dioxide between 360 and 308 nm, J.S. Baskin, F. Al-Adel and A. Hamdan 200 (1995) 181

High-resolution study of the luminescent electronic energy transfer reaction of $Xe(^3P_{0,2})$ with $^{14}N_2$ and $^{15}N_2$, Ch. Ottinger, A.F. Vilesov and D.D. Xu 192 (1995) 49

Dissociative excitation of K and K^+ emission by electron impact on KI molecules, Yu.M. Smirnov 192 (1995) 379

Time-resolved experiments

The theory of ultrafast vibrational spectroscopy, K. Wynne and R.M. Hochstrasser 193 (1995) 211

Vibrational energy dependence of nonradiative decay rate: triplet benzene studied by time-resolved and steady-state photosensitized phosphorescence, Y. Ide and T. Hikida 194 (1995) 159

Solvent relaxation of oxazine-4 in 2-methyltetrahydrofuran, E. Görlach, H. Gygax, P. Lubini and U.P. Wild 194 (1995) 185

Ultrafast energy transfer in light-harvesting chlorosomes from the green sulfur bacterium *Chlorobium tepidum*, S. Savikhin, P.I. van Noort, Y. Zhu, S. Lin, R.E. Blankenship and W.S. Struve 194 (1995) 245

Energy transfer between antenna complexes in the purple sulfur bacteria *Chromatium tepidum* and *Chromatium vinosum*, J.T.M. Kennis, T.J. Aartsma and J. Amesz 194 (1995) 285

Energy transfer in photosystem I. Time resolved fluorescence of the native photosystem I complex and its core complex, L.-O. Pålsson, S.E. Tjus, B. Andersson and T. Gillbro 194 (1995) 291

Transient absorption changes of a degenerate dimer induced by exciton scattering; implications for Photosystem II of photosynthesis, J.P.M. Schelvis and T.J. Aartsma 194 (1995) 303

Differences in the binding of the primary quinone acceptor in Photosystem I and reaction centres of *Rhodobacter Sphaeroides*-R26 studied with transient EPR spectroscopy, A. van der Est, I. Sieckmann, W. Lubitz and D. Stehlik 194 (1995) 349
Time-resolved W-band (95 GHz) EPR spectroscopy of Zn-substituted reaction centers of *Rhodobacter sphaeroides* R-26, T.F. Prisner, A. van der Est, R. Bittl, W. Lubitz, D. Stehlik and K. Möbius 194 (1995) 361
Dispersive electronic energy transfer in an organically doped xerogel glass, D. L'Espérance and E.L. Chronister 195 (1995) 387
Hole transport in tri-*p*-tolylamine doped polymers: the role of the polymer dipole moment, P.M. Borsenberger, W.T. Gruenbaum, E.H. Magin and L.J. Sorriero 195 (1995) 435
Evidence for molecular distortion involving the carbonyl group in triplet states of carbonyl derivatives of naphthalene obtained from time resolved vibrational spectroscopic studies, M.J. van der Burgt, A.H. Huizer, C.A.G.O. Varma, B.D. Wagner and J. Lusztyk 196 (1995) 193
Quantum beat spectroscopic studies of Zeeman anticrossings in the $\tilde{A}\,^1A_u$ state of the acetylene molecule (C_2H_2), P. Dupré, P.G. Green and R.W. Field 196 (1995) 211
Energy partitioning in photodissociation of methyl, ethyl and *n*-propyl iodides at 304 nm, W.K. Kang, K.W. Jung, D.C. Kim, K.-H. Jung and H.-S. Im 196 (1995) 363
Chiral discrimination in electronic energy-transfer processes in solution. Effects of temperature and solution properties on chirality-dependent rate parameters, D.P. Glover-Fischer, D.H. Metcalf, J.P. Bolender and F.S. Richardson 198 (1995) 207
Picosecond time-dependent Stokes shift studies of fluoroprobe in liquid solution, E.R. Middelhoek, P. van der Meulen, J.W. Verhoeven and M. Glasbeek 198 (1995) 373
The $A(0^+)$–$X(0^+)$ transition of BiBr: radiative lifetimes of the A state, E. Martínez, M.R. López, A. Notario and F. Poblete 199 (1995) 305
Non-exponential solvation dynamics of electronically excited 4-aminophthalimide in *n*-alcohols, T.O. Harju, A.H. Huizer and C.A.G.O. Varma 200 (1995) 215
A comparative study of hole transport in vapor-deposited molecular glasses of N,N′,N″,N‴-tetrakis(4-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine and N,N′-diphenyl-N,N′-bis(3-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine, S. Heun and P.M. Borsenberger 200 (1995) 245
The role of dipole moments on hole transport in triphenylamine doped poly(styrene), P.M. Borsenberger and M.B. O'Regan 200 (1995) 257
The spectral assessment of the origin of the polaronic contribution to charge transport in a highly conjugated triarylamine donor molecule, S. Heun, H. Bässler and P. Borsenberger 200 (1995) 265
Coherent effects in femtosecond infrared spectroscopy, P. Hamm 200 (1995) 415
Rates of the reactions $CN + H_2CO$ and $NCO + H_2CO$ in the temperature range 294–769 K, Y.-W. Chang and N.S. Wang 200 (1995) 431
Forward and reverse electronic energy transport and trapping in solution. I. Theory, L. Kułak and C. Bojarski 191 (1995) 43
Forward and reverse electronic energy transport and trapping in solution. II. Numerical results and Monte Carlo simulations, L. Kułak and C. Bojarski 191 (1995) 67
Charge transport in molecularly doped polymers at low dopant concentrations: simulation and experiment, B. Hartenstein, H. Bässler, S. Heun, P. Borsenberger, M. Van der Auweraer and F.C. De Schryver 191 (1995) 321
Electron localization in laser ionization of liquid water, L.V. Lukin 192 (1995) 135
Vibrational relaxation of $N_2(C, v)$ state in N_2 pulsed rf discharge: electron impact and pooling reactions, S. De Benedictis and G. Dilecce 192 (1995) 149
Ultrafast intramolecular charge transfer in the merocyanine dye DCM, M.M. Martin, P. Plaza and Y.H. Meyer 192 (1995) 367

Short-lived charge-transfer-to-solvent-states and multiple electronic relaxations following femtosecond excitation of aqueous chloride ion, Y. Gauduel, H. Gelabert and M. Ashokkumar 197 (1995) 167

Initial charge separation kinetics of bacterial photosynthetic reaction centers in oriented Langmuir–Blodgett films in an applied electric field, C.C. Moser, R.J. Sension, A.Z. Szarka, S.T. Repinec, R.M. Hochstrasser and P.L. Dutton 197 (1995) 343

Direct charge recombination from $D^+Q_AQ_B^-$ to DQ_AQ_B in bacterial reaction centers from *Rhodobacter sphaeroides* containing low potential quinone in the Q_A site, A. Labahn, J.M. Bruce, M.Y. Okamura and G. Feher 197 (1995) 355

The role of reaction center excited state evolution during charge separation in a *Rb. sphaeroides* mutant with an initial electron donor midpoint potential 260 mV above wild type, N.W. Woodbury, S. Lin, X. Lin, J.M. Peloquin, A.K.W. Taguchi, J.A.C. Williams and J.P. Allen 197 (1995) 405

Mass spectrometry

The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces, Th. Lill, H.-G. Busmann, F. Lacher and I.V. Hertel 193 (1995) 199

Double ionization of the propyne molecule to ground and electronically excited states of the doubly charged ion, S.R. Andrews, F.M. Harris and D.E. Parry 194 (1995) 215

The dissociative ionization of C_2H_2. The C^+, C_2^+ and CH_2^+ dissociation channels. The vinylidene ion as a transient?, R. Locht and M. Davister 195 (1995) 443

Energy partitioning in photodissociation of methyl, ethyl and *n*-propyl iodides at 304 nm, W.K. Kang, K.W. Jung, D.C. Kim, K.-H. Jung and H.-S. Im 196 (1995) 363

Photochemistry in jet-cooled aniline derivatives, C. Dedonder-Lardeux, C. Jouvet, S. Martrenchard, D. Solgadi, J. McCombie, B.D. Howells, T.F. Palmer, A. Subaric-Leitis, C. Monte, W. Rettig and P. Zimmermann 191 (1995) 271

The dissociative ionization of C_2H_2 and C_2D_2. The $[CH(CD)]_+$ dissociation channel. The $H(D)C \equiv C(D)H$ binding energy, M. Davister and R. Locht 191 (1995) 333

Reaction window in the single-electron capture by ammonia dications, B. Leyh and A. Hoxha 192 (1995) 65

Is there a hydride transfer between N_2OH^+ and saturated hydrocarbons?, J. Mestres, M. Duran, J. Bertrán, E. Ballesteros, M. Herreros and J.-L.M. Abboud 192 (1995) 99

Low-work-function surfaces with φ as low as 2.0 eV produced by alkaline earth element carbonate decomposition, H. Kishi and T. Fujii 192 (1995) 387

Radiolysis

H-atom abstraction from alcohols by alkyl radicals. Cooperative effects in the reactions of alkyl radicals in glassy methanol-d_3, V.L. Vyazovkin and V.A. Tolkatchev 195 (1995) 313

Mössbauer spectroscopy

Spin–lattice relaxation in Mössbauer spectra of metmyoglobin: investigation of crystals, water and water–glycerol solutions, A.R. Bizzarri, O.A. Iakovleva and F. Parak 191 (1995) 185

X-ray, electron and neutron diffraction

LEED crystallographic determination for the restructured surface formed by phosphorus bonded at Cu(110), W. Liu, D.T. Vu and K.A.R. Mitchell 198 (1995) 235

Neutron scattering
Vibrational study of various crystalline phases of thallium dihydrogen arsenate TlH_2AsO_4. Comparison with thallium dihydrogen phosphate TlH_2PO_4, Z. Ouafik, N. Le Calvé and B. Pasquier 194 (1995) 145
Inelastic neutron scattering study of proton dynamics in $Ca(OH)_2$ at 20 K, R. Baddour-Hadjean, F. Fillaux, N. Floquet, S. Belushkin, I. Natkaniec, L. Desgranges and D. Grebille 197 (1995) 81

Field emission and field ionization
Absolute cross-section measurements for collisional destruction of He Rydberg atoms and single electron capture of He^+ ions in collision with SF_6, H. Martínez and T.J. Morgan 193 (1995) 193

Measurement of macroscopic variables
Effect of high pressure on photoionization of N,N,N′,N′-tetramethyl-*p*-phenylenediamine (TMPD) in liquid 2,2-dimethylbutane (DMB), R. Katoh, K. Lacmann and W.F. Schmidt 195 (1995) 457
Rotational energy relaxation of symmetric top molecules by collisions with atoms, A.V. Storozhev and M.L. Strekalov 200 (1995) 125

Objects

Bulk systems

Gases
Transport of diatomic ions in atomic gases, L.A. Viehland and A.S. Dickinson 193 (1995) 255
Vibrational energy dependence of nonradiative decay rate: triplet benzene studied by time-resolved and steady-state photosensitized phosphorescence, Y. Ide and T. Hikida 194 (1995) 159
Vibrational relaxation models for dilute shock heated gases, D.A. Gonzales and P.L. Varghese 195 (1995) 83
A test of the semiclassical Wigner method for the reaction $F + H_2 \rightarrow H + HF$, V.M. Azriel, G.D. Billing, L.Yu. Rusin and M.B. Sevryuk 195 (1995) 243
The dissociative ionization of C_2H_2. The C^+, C_2^+ and CH_2^+ dissociation channels. The vinylidene ion as a transient?, R. Locht and M. Davister 195 (1995) 443
Dissociation of acetyl bromide: an experimental and theoretical study, Y. Su, T.S. Dibble, J.S. Francisco and Z. Li 196 (1995) 59
Exchange–Coulomb potential energy surfaces, and related physical properties, for Kr–N_2, A.K. Dham and W.J. Meath 196 (1995) 125
Transfer of vibrational energy to electronic excited states and vibration enhanced carbon production in optically excited V–V pumped CO, H.L. Wallaart, B. Piar, M.-Y. Perrin and J.-P. Martin 196 (1995) 149
Quantum beat spectroscopic studies of Zeeman anticrossings in the $\tilde{A}\,^1A_u$ state of the acetylene molecule (C_2H_2), P. Dupré, P.G. Green and R.W. Field 196 (1995) 211
Study of Zeeman anticrossing spectra of the $\tilde{A}\,^1A_u$ state of the acetylene molecule (C_2H_2) by Fourier transform: product $\rho_{vib}\langle V \rangle$ and isomerization barrier, P. Dupré 196 (1995) 239
The electronic spectrum of phthalazine. Theory and experiment, G. Fischer and P. Wormell 198 (1995) 183
Classical dynamics of vibrational-translational energy transfer in linear collisions of an atom and a diatomic molecule/anharmonic oscillator, O.V. Skrebkov and A.L. Smirnov 198 (1995) 297

A simulation study of energy transfer in methyl isocyanide–inert gas collisions, L. Ming, T.D. Sewell and S. Nordholm 199 (1995) 83
Temperature dependence of the ultraviolet absorption cross section of CF_3I, A. Fahr, A.K. Nayak and R.E. Huie 199 (1995) 275
Temperature dependent quenching of $CH(A^2\Delta)$, $NH(A^3\Pi)$, $NH(c\,^1\Pi)$, and $PH(A^3\Pi)$ by H_2, P. Heinrich and F. Stuhl 199 (1995) 297
Rotational energy relaxation of symmetric top molecules by collisions with atoms, A.V. Storozhev and M.L. Strekalov 200 (1995) 125
Rates of the reactions $CN + H_2CO$ and $NCO + H_2CO$ in the temperature range 294–769 K, Y.-W. Chang and N.S. Wang 200 (1995) 431
Diffusional description of vibrational relaxation in a binary mixture of diatomic molecules – quantum oscillators, O.V. Skrebkov 191 (1995) 87
Determination of the vibrationless level of Sn states of chlorobenzene by double resonance multiphoton ionization photoelectron spectroscopy. Evidence of IVR within these states, P. Asselin, F. Piuzzi, M. Mons and I. Dimicoli 191 (1995) 261
The dissociative ionization of C_2H_2 and C_2D_2. The $[CH(CD)]_+$ dissociation channel. The $H(D)C \equiv C(D)H$ binding energy, M. Davister and R. Locht 191 (1995) 333
Reaction window in the single-electron capture by ammonia dications, B. Leyh and A. Hoxha 192 (1995) 65
Dynamical properties of carbonyl sulphide diluted in argon at different densities. A molecular dynamics investigation, D. Dellis and J. Samios 192 (1995) 281
Temperature and population measurements of $n = 2$ hydrogen atoms in H_2 RF discharges from H_α (Balmer) spectral profiles obtained by intracavity laser spectroscopy, M.J. Lipp and J.J. O'Brien 192 (1995) 355
Vibronic coupling between Rydberg and ion-pair states of I_2 investigated by $(2 + 1)$ resonance enhanced multiphoton ionization spectroscopy, K.P. Lawley, T. Ridley, Z. Min, P.J. Wilson, M.S.N. Al-Kahali and R.J. Donovan 197 (1995) 37
The spectroscopy of thioformaldehyde. MR-CI studies on the triplet states of H_2CS, M.R.J. Hachey and F. Grein 197 (1995) 61
The ultraviolet absorption cross sections of CH_3I temperature dependent gas and liquid phase measurements, A. Fahr, A.K. Nayak and M.J. Kurylo 197 (1995) 195

Supersonic beams

The concerted photodissociation of azomethane at 193 nm, T. Gejo, P. Felder and J.R. Huber 195 (1995) 423
Metastable decay of ionic argon clusters: rotational predissociation of $(Ar)_4^+$, E. Buonomo and F.A. Gianturco 196 (1995) 465
High-resolution absorption, excitation, and microwave–UV double resonance spectroscopy on a molecular beam: S_1 aniline, E.R.Th. Kerstel, M. Becucci, G. Pietraperzia and E. Castellucci 199 (1995) 263
Unexpectedly rich vibronic structure in supersonic jet spectra of sulfur dioxide between 360 and 308 nm, J.S. Baskin, F. Al-Adel and A. Hamdan 200 (1995) 181
Experimental and ab initio study of the molybdenum K and L edges excitation in $Mo(CO)_6$ and MoF_6, F. Guillot, C. Dézarnaud-Dandine, M. Tronc, A. Lisini, P. Decleva and G. Fronzoni 191 (1995) 289

Liquids neat

Temperature dependence of the thermal conductivity for two models of liquid butane, P.J. Daivis and D.J. Evans 198 (1995) 25

An analytical study of the Berezhkovskii–Pollak–Zitserman theory of rate processes in the memory-suppression region, S. Singh and G.W. Robinson 198 (1995) 257
Statistical mechanical simulations on properties of liquid pyridine, K. Sagarik and E. Spohr 199 (1995) 73
Rattling of carbon disulphide molecules in liquids, K. Pasterny and A. Brodka 200 (1995) 79
Non-exponential solvation dynamics of electronically excited 4-aminophthalimide in *n*-alcohols, T.O. Harju, A.H. Huizer and C.A.G.O. Varma 200 (1995) 215
The roughness factor for polyatomic molecules from the shear viscosity coefficient, J. Amoros 200 (1995) 281
Molecular dynamics study of water adopting a potential function with explicit atomic dipole moments and anisotropic polarizabilities, P.-O. Åstrand, P. Linse and G. Karlström ua 191 (1995) 195
Electron localization in laser ionization of liquid water, L.V. Lukin 192 (1995) 135

Liquid mixtures and solutions
The theory of ultrafast vibrational spectroscopy, K. Wynne and R.M. Hochstrasser 193 (1995) 211
Solvent relaxation of oxazine-4 in 2-methyltetrahydrofuran, E. Görlach, H. Gygax, P. Lubini and U.P. Wild 194 (1995) 185
Dielectric relaxation of binary dipolar liquids, A. Chandra 195 (1995) 93
Free energies and structures of hydrated cations, based on effective pair potentials, F. Floris, M. Persico, A. Tani and J. Tomasi 195 (1995) 207
Molecular dynamics studies on the structure of methanol–water solutions of NaCl, E. Hawlicka and D. Swiatla-Wojcik 195 (1995) 221
NMR relaxation studies in water-alcohol mixtures: the water-rich region, R. Ludwig 195 (1995) 329
Effect of high pressure on photoionization of N,N,N′,N′-tetramethyl-*p*-phenylenediamine (TMPD) in liquid 2,2-dimethylbutane (DMB), R. Katoh, K. Lacmann and W.F. Schmidt 195 (1995) 457
Far infrared interaction induced absorption spectra of CS_2–C_6H_6 liquid mixtures. A low concentration study, E. Zoidis and T. Dorfmüller 196 (1995) 171
An infrared study of the interaction-induced vibrational spectra of benzene in liquid binary mixtures containing CS_2 and C_6F_6, E. Zoidis, M. Besnard and J. Yarwood 196 (1995) 521
Excited-state geometries derived from the analysis of resonance Raman spectra. Example: $^1(\pi-\pi^*)$ state of 3,5-di-tert-butyl-*o*-benzoquinone, H. Bettermann and I. Dasting 196 (1995) 531
Isomerisation dynamics of a thiacarbocyanine dye in different electronic states and in different classes of solvents, E. Vauthey 196 (1995) 569
Chiral discrimination in electronic energy-transfer processes in solution. Effects of temperature and solution properties on chirality-dependent rate parameters, D.P. Glover-Fischer, D.H. Metcalf, J.P. Bolender and F.S. Richardson 198 (1995) 207
An exactly solvable model of the dipole–dipole relaxation of the electron spins of micellized radical pairs, S.V. Isakov, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev 199 (1995) 119
Na^+ in liquid hydroxylamine: pair potential function from ab initio calculations and Monte Carlo computer simulation of a 0.36 M NaCl solution (2 NaCl/200 NH_2OH), S. Vizoso and B.M. Rode 199 (1995) 129
The solvent shift in the $n \rightarrow \pi^*$ excitation of $CH_2O \cdot nH_2O$: An MRD-CI investigation using effective potentials for the representation of the water molecules, I. Frank, S. Grimme, M. von Arnim and S.D. Peyerimhoff 199 (1995) 145
Large quadratic hyperpolarizabilities with donor–acceptor polyenes functionalized with strong donors. Comparison with donor–acceptor diphenylpolyenes, M. Blanchard-Desce, C. Runser, A. Fort, M. Barzoukas, J.-M. Lehn, V. Bloy and V. Alain 199 (1995) 253

Electron–proton free-energy surfaces for proton transfer reaction in polar solvents: test calculations for carbon–carbon reaction centres, M.V. Basilevsky, A.V. Soudackov and M.V. Vener 200 (1995) 87
Forward and reverse electronic energy transport and trapping in solution. I. Theory, L. Kułak and C. Bojarski 191 (1995) 43
Forward and reverse electronic energy transport and trapping in solution. II. Numerical results and Monte Carlo simulations, L. Kułak and C. Bojarski 191 (1995) 67
A modification of the non-Markovian encounter theory. III. Hopping and diffusion mechanisms of reactions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 191 (1995) 101
Energy transfer between finite-sized interacting molecules in a one-dimensional system, J. Grabowska and K. Sienicki 192 (1995) 89
Ultrafast intramolecular charge transfer in the merocyanine dye DCM, M.M. Martin, P. Plaza and Y.H. Meyer 192 (1995) 367
Short-lived charge-transfer-to-solvent-states and multiple electronic relaxations following femtosecond excitation of aqueous chloride ion, Y. Gauduel, H. Gelabert and M. Ashokkumar 197 (1995) 167

Crystals
Blue up-conversion emission from U^{4+}-ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation, W. Xu, S. Dai, L.M. Toth and J.R. Peterson 193 (1995) 339
Vibrational study of various crystalline phases of thallium dihydrogen arsenate TlH_2AsO_4. Comparison with thallium dihydrogen phosphate TlH_2PO_4, Z. Ouafik, N. Le Calvé and B. Pasquier 194 (1995) 145
Densities of states and band widths of excitons in anthracene microcrystallites embedded in PMMA, A.H. Matsui, K. Mizuno, O. Nishi, Y. Matsushima, M. Shimizu, T. Goto and M. Takeshima 194 (1995) 167
Influence of aggregation on the optical spectra of a polymethine dye in single crystals, L. Dähne, A. Horvath and G. Weiser 196 (1995) 307
NMR study of the F–H · · · F hydrogen bond. Relation between hydrogen atom position and F–H · · · F bond length, A.M. Panich 196 (1995) 511
Molecular polaron states in polyacene crystals. Formation and transfer processes, E.A. Silinsh, A. Klimkāns, S. Larsson and V. Čápek 198 (1995) 311
Does the electronegativity scale apply to ionic crystals as to molecules? A theoretical study of the bonding character in molecular and crystalline alkaline-earth oxides based on dipole moments, G. Pacchioni and F. Illas 199 (1995) 155
Near-IR absorption transition of $^3H_4$ to $^3F_2$ for UCl_6^{2-} complex in M_2ZrCl_6 host crystals ($M = K^+$, Rb^+, and Cs^+): an experimental and theoretical study, S. Dai, L.M. Toth, G.D. Del Cul and D.H. Metcalf 200 (1995) 271
Dynamics of electronic polarization in molecular crystals, V. Čápek and E.A. Silinsh 200 (1995) 309
Pressure-induced phase transitions in 9,10-anthracene derivatives: anthraquinone, A. Brillante, R.G. Della Valle, R. Farina and E. Venuti 191 (1995) 177
A Raman analysis of C_{60} at low temperatures: a study of molecular and crystal-field effects, L. Akselrod, H.J. Byrne, S. Donovan and S. Roth 192 (1995) 307

-neat
A comparison between the rigid and flexible model of cyclohexane in the plastic phase by molecular dynamic simulations, G. Cardini 193 (1995) 101

Fluorescence-detected two-photon circular dichroism of Gd^{3+} in trigonal $Na_3[Gd(C_4H_4O_5)_3] \cdot 2NaClO_4 \cdot 6H_2O$, K.E. Gunde and F.S. Richardson 194 (1995) 195
High-field EPR on the primary electron donor cation radical in single crystals of heterodimer mutant reaction centers of photosynthetic bacteria – first characterization of the *G*-tensor, M. Huber and J.T. Törring 194 (1995) 379
Pressure and temperature effects in lattice dynamics: the case of naphthalene, R.G. Della Valle, E. Venuti and A. Brillante 198 (1995) 79
Reorientational dynamics of C_{60} in the solid state. An avoided level-crossing muon spin resonance study, E. Roduner, K. Prassides, R.M. Macrae, I.M. Thomas, C. Niedermayer, U. Binninger, C. Bernhard, A. Hofer and I.D. Reid 192 (1995) 231

-mixed
A Raman study of the disorder induced by polymer chains in mixed monomer–polymer crystals of the diacetylene pTS-D, S. Longeville, M. Bertault, J. Even, J.L. Fave, A. Girard and Y. Delugeard 195 (1995) 371
Vibrational sidelines in the localized ^{3}MLCT luminescence of $[Ru(bpy)_{3-x}(L)_x]^{2+}$ ($x = 0$ to 3, L = 3,3′-bipyridazine, bpy-d_8) in the C2/c $[Zn(bpy)_3](ClO_4)_2$ lattice, H. Riesen, L. Wallace and E. Krausz 198 (1995) 269
Proton tunnelling reactions in pentacene doped benzoic acid crystals, P.F. Barbara, C. von Borczyskowski, R. Casalegno, A. Corval, C. Kryschi, Y. Romanowski and H.P. Trommsdorff 199 (1995) 285
Simulation of exciton transport in binary molecular crystals and comparison with experiments in chemically mixed crystals, F. Otto, E. Tränkle and C. von Borczyskowski 197 (1995) 139

Glasses
Temperature dependent hole burning of the 684 nm chlorophyll *a* of the isolated reaction center of Photosystem II: confirmation of the linker model, H.-C. Chang, G.J. Small and R. Jankowiak 194 (1995) 323
The influence of deep traps for gas molecules on oxygen transport in the glass of 2-methylpentanol-2, S.V. Vasenkov, V.V. Korolev and V.A. Tolkatchev 195 (1995) 305
H-atom abstraction from alcohols by alkyl radicals. Cooperative effects in the reactions of alkyl radicals in glassy methanol-d_3, V.L. Vyazovkin and V.A. Tolkatchev 195 (1995) 313
Low-frequency motions in an alkali phosphate glass studied by ^{7}Li and ^{31}P NMR, B. Rufflé, S. Beaufils and J. Gallier 195 (1995) 339
Dispersive electronic energy transfer in an organically doped xerogel glass, D. L'Espérance and E.L. Chronister 195 (1995) 387
Diffusion of silver ions towards radiation-induced traps in the glass $37.2Na_2O–12.8CaO–50P_2O_5$, V.M. Syutkin, V.A. Tolkatchev, A.V. Dmitryuk and S.E. Paramzina 196 (1995) 139
Diffusion of molecular oxygen in glassy matrices, studied by luminescence quenching, V.V. Korolev, V.V. Bolotsky, N.V. Shokhirev, E.B. Krissinel', V.A. Bagryansky and N.M. Bazhin 196 (1995) 317
Raman spectra and relaxation in amorphous naphthalene, K. Ishii, H. Nakayama, M. Kawahara, K. Koyama, K. Ando and J. Yokoyama 199 (1995) 245
A comparative study of hole transport in vapor-deposited molecular glasses of N,N′,N″,N‴-tetrakis(4-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine and N,N′-diphenyl-N,N′-bis(3-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine, S. Heun and P.M. Borsenberger 200 (1995) 245

Liquid crystals
Excited state absorption of 5CB (4′-*n*-pentyl-4-cyanobiphenyl) in cyclohexane, H.J. Eichler, R. Macdonald, R. Menzel and R. Sander 195 (1995) 381

Polymers
Power broadening of the spectral hole width in an optically thick sample, E.S. Maniloff, F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild 193 (1995) 173
The thermal ageing of poly(3,4-ethylenedioxythiophene). An investigation by X-ray absorption and X-ray photoelectron spectroscopy, I. Winter, C. Reese, J. Hormes, G. Heywang and F. Jonas 194 (1995) 207
An MO study of nuclear quadrupolar coupling constant and nuclear shielding of the carbonyl oxygen in solid peptides with hydrogen bonds, S. Kuroki, S. Ando and I. Ando 195 (1995) 107
A Raman study of the disorder induced by polymer chains in mixed monomer–polymer crystals of the diacetylene pTS-D, S. Longeville, M. Bertault, J. Even, J.L. Fave, A. Girard and Y. Delugeard 195 (1995) 371
Hole transport in tri-*p*-tolylamine doped polymers: the role of the polymer dipole moment, P.M. Borsenberger, W.T. Gruenbaum, E.H. Magin and L.J. Sorriero 195 (1995) 435
On electron localization in periodic $(C_2H_nCl_{4-n})_x$ polymers, M. Springborg 196 (1995) 101
Gauge invariant formulation of molecular electrodynamics and the multipolar Hamiltonian, V. Chernyak and S. Mukamel 198 (1995) 133
Efficiency of charge recombination in organic light emitting diodes, U. Albrecht and H. Bässler 199 (1995) 207
Electronic states of symmetrically disubstituted *s*-tetrazines, J. Waluk, J. Spanget-Larsen and E.W. Thulstrup 200 (1995) 201
The role of dipole moments on hole transport in triphenylamine doped poly(styrene), P.M. Borsenberger and M.B. O'Regan 200 (1995) 257
The spectral assessment of the origin of the polaronic contribution to charge transport in a highly conjugated triarylamine donor molecule, S. Heun, H. Bässler and P. Borsenberger 200 (1995) 265
The nonlinear stretching model of hydrogen bonds and local self-fluctuation of base rotation in DNA, C.-T. Zhang and K.-C. Chou 191 (1995) 17
Charge transport in molecularly doped polymers at low dopant concentrations: simulation and experiment, B. Hartenstein, H. Bässler, S. Heun, P. Borsenberger, M. Van der Auweraer and F.C. De Schryver 191 (1995) 321
Molecular orbital expressions for approximate uncoupled Hartree–Fock second hyperpolarizabilities. A Pariser–Parr–Pople assessment for model polyacetylene chains, D. Jacquemin, B. Champagne and J.-M. André 197 (1995) 107

Semiconductors
On the theory of Frenkel excitonic polarons, J. Singh 198 (1995) 63
Gauge invariant formulation of molecular electrodynamics and the multipolar Hamiltonian, V. Chernyak and S. Mukamel 198 (1995) 133
Vibrational energy relaxation dynamics of Si–H stretching modes on stepped H/Si(111)1 × 1 surfaces, Ying-Chieh, H. Gai and G.A. Voth 200 (1995) 357

Thin films
NMR evidence for strained carbon bonding in tetrahedral amorphous carbon, M.M. Golzan, P.B. Lukins, D.R. McKenzie, A.M. Vassallo and J.V. Hanna 193 (1995) 167

Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene vinylenes, W. Werncke, M. Pfeiffer, T. Johr, A. Lau and H.-J. Jüpner 199 (1995) 65
Efficiency of charge recombination in organic light emitting diodes, U. Albrecht and H. Bässler 199 (1995) 207
Fluorescence quenching of ultrathin anthracene films by dielectric and metallic substrates, M. Daffertshofer, H. Port and H.C. Wolf 200 (1995) 225
A Raman analysis of C_{60} at low temperatures: a study of molecular and crystal-field effects, L. Akselrod, H.J. Byrne, S. Donovan and S. Roth 192 (1995) 307

Surfaces
Photodesorption of neutrals from metal surfaces: a wave packet study, P. Saalfrank 193 (1995) 119
The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces, Th. Lill, H.-G. Busmann, F. Lacher and I.V. Hertel 193 (1995) 199
Molecular adsorption on ionic substrates: characterization of terrace and step sites, S. Briquez, A. Lakhlifi, S. Picaud and C. Girardet 194 (1995) 65
Energy transfer processes and surface corrugation: a combined collision dynamics and experimental study of the Xe–GaSe(001) system, S. Iannotta, C. Gravili, A. Boschetti, A. Cagol and M. Cacciatore 194 (1995) 133
Molecular dynamics simulation of the adsorption of benzene on charged metal electrodes in the presence of aqueous electrolyte, M.R. Philpott and J.N. Glosli 198 (1995) 53
LEED crystallographic determination for the restructured surface formed by phosphorus bonded at Cu(110), W. Liu, D.T. Vu and K.A.R. Mitchell 198 (1995) 235
Nonlinear optical vibrations in organic superlattices with interface Fermi resonance, V.M. Agranovich, O.A. Dubovsky and A.M. Kamchatnov 198 (1995) 245
Vibrational energy relaxation dynamics of Si–H stretching modes on stepped H/Si(111)1 × 1 surfaces, Ying-Chieh, H. Gai and G.A. Voth 200 (1995) 357
A method for including environment polarization effects in ab initio cluster embedded calculations. Application to the water deprotonation over an ideal Al–MgO surface, J.A. Mejías, J. Oviedo and J.F. Sanz 191 (1995) 133
Theoretical study of interactions among surface defects by He scattering technique: the reason for the failure of the cross section geometric overlap hypothesis, G. Petrella and L. Cassidei 191 (1995) 203
CPA theory with correlative effects: application to the $\nu_s(PF_3)$ stretch of PF_3/Pt(111), W. Greene-Johnson 192 (1995) 9

Low-dimensional materials
On solitonic defects in hydrogen-bonded $(HF)_x$, M. Springborg 195 (1995) 143
Infrared, Raman, resonance Raman spectra and lattice dynamics calculations of the solid potassium(I) nickel(II) thiophosphate compound, $KNiPS_4$, C. Sourisseau, R. Cavagnat, M. Fouassier, R. Brec and S.H. Elder 195 (1995) 351
Energy transfer between finite-sized interacting molecules in a one-dimensional system, J. Grabowska and K. Sienicki 192 (1995) 89

Dielectrics
Molecule–radiation and molecule–molecule processes in condensed media: a microscopic QED theory, G. Juzeliūnas 198 (1995) 145
Quantum electrodynamics of bimolecular multiphoton processes in the condensed phase, G. Juzeliūnas and D.L. Andrews 200 (1995) 3

Plasmas

Angular momentum state mixing and quenching of $n = 3$ atomic hydrogen fluorescence, B.L. Preppernau, K. Pearce, A. Tserepi, E. Wurzberg and T.A. Miller 196 (1995) 371

Catalytic properties of surfaces with respect to generation of CO_2 molecules in the plasma, D.K. Otorbaev 196 (1995) 543

Vibrational relaxation of $N_2(C, v)$ state in N_2 pulsed rf discharge: electron impact and pooling reactions, S. De Benedictis and G. Dilecce 192 (1995) 149

Biological systems

Exciton theory of spectra and energy transfer in photosynthesis: spectral hole burning in the antenna of purple bacteria, T.V. Dracheva, V.I. Novoderezhkin and A.P. Razjivin 194 (1995) 223

Ultrafast energy transfer in light-harvesting chlorosomes from the green sulfur bacterium *Chlorobium tepidum*, S. Savikhin, P.I. van Noort, Y. Zhu, S. Lin, R.E. Blankenship and W.S. Struve 194 (1995) 245

Optical and optically detected magnetic resonance investigation on purple photosynthetic bacterial antenna complexes, A. Angerhofer, F. Bornhäuser, A. Gall and R.J. Cogdell 194 (1995) 259

Energy trapping and detrapping in the photosynthetic bacterium *Rhodopseudomonas viridis*: transfer-to-trap-limited dynamics, K. Timpmann, A. Freiberg and V. Sundström 194 (1995) 275

Energy transfer between antenna complexes in the purple sulfur bacteria *Chromatium tepidum* and *Chromatium vinosum*, J.T.M. Kennis, T.J. Aartsma and J. Amesz 194 (1995) 285

Energy transfer in photosystem I. Time resolved fluorescence of the native photosystem I complex and its core complex, L.-O. Pålsson, S.E. Tjus, B. Andersson and T. Gillbro 194 (1995) 291

Temperature dependent hole burning of the 684 nm chlorophyll *a* of the isolated reaction center of Photosystem II: confirmation of the linker model, H.-C. Chang, G.J. Small and R. Jankowiak 194 (1995) 323

EPR properties of the four hemes in the cytochrome subunit of reaction centres from *Rhodopseudomonas viridis*: characterization of the individual hemes, O. Kaminskaya, P.J. Bratt and M.C.W. Evans 194 (1995) 335

Differences in the binding of the primary quinone acceptor in Photosystem I and reaction centres of *Rhodobacter Sphaeroides*-R26 studied with transient EPR spectroscopy, A. van der Est, I. Sieckmann, W. Lubitz and D. Stehlik 194 (1995) 349

Time-resolved W-band (95 GHz) EPR spectroscopy of Zn-substituted reaction centers of *Rhodobacter sphaeroides* R-26, T.F. Prisner, A. van der Est, R. Bittl, W. Lubitz, D. Stehlik and K. Möbius 194 (1995) 361

FTIR spectroscopy of the photoreduction of the bacteriopheophytin electron acceptor in reaction centers of *Rb. sphaeroides* and *Rps. viridis*, E. Nabedryk, S. Andrianambinintsoa, D. Dejonghe and J. Breton 194 (1995) 371

Triplet–singlet difference spectra of *Rps. viridis* recorded with magneto-optical difference spectroscopy at 1.2–286 K. Temperature dependence of position and width of the long-wavelength absorption band, P. Gast, E.J. Lous and A.J. Hoff 194 (1995) 387

Temperature dependence of electron–vibronic spectra of photosynthetic systems. Computer simulations and comparison with experiment, T. Pullerits, R. Monshouwer, F. van Mourik and R. van Grondelle 194 (1995) 395

Exchange of chloride by bromide in the manganese Photosystem-II complex studied by cw- and pulsed-EPR, A. Boussac 194 (1995) 409

ENDOR and ESEEM of the ^{15}N labelled radical cations of chlorophyll a and the primary donor P_{700} in Photosystem I, H. Käß, E. Bittersmann-Weidlich, L.-E. Andréasson, B. Bönigk and W. Lubitz 194 (1995) 419

Primary processes in isolated Photosystem II reaction centres probed by magic angle transient absorption spectroscopy, D.R. Klug, T. Rech, D.M. Joseph, J. Barber, J.R. Durrant and G. Porter 194 (1995) 433
Fluoride substitution in the Mn cluster from Photosystem II: EPR and X-ray absorption spectroscopy studies, V.J. DeRose, M.J. Latimer, J.-L. Zimmermann, I. Mukerji, V.K. Yachandra, K. Sauer and M.P. Klein 194 (1995) 443
A perturbation treatment of oscillating magnetic fields in the radical pair mechanism using the Liouville equation, J.M. Canfield, R.L. Belford, P.G. Debrunner and K. Schulten 195 (1995) 59
Non-exponential non-Arrhenius relaxation in the course of CO rebinding to heme proteins, Yu.A. Berlin, S.F. Fischer, N.I. Chekunaev and V.I. Goldanskii 200 (1995) 369
The nonlinear stretching model of hydrogen bonds and local self-fluctuation of base rotation in DNA, C.-T. Zhang and K.-C. Chou 191 (1995) 17
Diffusion-controlled reaction rate to an active site, S.D. Traytak 192 (1995) 1
Free-energy dependence of the rate of electron transfer to the primary quinone in beta-type reaction centers, L. Laporte, C. Kirmaier, C.C. Schenck and D. Holten 197 (1995) 225
On the validity of the standard model for primary charge separation in the bacterial reaction center, G.J. Small 197 (1995) 239
Effects of applied electric fields on the quantum yields for the initial electron transfer steps in bacterial photosynthesis. II. Dynamic Stark effect, K. Lao, S. Franzen, M. Steffen, D. Lambright, R. Stanley and S.G. Boxer 197 (1995) 259
Docking and electron transfer between cytochrome c_2 and the photosynthetic reaction center, A.J.A. Aquino, P. Beroza, D.N. Beratan and J.N. Onuchic 197 (1995) 277
Primary photosynthesis in reaction centers containing four different types of electron acceptors at site H_A, H. Huber, M. Meyer, T. Nägele, I. Hartl, H. Scheer, W. Zinth and J. Wachtveitl 197 (1995) 297
Pressure dependence of primary charge separation in a photosynthetic reaction center, H.-C. Chang, R. Jankowiak, N.R.S. Reddy and G.J. Small 197 (1995) 307
Initial charge separation kinetics of bacterial photosynthetic reaction centers in oriented Langmuir–Blodgett films in an applied electric field, C.C. Moser, R.J. Sension, A.Z. Szarka, S.T. Repinec, R.M. Hochstrasser and P.L. Dutton 197 (1995) 343
Direct charge recombination from $D^+Q_AQ_B^-$ to DQ_AQ_B in bacterial reaction centers from *Rhodobacter sphaeroides* containing low potential quinone in the Q_A site, A. Labahn, J.M. Bruce, M.Y. Okamura and G. Feher 197 (1995) 355
Superexchange versus sequential long range electron transfer; density matrix pathways in Liouville space, S.S. Skourtis and S. Mukamel 197 (1995) 367
A kinetic analysis of the primary charge separation in bacterial photosynthesis. Energy gaps and static heterogeneity, M. Bixon, J. Jortner and M.E. Michel-Beyerle 197 (1995) 389
The role of reaction center excited state evolution during charge separation in a *Rb. sphaeroides* mutant with an initial electron donor midpoint potential 260 mV above wild type, N.W. Woodbury, S. Lin, X. Lin, J.M. Peloquin, A.K.W. Taguchi, J.A.C. Williams and J.P. Allen 197 (1995) 405
Ultrafast internal conversion in 13^2-OH-Ni-bacteriochlorophyll in reaction centers of *Rhodobacter sphaeroides* R26, G. Hartwich, M. Friese, H. Scheer, A. Ogrodnik and M.E. Michel-Beyerle 197 (1995) 423
Theoretical analyses on femtosecond time-resolved spectra of initial electron transfer of photosynthetic reaction centers at low temperatures, S.H. Lin, M. Hayashi, S. Suzuki, X. Gu, W. Xiao and M. Sugawara 197 (1995) 435

Microscopic systems

Atoms

The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ ($n = 1, 2, 3, 4$) reactions, W.-s. Yang, G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou 193 (1995) 345

Infrared fluorescence study of electronic-to-vibrational energy transfer in the $Br(^2P_{1/2})$–NO system, M.R. Hawks, R.O. Johnson and G.P. Perram 195 (1995) 395

The use of UV photoelectron spectroscopy to monitor production of excited states of atomic lead from the $Pb(^3P_0) + O_2(a\,^1\Delta_g)$ reaction, D. Haggerston, J.M. Dyke and A. Morris 196 (1995) 353

Angular momentum state mixing and quenching of $n = 3$ atomic hydrogen fluorescence, B.L. Preppernau, K. Pearce, A. Tserepi, E. Wurzberg and T.A. Miller 196 (1995) 371

Incipient manifestation of the shell structure of atoms within the WDA model for the exchange and kinetic energy density functionals, M.D. Glossman, L.C. Balbás and J.A. Alonso 196 (1995) 455

Relativistic causality and quantum-mechanical states in the Fermi problem, G. Compagno, G.M. Palma, R. Passante and F. Persico 198 (1995) 19

A further test of the shape and anisotropy of the $F–H_2$ interaction potential, F.A. Gianturco, F. Ragnetti, M. Faubel, B. Martínez-Haya, L.Y. Rusin, F. Sondermann and U. Tappe 200 (1995) 405

Accurate inelastic scattering factors for lithium to argon calculated from MR-SDCI wavefunctions, H. Meyer, T. Müller and A. Schweig 191 (1995) 213

Temperature and population measurements of $n = 2$ hydrogen atoms in H_2 RF discharges from H_α (Balmer) spectral profiles obtained by intracavity laser spectroscopy, M.J. Lipp and J.J. O'Brien 192 (1995) 355

Molecules (neutral and ionic)

Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities, C. Runser, A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger 193 (1995) 309

The diffusive interaction in diffusion-limited reactions: the time-dependent case, S.D. Traytak 193 (1995) 351

Double ionization of the propyne molecule to ground and electronically excited states of the doubly charged ion, S.R. Andrews, F.M. Harris and D.E. Parry 194 (1995) 215

Formally tetravalent cerium and thorium compounds: a configuration interaction study of cerocene $Ce(C_8H_8)_2$ and thorocene $Th(C_8H_8)_2$ using energy-adjusted quasirelativistic ab initio pseudopotentials, M. Dolg, P. Fulde, H. Stoll, H. Preuss, A. Chang and R.M. Pitzer 195 (1995) 71

Accurate magnetizabilities of the isoelectronic series BeH^-, BH, and CH^+. The MCSCF-GIAO approach, K. Ruud, T. Helgaker, K.L. Bak, P. Jørgensen and J. Olsen 195 (1995) 157

Correlation effects in core and valence photoelectron spectra of alkene molecules, G. Fronzoni, G. De Alti, P. Decleva and A. Lisini 195 (1995) 171

The effect of rotational excitation on the reaction $^{18}O(^3P) + {}^{16}O{}^{16}O(^3\Sigma_g^-) \rightarrow {}^{18}O{}^{16}O(^3\Sigma_g^-) + {}^{16}O(^3P)$. A comparison of quasiclassical and hemiquantal hyperspherical dynamics, M. Chajia and M. Jacon 195 (1995) 195

Reaction cross-section and product polarization in the $Ca(^1D_2) + HBr \rightarrow CaBr(A,B) + H$ reaction, M. Garay, M. Esteban, E. Verdasco and A. González Ureña 195 (1995) 235

Excited state absorption of 5CB (4′-*n*-pentyl-4-cyanobiphenyl) in cyclohexane, H.J. Eichler, R. Macdonald, R. Menzel and R. Sander 195 (1995) 381
The harmonic two-colour rotating wave approximation; its validity and an application to the effects of permanent dipoles and laser phase in molecular excitations, A. Brown and W.J. Meath 198 (1995) 91
An unscaled quantum mechanical harmonic force field for *p*-benzoquinone, M. Nonella and P. Tavan 199 (1995) 19
A simulation study of energy transfer in methyl isocyanide–inert gas collisions, L. Ming, T.D. Sewell and S. Nordholm 199 (1995) 83
Theoretical study of the electronic structure of the Ba_2 molecule, A.R. Allouche, M. Aubert-Frécon, G. Nicolas and F. Spiegelmann 200 (1995) 63
Electron–proton free-energy surfaces for proton transfer reaction in polar solvents: test calculations for carbon–carbon reaction centres, M.V. Basilevsky, A.V. Soudackov and M.V. Vener 200 (1995) 87
Further examination of the BEBO model with the results of ab initio calculations of a reaction series, A.K. Chandra and V. Sreedhara Rao 200 (1995) 387
Density functional calculations of excitation energies and oscillator strengths for C1s → π_* and O1s → π_* excitations and ionization potentials in carbonyl containing molecules, M. Stener, A. Lisini and P. Decleva 191 (1995) 141
Diffusion-controlled reaction rate to an active site, S.D. Traytak 192 (1995) 1
NMR relaxation in long-chain quaternary ammonium ions: the role of torsional flexibility, F. Coletta, A. Ferrarini, F. Gottardi and P.L. Nordio 192 (1995) 19
Vibrational relaxation of $N_2(C, v)$ state in N_2 pulsed rf discharge: electron impact and pooling reactions, S. De Benedictis and G. Dilecce 192 (1995) 149
Ising model for low-spin high-spin transitions in molecular compounds; within and beyond the mean-field approximation, H. Bolvin and O. Kahn 192 (1995) 295
Peripheral dynamics of the $Cl + CH_4 \rightarrow HCl + CH_3$ reaction. A classical trajectory computation, X. Wang, M. Ben-Nun and R.D. Levine 197 (1995) 1
The ultraviolet absorption cross sections of CH_3I temperature dependent gas and liquid phase measurements, A. Fahr, A.K. Nayak and M.J. Kurylo 197 (1995) 195
Superexchange versus sequential long range electron transfer; density matrix pathways in Liouville space, S.S. Skourtis and S. Mukamel 197 (1995) 367

-diatomic

Ab initio calculation of the nuclear quadrupole coupling constants of rovibrational levels in the $X^2\Sigma^+$ state of all isotopic variants of LiH^-, J. Vojtík and J. Fišer 193 (1995) 47
Semiclassical study of polarization-dependent optical collisions: application to $Mg(3p\,^1P_1 \rightarrow 5s\,^1S_0)$ and $Ar(^1S_0)$ collision, D.V. Kupriyanov 193 (1995) 141
Evidence for quasibound states in highly excited CO^+ and NO^+, A.B. van der Kamp, P.B. Athmer, R.S. Hiemstra, J.R. Peterson and W.J. van der Zande 193 (1995) 181
Transport of diatomic ions in atomic gases, L.A. Viehland and A.S. Dickinson 193 (1995) 255
Ab initio determination of the rate coefficient for radiative association of $He(^1S) + H^+$, M. Jurek, V. Špirko and W.P. Kraemer 193 (1995) 287
Calculation of the asymptotic interaction and modelling of the potential energy curves of OH and OH^+, A.J.C. Varandas and A.I. Voronin 194 (1995) 91
Accurate magnetizabilities of the isoelectronic series BeH^-, BH, and CH^+. The MCSCF-GIAO approach, K. Ruud, T. Helgaker, K.L. Bak, P. Jørgensen and J. Olsen 195 (1995) 157

A test of the semiclassical Wigner method for the reaction $F + H_2 \rightarrow H + HF$, V.M. Azriel, G.D. Billing, L.Yu. Rusin and M.B. Sevryuk 195 (1995) 243
Rate constant calculations for atom–diatom reactions involving an open shell atom and a molecule in a Π electronic state: Application to the $C(^3P) + NO(X\ ^2\Pi)$ reaction, A. Beghin, T. Stoecklin and J.C. Rayez 195 (1995) 259
Infrared fluorescence study of electronic-to-vibrational energy transfer in the $Br(^2P_{1/2})$–NO system, M.R. Hawks, R.O. Johnson and G.P. Perram 195 (1995) 395
Pseudopotential calculations for the potential energies of LiHe and BaHe, E. Czuchaj, F. Rebentrost, H. Stoll and H. Preuss 196 (1995) 37
Control of quantum dynamics by a locally optimized laser field. Multi-photon dissociation of hydrogen fluoride, M. Sugawara and Y. Fujimura 196 (1995) 113
Photochemical population of KHg^* states, D. Azinović, S. Milošević and G. Pichler 196 (1995) 267
Diffusion of molecular oxygen in glassy matrices, studied by luminescence quenching, V.V. Korolev, V.V. Bolotsky, N.V. Shokhirev, E.B. Krissinel', V.A. Bagryansky and N.M. Bazhin 196 (1995) 317
Spin–orbit configuration interaction study of the electronic spectrum of antimony iodide, K.K. Das, A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker 196 (1995) 395
Dynamics of vibrationally inelastic collisions in H^+–H_2: comparing quantum calculations with experiments, F.A. Gianturco and S. Kumar 196 (1995) 485
Classical dynamics of vibrational-translational energy transfer in linear collisions of an atom and a diatomic molecule/anharmonic oscillator, O.V. Skrebkov and A.L. Smirnov 198 (1995) 297
Ab initio CI study of the electronic spectrum of bismuth iodide employing relativistic effective core potentials, A.B. Alekseyev, K.K. Das, H.-P. Liebermann, R.J. Buenker and G. Hirsch 198 (1995) 333
Does the electronegativity scale apply to ionic crystals as to molecules? A theoretical study of the bonding character in molecular and crystalline alkaline-earth oxides based on dipole moments, G. Pacchioni and F. Illas 199 (1995) 155
An ab initio investigation of the infrared and visible–UV spectra of BN^+, and photoionization spectrum of BN, R.C. Mawhinney, P.J. Bruna and F. Grein 199 (1995) 163
A hard-sphere model for the reactions of two diatomic molecules with ionic bond, V.M. Azriel, L.Y. Rusin and M.B. Sevryuk 199 (1995) 195
The $A(0^+)$–$X(0^+)$ transition of BiBr: radiative lifetimes of the A state, E. Martínez, M.R. López, A. Notario and F. Poblete 199 (1995) 305
Fano plot of the Paschen line of the excited hydrogen atom ($n = 4$) produced in e–H_2 collisions, N. Yonekura, K. Furuya, K. Nakashima and T. Ogawa 199 (1995) 313
Theoretical study of the electronic structure of the Ba_2 molecule, A.R. Allouche, M. Aubert-Frécon, G. Nicolas and F. Spiegelmann 200 (1995) 63
The symmetrization in the classical path approach applied to vibrational cross sections, J.C. Belchior and J.P. Braga 200 (1995) 137
The low-lying electronic states of YCu, A. Ricca and C.W. Bauschlicher Jr. 200 (1995) 337
A further test of the shape and anisotropy of the F–H_2 interaction potential, F.A. Gianturco, F. Ragnetti, M. Faubel, B. Martínez-Haya, L.Y. Rusin, F. Sondermann and U. Tappe 200 (1995) 405
A comparison between experimental, quantum and quasiclassical properties for the $N(_4S) + O_2(X_3\Sigma_g)_r NO(X_2\Pi) + O(_3P)$ reaction, M. Gilibert, X. Giménez, M. González, R. Sayós and A. Aguilar 191 (1995) 1
Diffusional description of vibrational relaxation in a binary mixture of diatomic molecules – quantum oscillators, O.V. Skrebkov 191 (1995) 87

Ab initio study of the LiH_+ molecule, electronic interaction analysis and LiH UV photoelectron spectrum, H. Berriche and F.X. Gadea 191 (1995) 119
The lowest-lying Rydberg states of Si_2: an ab initio study, F.L. Sefyani and J. Schamps 191 (1995) 155
High-resolution study of the luminescent electronic energy transfer reaction of $Xe(^3P_{0,2})$ with $^{14}N_2$ and $^{15}N_2$, Ch. Ottinger, A.F. Vilesov and D.D. Xu 192 (1995) 49
Dissociative excitation of K and K^+ emission by electron impact on KI molecules, Yu.M. Smirnov 192 (1995) 379
Vibronic coupling between Rydberg and ion-pair states of I_2 investigated by (2 + 1) resonance enhanced multiphoton ionization spectroscopy, K.P. Lawley, T. Ridley, Z. Min, P.J. Wilson, M.S.N. Al-Kahali and R.J. Donovan 197 (1995) 37
Potential energy curves of HgCd and spectroscopic constants of group IIB metal dimers, J.R. Bieroń and W.E. Baylis 197 (1995) 129
A quantum mechanical study of dissociative $He + H_2$ collisions, K. Nobusada and K. Sakimoto 197 (1995) 147

-small polyatomics
Dynamics of CO formation in the reaction $O(^3P) + C_2H_3$, D.J. Donaldson, I.V. Okuda and J.J. Sloan 193 (1995) 37
Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the $(ArCO)^+$ cluster, P. Archirel 193 (1995) 55
The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ (n = 1, 2, 3, 4) reactions, W.-s. Yang, G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou 193 (1995) 345
Character and spectra of triplet states in short polyenes, B.F. Minaev, D. Jonsson, P. Norman and H. Ågren 194 (1995) 19
Nonadiabatic coupling of the 1 $^1A''$ and 2 $^1A''$ states of ozone, T. Neuheuser, N. Sukumar and S.D. Peyerimhoff 194 (1995) 45
Absolute UV and Soft X-ray photoabsorption of ethylene by high resolution dipole (e, e) spectroscopy, G. Cooper, T.N. Olney and C.E. Brion 194 (1995) 175
A theoretical study on the ionic states, with analysis of vibrational levels of the photoelectron spectrum, of formic acid (CH_2O_2 and CD_2O_2), K. Takeshita 195 (1995) 117
Correlation effects in core and valence photoelectron spectra of alkene molecules, G. Fronzoni, G. De Alti, P. Decleva and A. Lisini 195 (1995) 171
Dynamic orientation of diatomic fragments formed in the decomposition of statistical triatomic complexes. I. Semiclassical study, A. Berengolts, E.I. Dashevskaya, E.E. Nikitin and J. Troe 195 (1995) 271
Dynamic orientation of diatomic fragments formed in the decomposition of statistical triatomic complexes. II. Classical simulation, A. Berengolts, E.I. Dashevskaya, E.E. Nikitin and J. Troe 195 (1995) 283
An experimental study of the valence shell photoelectron spectrum of hydrogen sulphide, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg, D.M.P. Holland and M.A. MacDonald 195 (1995) 403
The concerted photodissociation of azomethane at 193 nm, T. Gejo, P. Felder and J.R. Huber 195 (1995) 423
Hole transport in tri-*p*-tolylamine doped polymers: the role of the polymer dipole moment, P.M. Borsenberger, W.T. Gruenbaum, E.H. Magin and L.J. Sorriero 195 (1995) 435
The dissociative ionization of C_2H_2. The C^+, C_2^+ and CH_2^+ dissociation channels. The vinylidene ion as a transient?, R. Locht and M. Davister 195 (1995) 443

A theoretical study on the structure of acetonitrile (CH_3CN) and its anion CH_3CN^-, G.L. Gutsev, A.L. Sobolewski and L. Adamowicz 196 (1995) 1
Valence electron momentum distributions of ethylene; comparison of EMS measurements with near Hartree–Fock limit, configuration interaction and density functional theory calculations, B.P. Hollebone, J.J. Neville, Y. Zheng, C.E. Brion, Y. Wang and E.R. Davidson 196 (1995) 13
IR spectrum of HCF_2CF_2Br: hindered intramolecular vibrational energy redistribution, W. Fuß, K.L. Kompa and S. Weizbauer 196 (1995) 179
Quantum beat spectroscopic studies of Zeeman anticrossings in the $\tilde{A}\,^1A_u$ state of the acetylene molecule (C_2H_2), P. Dupré, P.G. Green and R.W. Field 196 (1995) 211
Study of Zeeman anticrossing spectra of the $\tilde{A}\,^1A_u$ state of the acetylene molecule (C_2H_2) by Fourier transform: product $\rho_{vib}\langle V \rangle$ and isomerization barrier, P. Dupré 196 (1995) 239
Investigation of the predissociation of SO_2: state selective detection of the SO and O fragments, S. Becker, C. Braatz, J. Lindner and E. Tiemann 196 (1995) 275
Absolute oscillator strengths for the photoabsorption of silane in the valence and Si 2p and 2s regions (7.5–350 eV), G. Cooper, G.R. Burton, W.F. Chan and C.E. Brion 196 (1995) 293
Energy partitioning in photodissociation of methyl, ethyl and *n*-propyl iodides at 304 nm, W.K. Kang, K.W. Jung, D.C. Kim, K.-H. Jung and H.-S. Im 196 (1995) 363
A theoretical analysis of the lowest excited states in HNO/NOH and HPO/POH, A. Luna, M. Merchán and B.O. Roos 196 (1995) 437
Broken dynamical symmetry condition to control a chemical reaction by the complex coordinate (t, t') method, O.E. Alon and N. Moiseyev 196 (1995) 499
An infrared study of the interaction-induced vibrational spectra of benzene in liquid binary mixtures containing CS_2 and C_6F_6, E. Zoidis, M. Besnard and J. Yarwood 196 (1995) 521
Excited-state geometries derived from the analysis of resonance Raman spectra. Example: $^1(\pi-\pi^*)$ state of 3,5-di-tert-butyl-*o*-benzoquinone, H. Bettermann and I. Dasting 196 (1995) 531
An experimental and theoretical study of the valence shell photoelectron spectrum of allene, P. Baltzer, B. Wannberg, M. Lundqvist, L. Karlsson, D.M.P. Holland, M.A. MacDonald and W. von Niessen 196 (1995) 551
Generation of transient species by laser induced pyrolysis. The high resolution Fourier transform infrared spectrum of NCN, D. McNaughton, G.F. Metha and R. Tay 198 (1995) 107
Ab initio study of the cyclic isomers of N_2S_4, G.S. Chandler, D. Jayatilaka and M. Wajrak 198 (1995) 169
SCF and electron correlation studies on structure, force constants and vibrational spectra of borane monoammoniate complex, A. Vijay and D.N. Sathyanarayana 198 (1995) 345
A study of the absolute photoabsorption, photoionisation and photodissociation cross sections and the photoionisation quantum efficiency of carbon dioxide from the ionisation threshold to 345 Å, D.A. Shaw, D.M.P. Holland, M.A. Hayes, M.A. MacDonald, A. Hopkirk and S.M. McSweeney 198 (1995) 381
An unscaled quantum mechanical harmonic force field for *p*-benzoquinone, M. Nonella and P. Tavan 199 (1995) 19
Theoretical charge-transfer cross-sections for $H^+ + HCl(X\ ^1\Sigma^+) \rightarrow H(^2S_g) + HCL^+(A\ ^2\Sigma^+)$ from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová and R. Polák 199 (1995) 53
Ab initio CI calculations of electronic and vibrational spectra of diazomethane, M.-p. Habas and A. Dargelos 199 (1995) 177
Rotational energy relaxation of symmetric top molecules by collisions with atoms, A.V. Storozhev and M.L. Strekalov 200 (1995) 125

A study of the carbon–halogen bond breaking in tert-butyl halides by the PM3 quantum chemical method, V.A. Tikhomirov, E.D. German and A.M. Kuznetsov 191 (1995) 25
Potential energy surface effects on differential cross sections for polyatomic reactions, G. Nyman, D.C. Clary and R.D. Levine 191 (1995) 223
Experimental and ab initio study of the molybdenum K and L edges excitation in $Mo(CO)_6$ and MoF_6, F. Guillot, C. Dézarnaud-Dandine, M. Tronc, A. Lisini, P. Decleva and G. Fronzoni 191 (1995) 289
The dissociative ionization of C_2H_2 and C_2D_2. The $[CH(CD)]_+$ dissociation channel. The $H(D)C \equiv C(D)H$ binding energy, M. Davister and R. Locht 191 (1995) 333
A quantum chemical ab initio study of the superexchange coupling in binuclear oxygen-bridged Ni(II) complexes, C. Wang, K. Fink and V. Staemmler 192 (1995) 25
Reaction window in the single-electron capture by ammonia dications, B. Leyh and A. Hoxha 192 (1995) 65
Is there a hydride transfer between N_2OH^+ and saturated hydrocarbons?, J. Mestres, M. Duran, J. Bertrán, E. Ballesteros, M. Herreros and J.-L.M. Abboud 192 (1995) 99
Multiple-scattering-Xα studies of the $L_{2,3}$ near edge photoabsorption spectra of H_2S, HCl and Cl_2, and on the intensity variation in the $L_{2,3}$ near edge spectra of XH_n, X = Si, P, S, Cl and n = 4, 3, 2, 1, Z.F. Liu, G.M. Bancroft, J.S. Tse and Z.Z. Yang 192 (1995) 255
Dynamical properties of carbonyl sulphide diluted in argon at different densities. A molecular dynamics investigation, D. Dellis and J. Samios 192 (1995) 281
The capture rate of an ion by a symmetrical top quadrupole, J. Turulski, J. Niedzielski and B. Pezler 192 (1995) 319
An experimental and theoretical study of the valence shell photoelectron spectrum of sulphur hexafluoride, D.M.P. Holland, M.A. MacDonald, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg and W. von Niessen 192 (1995) 333
A theoretical investigation on the electron–acceptor properties of polar CS bonds of $CH_{3-n}F_nSH$ (n = 0–3) thiols and $CH_{3-n}F_nSCH_{3-n}F_n$ (n = 0–3) sulfides, C. Dézarnaud-Dandine and A. Sevin 197 (1995) 51
The spectroscopy of thioformaldehyde. MR-CI studies on the triplet states of H_2CS, M.R.J. Hachey and F. Grein 197 (1995) 61

-aromatics
Theoretical investigations of the excited-state intramolecular proton transfer reaction in N-substituted-3-hydroxypyridinones, A.L. Sobolewski and L. Adamowicz 193 (1995) 67
Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in $CFCl_3$ matrix, R. Erickson, A. Lund and M. Lindgren 193 (1995) 89
A theoretical investigation of solvatochromism. Application to merocyanines similar to colored forms obtained by flash-photolysis of spiropyrans, A. Botrel, B. Aboab, F. Corre and F. Tonnard 194 (1995) 101
Densities of states and band widths of excitons in anthracene microcrystallites embedded in PMMA, A.H. Matsui, K. Mizuno, O. Nishi, Y. Matsushima, M. Shimizu, T. Goto and M. Takeshima 194 (1995) 167
Near-edge core photoabsorption in polyacenes: model molecules for graphite, H. Ågren, O. Vahtras and V. Carravetta 196 (1995) 47
Evidence for molecular distortion involving the carbonyl group in triplet states of carbonyl derivatives of naphthalene obtained from time resolved vibrational spectroscopic studies, M.J. van der Burgt, A.H. Huizer, C.A.G.O. Varma, B.D. Wagner and J. Lusztyk 196 (1995) 193

Single vibronic level fluorescence spectra from $\tilde{A}$ ($^1B_{2u}$) benzene: Fermi resonances and S_0 IVR lifetimes, J.A. Nicholson, W.D. Lawrance and G. Fischer 196 (1995) 327
An infrared study of the interaction-induced vibrational spectra of benzene in liquid binary mixtures containing CS_2 and C_6F_6, E. Zoidis, M. Besnard and J. Yarwood 196 (1995) 521
The electronic spectrum of phthalazine. Theory and experiment, G. Fischer and P. Wormell 198 (1995) 183
Orientation factor in Förster energy transfer with photoselection of donor and acceptor, B. Nickel 198 (1995) 353
Efficiency of charge recombination in organic light emitting diodes, U. Albrecht and H. Bässler 199 (1995) 207
High-resolution absorption, excitation, and microwave–UV double resonance spectroscopy on a molecular beam: S_1 aniline, E.R.Th. Kerstel, M. Becucci, G. Pietraperzia and E. Castellucci 199 (1995) 263
Electronic states of symmetrically disubstituted *s*-tetrazines, J. Waluk, J. Spanget-Larsen and E.W. Thulstrup 200 (1995) 201
Non-exponential solvation dynamics of electronically excited 4-aminophthalimide in *n*-alcohols, T.O. Harju, A.H. Huizer and C.A.G.O. Varma 200 (1995) 215
Fluorescence quenching of ultrathin anthracene films by dielectric and metallic substrates, M. Daffertshofer, H. Port and H.C. Wolf 200 (1995) 225
Ultrafast excited singlet state absorption/gain spectroscopy of perylene in solution, Y.H. Meyer and P. Plaza 200 (1995) 235
A comparative study of hole transport in vapor-deposited molecular glasses of N,N′,N″,N‴-tetrakis(4-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine and N,N′-diphenyl-N,N′-bis(3-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine, S. Heun and P.M. Borsenberger 200 (1995) 245
The spectral assessment of the origin of the polaronic contribution to charge transport in a highly conjugated triarylamine donor molecule, S. Heun, H. Bässler and P. Borsenberger 200 (1995) 265
Vibrational analysis of the inelastic neutron scattering spectrum of s-triazine and trichloro-s-triazine, A. Navarro, J.J. López González, G.J. Kearley, J. Tomkinson, S.F. Parker and D.S. Sivia 200 (1995) 395
The energetics of fragmentation of the naphthalene cation, G. Granucci, Y. Ellinger and P. Boissel 191 (1995) 165
Determination of the vibrationless level of Sn states of chlorobenzene by double resonance multiphoton ionization photoelectron spectroscopy. Evidence of IVR within these states, P. Asselin, F. Piuzzi, M. Mons and I. Dimicoli 191 (1995) 261
Photochemistry in jet-cooled aniline derivatives, C. Dedonder-Lardeux, C. Jouvet, S. Martrenchard, D. Solgadi, J. McCombie, B.D. Howells, T.F. Palmer, A. Subaric-Leitis, C. Monte, W. Rettig and P. Zimmermann 191 (1995) 271
Picosecond transient spectral hole-burning studies on oxazine 750 in a silicate xerogel, P. Weidner and A. Penzkofer 191 (1995) 303
Higher excited states of aromatic hydrocarbons. III. Assigning the in-plane polarized transitions of low-symmetry molecules: chrysene and E-stilbene, M.S. Gudipati, M. Maus, J. Daverkausen and G. Hohlneicher 192 (1995) 37
The electronic states of furan studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker, C.C. Ballard and M.F. Guest 192 (1995) 111
Concentration-dependent fluorescence behaviour of oxazine 750 and rhodamine 6G in porous silicate xerogel monoliths, F. Ammer, A. Penzkofer and P. Weidner 192 (1995) 325

-other large

Tunneling splittings in model 2D potentials. II. $V(X, Y) = \lambda(X^2 - X_0^2)^2 - CX^2(Y - Y_0) + \frac{1}{2}\Omega^2(Y - Y_0 + CX_0^2/\Omega^2)^2 - C^2X_0^4/2\Omega^2$, V.A. Benderskii, S.Yu. Grebenshchikov and G.V. Mil'nikov 194 (1995) 1

A theoretical investigation of solvatochromism. Application to merocyanines similar to colored forms obtained by flash-photolysis of spiropyrans, A. Botrel, B. Aboab, F. Corre and F. Tonnard 194 (1995) 101

The application of the energy gap law to the S_1 energies and dynamics of carotenoids, V. Chynwat and H.A. Frank 194 (1995) 237

Formally tetravalent cerium and thorium compounds: a configuration interaction study of cerocene $Ce(C_8H_8)_2$ and thorocene $Th(C_8H_8)_2$ using energy-adjusted quasirelativistic ab initio pseudopotentials, M. Dolg, P. Fulde, H. Stoll, H. Preuss, A. Chang and R.M. Pitzer 195 (1995) 71

Intensities of CH-stretching overtones in 2-butenes, D.M. Turnbull, H.G. Kjaergaard and B.R. Henry 195 (1995) 129

Dissociation of acetyl bromide: an experimental and theoretical study, Y. Su, T.S. Dibble, J.S. Francisco and Z. Li 196 (1995) 59

Role of internal conversion on the excited state properties of trans-styrylpyridines, G. Marconi, G. Bartocci, U. Mazzucato, A. Spalletti, F. Abbate, L. Angeloni and E. Castellucci 196 (1995) 383

Isomerisation dynamics of a thiacarbocyanine dye in different electronic states and in different classes of solvents, E. Vauthey 196 (1995) 569

Chiral discrimination in electronic energy-transfer processes in solution. Effects of temperature and solution properties on chirality-dependent rate parameters, D.P. Glover-Fischer, D.H. Metcalf, J.P. Bolender and F.S. Richardson 198 (1995) 207

Tunneling splittings in model 2D potentials. III. $V(X, Y) = \lambda(X^2 - X_0^2)^2 - CXY + \frac{1}{2}kY^2 + (C^2/2k)X^2$. Generalization to N-dimensional case, V.A. Benderskii, S.Yu. Grebenshchikov and G.V. Mil'nikov 198 (1995) 281

Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene vinylenes, W. Werncke, M. Pfeiffer, T. Johr, A. Lau and H.-J. Jüpner 199 (1995) 65

Large quadratic hyperpolarizabilities with donor–acceptor polyenes functionalized with strong donors. Comparison with donor–acceptor diphenylpolyenes, M. Blanchard-Desce, C. Runser, A. Fort, M. Barzoukas, J.-M. Lehn, V. Bloy and V. Alain 199 (1995) 253

Detection of higher excited states of *p*-fluorotoluene with (3 + 1)RMPI spectra, L. Mei-Rong, Z. Qing-Chun, L. Yao-Ming, Z. Bao-Zheng and C. Wen-Ju 200 (1995) 439

Density functional calculations of excitation energies and oscillator strengths for $C1s \rightarrow \pi_*$ and $O1s \rightarrow \pi_*$ excitations and ionization potentials in carbonyl containing molecules, M. Stener, A. Lisini and P. Decleva 191 (1995) 141

A Raman analysis of C_{60} at low temperatures: a study of molecular and crystal-field effects, L. Akselrod, H.J. Byrne, S. Donovan and S. Roth 192 (1995) 307

Design of substituted semibullvalenes suitable for control of the Cope rearrangement by two ps IR laser pulses, M. Dohle, J. Manz, G.K. Paramonov and H. Quast 197 (1995) 91

-polymeric and biological

Electron-transfer properties of quantum molecular wires, E.G. Petrov, I.S. Tolokh, A.A. Demidenko and V.V. Gorbach 193 (1995) 237

Ultrafast energy transfer in light-harvesting chlorosomes from the green sulfur bacterium *Chlorobium tepidum*, S. Savikhin, P.I. van Noort, Y. Zhu, S. Lin, R.E. Blankenship and W.S. Struve 194 (1995) 245
Femtosecond transient absorption spectroscopy on the light-harvesting Chl *a/b* protein complex of Photosystem II at room temperature and 12 K, T. Bittner, G.P. Wiederrecht, K.-D. Irrgang, G. Renger and M.R. Wasielewski 194 (1995) 311
High-field EPR on the primary electron donor cation radical in single crystals of heterodimer mutant reaction centers of photosynthetic bacteria – first characterization of the *G*-tensor, M. Huber and J.T. Törring 194 (1995) 379
An MO study of nuclear quadrupolar coupling constant and nuclear shielding of the carbonyl oxygen in solid peptides with hydrogen bonds, S. Kuroki, S. Ando and I. Ando 195 (1995) 107
Magnetization exchange network editing: mathematical principles and experimental demonstration, Z. Zolnai, N. Juranić, J.L. Markley and S. Macura 200 (1995) 161
Non-exponential non-Arrhenius relaxation in the course of CO rebinding to heme proteins, Yu.A. Berlin, S.F. Fischer, N.I. Chekunaev and V.I. Goldanskii 200 (1995) 369
Spin–lattice relaxation in Mössbauer spectra of metmyoglobin: investigation of crystals, water and water–glycerol solutions, A.R. Bizzarri, O.A. Iakovleva and F. Parak 191 (1995) 185
Docking and electron transfer between cytochrome c_2 and the photosynthetic reaction center, A.J.A. Aquino, P. Beroza, D.N. Beratan and J.N. Onuchic 197 (1995) 277
Structural characterization of the primary donor in photosynthetic bacteria by its electronic *g*-tensor, M. Plato and K. Möbius 197 (1995) 289
Symmetry breakage in the electronic structure of bacterial reaction centers, P.O.J. Scherer, C. Scharnagl and S.F. Fischer 197 (1995) 333
A kinetic analysis of the primary charge separation in bacterial photosynthesis. Energy gaps and static heterogeneity, M. Bixon, J. Jortner and M.E. Michel-Beyerle 197 (1995) 389
Theoretical analyses on femtosecond time-resolved spectra of initial electron transfer of photosynthetic reaction centers at low temperatures, S.H. Lin, M. Hayashi, S. Suzuki, X. Gu, W. Xiao and M. Sugawara 197 (1995) 435

Molecular aggregates

H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties, F. Nüesch and M. Grätzel 193 (1995) 1
Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts, J. Limtrakul 193 (1995) 79
Electron-transfer properties of quantum molecular wires, E.G. Petrov, I.S. Tolokh, A.A. Demidenko and V.V. Gorbach 193 (1995) 237
Influence of dichotomic colored energy fluctuations on excitonic optical line shapes of trimers and tetramers, Ch. Warns, I. Barvík, P. Reineker and Th. Neidlinger 194 (1995) 117
Time-resolved W-band (95 GHz) EPR spectroscopy of Zn-substituted reaction centers of *Rhodobacter sphaeroides* R-26, T.F. Prisner, A. van der Est, R. Bittl, W. Lubitz, D. Stehlik and K. Möbius 194 (1995) 361
Gauge invariant formulation of molecular electrodynamics and the multipolar Hamiltonian, V. Chernyak and S. Mukamel 198 (1995) 133
Statistical mechanical simulations on properties of liquid pyridine, K. Sagarik and E. Spohr 199 (1995) 73
Charge transfer and electron–vibron coupling in dense solid hydrogen, Z.G. Soos, J.H. Eggert, R.J. Hemley, M. Hanfland and H.-k. Mao 200 (1995) 23
Dynamics of electronic polarization in molecular crystals, V. Čápek and E.A. Silinsh 200 (1995) 309

SCF calculations of the interactions of alkali and halide ions with the mercury surface, G. Tóth, E. Spohr and K. Heinzinger 200 (1995) 347
Theory of excitation energy transfer in the primary processes of photosynthesis. III. Mono-exponential regime, J. Dvoŗrák and L. Skála 191 (1995) 31

-dimers
H-aggregation and correlated absorption and emission of a merocyanine dye in solution, at the surface and in the solid state. A link between crystal structure and photophysical properties, F. Nüesch and M. Grätzel 193 (1995) 1
The ammonia dimer: new infrared–far infrared double resonance results, H. Linnartz, W.L. Meerts and M. Havenith 193 (1995) 327
Transient absorption changes of a degenerate dimer induced by exciton scattering; implications for Photosystem II of photosynthesis, J.P.M. Schelvis and T.J. Aartsma 194 (1995) 303
Temperature dependence of electron–vibronic spectra of photosynthetic systems. Computer simulations and comparison with experiment, T. Pullerits, R. Monshouwer, F. van Mourik and R. van Grondelle 194 (1995) 395
Dispersive electronic energy transfer in an organically doped xerogel glass, D. L'Espérance and E.L. Chronister 195 (1995) 387
Representations of dispersion energy damping functions for interactions of closed shell atoms and molecules, A.K. Dham, A.R. Allnatt, A. Koide and W.J. Meath 196 (1995) 81
Molecular interactions: a study of charge transfer effects, C. Amovilli and R. McWeeny 198 (1995) 71
Pre-chemical interactions in a pulsed jet: the angular geometry of thiirane $\cdots$ HCl and the nonlinearity of its hydrogen bond from rotational spectroscopy, C.M. Evans and A.C. Legon 198 (1995) 119
Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density matrix approach, V. Szőcs, P. Bańacký and P. Reineker 199 (1995) 1
The interatomic potential for the X $^1\Sigma^+$ state of $ArNa^+$, $NeNa^+$ and $HeNa^+$, G. Reza Ahmadi, J. Almlöf and I. Røeggen 199 (1995) 33
Fourier transform infrared study of sulfur dioxide dimer. II. Argon matrix, L. Schriver-Mazzuoli, A. Schriver and M. Wierzejewska-Hnat 199 (1995) 227
Ab initio computation of the potential energy surfaces of the water $\cdots$ hydrocarbon complexes $H_2O \cdots C_2H_2$, $H_2O \cdots C_2H_4$ and $H_2O \cdots CH_4$: minimum energy structures, vibrational frequencies and hydrogen bond energies, M.C. Rovira, J.J. Novoa, M.-H. Whangbo and J.M. Williams 200 (1995) 319
Molecular dynamics study of water adopting a potential function with explicit atomic dipole moments and anisotropic polarizabilities, P.-O. Åstrand, P. Linse and G. Karlström ua 191 (1995) 195
Proton tunneling in symmetric H-bond. A simple microscopic model, D. Vitali 192 (1995) 79
An ab initio study of the chemical bond and the ^{129}Xe NMR chemical shifts in M^+–Xe compounds, M = Li, Na, K, Cu, Ag, A. Freitag, Ch. van Wüllen and V. Staemmler 192 (1995) 267
Structural characterization of the primary donor in photosynthetic bacteria by its electronic *g*-tensor, M. Plato and K. Möbius 197 (1995) 289
Nature of the ground and first excited states of the radical cations of photosynthetic bacterial reaction centres, J.R. Reimers and N.S. Hush 197 (1995) 323

-van der Waals molecules
Representations of dispersion energy damping functions for interactions of closed shell atoms and molecules, A.K. Dham, A.R. Allnatt, A. Koide and W.J. Meath 196 (1995) 81

Exchange–Coulomb potential energy surfaces, and related physical properties, for $Kr–N_2$, A.K. Dham and W.J. Meath 196 (1995) 125
Molecular interactions: a study of charge transfer effects, C. Amovilli and R. McWeeny 198 (1995) 71
Pre-chemical interactions in a pulsed jet: the angular geometry of thiirane $\cdots$ HCl and the nonlinearity of its hydrogen bond from rotational spectroscopy, C.M. Evans and A.C. Legon 198 (1995) 119
Tunneling splittings in model 2D potentials. III. $V(X, Y) = \lambda(X^2 - X_0^2)^2 - CXY + \frac{1}{2}kY^2 + (C^2/2k)X^2$. Generalization to N-dimensional case, V.A. Benderskii, S.Yu. Grebenshchikov and G.V. Mil'nikov 198 (1995) 281
Vibrational structure of the $Ar–NO^+$ van der Waals cation, I. Fourré and M. Raoult 199 (1995) 215

-clusters
Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions, F.Yu. Naumkin, P.J. Knowles and J.N. Murrell 193 (1995) 27
Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the $(ArCO)^+$ cluster, P. Archirel 193 (1995) 55
The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces, Th. Lill, H.-G. Busmann, F. Lacher and I.V. Hertel 193 (1995) 199
Mixed-valence polyoxometalate clusters. I. Delocalization of electronic pairs in dodecanuclear heteropoly blues with Keggin structure, J.J. Borrás-Almenar, J.M. Clemente, E. Coronado and B.S. Tsukerblat 195 (1995) 1
Mixed-valence polyoxometalate clusters. II. Delocalization of electronic pairs in 18-site heteropoly blues with Wells–Dawson structure, J.J. Borrás-Almenar, J.M. Clemente, E. Coronado and B.S. Tsukerblat 195 (1995) 17
Intraconfigurational transitions in tetrahedral d^2 ions: on the expediency of the ligand field model for transition metal ions in high-oxidations states, M. Atanasov 195 (1995) 49
Far infrared interaction induced absorption spectra of $CS_2–C_6H_6$ liquid mixtures. A low concentration study, E. Zoidis and T. Dorfmüller 196 (1995) 171
Metastable decay of ionic argon clusters: rotational predissociation of $(Ar)_4^+$, E. Buonomo and F.A. Gianturco 196 (1995) 465
The solvent shift in the $n \rightarrow \pi^*$ excitation of $CH_2O \cdot nH_2O$: An MRD-CI investigation using effective potentials for the representation of the water molecules, I. Frank, S. Grimme, M. von Arnim and S.D. Peyerimhoff 199 (1995) 145
Reactivity of silicon clusters, M. Krack and K. Jug 192 (1995) 127

-complexes
High-spin–low-spin transitions in Fe(II) complexes by effective Hamiltonian method, A.L. Tchougréeff, A.V. Soudackov, I.A. Misurkin, H. Bolvin and O. Kahn 193 (1995) 19
The ammonia dimer: new infrared–far infrared double resonance results, H. Linnartz, W.L. Meerts and M. Havenith 193 (1995) 327
A multiple scattering EXAFS study of organometallic compounds: $W(CO)_6$ and (1,3,5-trimethylbenzene)$W(CO)_3$, R. Crüsemann, F. Bökman, V. Fritzsche and H. Bertagnolli 194 (1995) 81
Exciton theory of spectra and energy transfer in photosynthesis: spectral hole burning in the antenna of purple bacteria, T.V. Dracheva, V.I. Novoderezhkin and A.P. Razjivin 194 (1995) 223
Optical and optically detected magnetic resonance investigation on purple photosynthetic bacterial antenna complexes, A. Angerhofer, F. Bornhäuser, A. Gall and R.J. Cogdell 194 (1995) 259

Primary processes in isolated Photosystem II reaction centres probed by magic angle transient absorption spectroscopy, D.R. Klug, T. Rech, D.M. Joseph, J. Barber, J.R. Durrant and G. Porter 194 (1995) 433
Mixed-valence polyoxometalate clusters. I. Delocalization of electronic pairs in dodecanuclear heteropoly blues with Keggin structure, J.J. Borrás-Almenar, J.M. Clemente, E. Coronado and B.S. Tsukerblat 195 (1995) 1
Mixed-valence polyoxometalate clusters. II. Delocalization of electronic pairs in 18-site heteropoly blues with Wells–Dawson structure, J.J. Borrás-Almenar, J.M. Clemente, E. Coronado and B.S. Tsukerblat 195 (1995) 17
Intraconfigurational transitions in tetrahedral d^2 ions: on the expediency of the ligand field model for transition metal ions in high-oxidations states, M. Atanasov 195 (1995) 49
Far infrared interaction induced absorption spectra of CS_2–C_6H_6 liquid mixtures. A low concentration study, E. Zoidis and T. Dorfmüller 196 (1995) 171
Near-IR absorption transition of $^3H_4$ to $^3F_2$ for UCl_6^{2-} complex in M_2ZrCl_6 host crystals ($M = K^+$, Rb^+, and Cs^+): an experimental and theoretical study, S. Dai, L.M. Toth, G.D. Del Cul and D.H. Metcalf 200 (1995) 271

Free radicals (including hydronium and muonium)

Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in $CFCl_3$ matrix, R. Erickson, A. Lund and M. Lindgren 193 (1995) 89
Improved finite difference calculation of magnetic field effects; inclusion of analytic asymptotics, K.L. Aminov and J.B. Pedersen 193 (1995) 297
A perturbation treatment of oscillating magnetic fields in the radical pair mechanism using the Liouville equation, J.M. Canfield, R.L. Belford, P.G. Debrunner and K. Schulten 195 (1995) 59
Rate constant calculations for atom–diatom reactions involving an open shell atom and a molecule in a Π electronic state: Application to the $C(^3P) + NO(X\ ^2\Pi)$ reaction, A. Beghin, T. Stoecklin and J.C. Rayez 195 (1995) 259
H-atom abstraction from alcohols by alkyl radicals. Cooperative effects in the reactions of alkyl radicals in glassy methanol-d_3, V.L. Vyazovkin and V.A. Tolkatchev 195 (1995) 313
Local description of a polyenic radical cation, P. Karafiloglou and G. Kapsomenos 196 (1995) 69
Catalytic properties of surfaces with respect to generation of CO_2 molecules in the plasma, D.K. Otorbaev 196 (1995) 543
Generation of transient species by laser induced pyrolysis. The high resolution Fourier transform infrared spectrum of NCN, D. McNaughton, G.F. Metha and R. Tay 198 (1995) 107
Electronic quenching of $CH(A^2\Delta)$ and $NH(A^3\Pi)$ between 300 and 950 K, P. Heinrich and F. Stuhl 199 (1995) 105
An exactly solvable model of the dipole–dipole relaxation of the electron spins of micellized radical pairs, S.V. Isakov, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev 199 (1995) 119
Temperature dependent quenching of $CH(A^2\Delta)$, $NH(A^3\Pi)$, $NH(c\ ^1\Pi)$, and $PH(A^3\Pi)$ by H_2, P. Heinrich and F. Stuhl 199 (1995) 297
Non-secular simulation of frequency domain two-pulse powder ESEEM signals in multinuclear systems, N.P. Benetis and U.E. Nordh 200 (1995) 107
The influence of ^{13}C nuclei on quantum beats in the recombination luminescence of radical ion pairs undergoing ion–molecular charge transfer, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev 200 (1995) 119
Rates of the reactions $CN + H_2CO$ and $NCO + H_2CO$ in the temperature range 294–769 K, Y.-W. Chang and N.S. Wang 200 (1995) 431

Theory of avoided level-crossing relaxation dynamics for axial muonated radicals, S.R. Kreitzman and E. Roduner 192 (1995) 189
Reorientational dynamics of C_{60} in the solid state. An avoided level-crossing muon spin resonance study, E. Roduner, K. Prassides, R.M. Macrae, I.M. Thomas, C. Niedermayer, U. Binninger, C. Bernhard, A. Hofer and I.D. Reid 192 (1995) 231
Reactions of cyanogen radical with alkanes and an explanation for negative temperature dependence of rate constants, V. Sreedhara Rao and A.K. Chandra 192 (1995) 247
A theoretical investigation on the electron–acceptor properties of polar CS bonds of $CH_{3-n}F_nSH$ ($n = 0$–3) thiols and $CH_{3-n}F_nSCH_{3-n}F_n$ ($n = 0$–3) sulfides, C. Dézarnaud-Dandine and A. Sevin 197 (1995) 51
CASSCF, CASPT2, and MRCI investigations of formyloxyl radical ($HCOO^{\cdot}$), A. Rauk, D. Yu, P. Borowski and B. Roos 197 (1995) 73
The influence of scavenging on CIDNP field dependences in biradicals during the photolysis of large-ring cycloalkanones, A.V. Yurkovskaya, O.B. Morozova, R.Z. Sagdeev, S.V. Dvinskih, G. Buntkowsky and H.-M. Vieth 197 (1995) 157

Quasiparticles (including excitons)
Influence of dichotomic colored energy fluctuations on excitonic optical line shapes of trimers and tetramers, Ch. Warns, I. Barvík, P. Reineker and Th. Neidlinger 194 (1995) 117
Influence of aggregation on the optical spectra of a polymethine dye in single crystals, L. Dähne, A. Horvath and G. Weiser 196 (1995) 307
Molecular polaron states in polyacene crystals. Formation and transfer processes, E.A. Silinsh, A. Klimkāns, S. Larsson and V. Čápek 198 (1995) 311
Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density matrix approach, V. Szőcs, P. Bařnacký and P. Reineker 199 (1995) 1
Quantum electrodynamics of bimolecular multiphoton processes in the condensed phase, G. Juzeliūnas and D.L. Andrews 200 (1995) 3

Defects and impurities
Theoretical study of interactions among surface defects by He scattering technique: the reason for the failure of the cross section geometric overlap hypothesis, G. Petrella and L. Cassidei 191 (1995) 203

Ions and charge carriers
Transport of diatomic ions in atomic gases, L.A. Viehland and A.S. Dickinson 193 (1995) 255
Free energies and structures of hydrated cations, based on effective pair potentials, F. Floris, M. Persico, A. Tani and J. Tomasi 195 (1995) 207
Low-frequency motions in an alkali phosphate glass studied by ^{7}Li and ^{31}P NMR, B. Rufflé, S. Beaufils and J. Gallier 195 (1995) 339
Effect of high pressure on photoionization of N,N,N′,N′-tetramethyl-*p*-phenylenediamine (TMPD) in liquid 2,2-dimethylbutane (DMB), R. Katoh, K. Lacmann and W.F. Schmidt 195 (1995) 457
Local description of a polyenic radical cation, P. Karafiloglou and G. Kapsomenos 196 (1995) 69
Diffusion of silver ions towards radiation-induced traps in the glass $37.2Na_2O$–$12.8CaO$–$50P_2O_5$, V.M. Syutkin, V.A. Tolkatchev, A.V. Dmitryuk and S.E. Paramzina 196 (1995) 139
Metastable decay of ionic argon clusters: rotational predissociation of $(Ar)_4^+$, E. Buonomo and F.A. Gianturco 196 (1995) 465
Dynamics of vibrationally inelastic collisions in H^+–H_2: comparing quantum calculations with experiments, F.A. Gianturco and S. Kumar 196 (1995) 485

Molecular dynamics simulation of the adsorption of benzene on charged metal electrodes in the presence of aqueous electrolyte, M.R. Philpott and J.N. Glosli 198 (1995) 53
The role of dipole moments on hole transport in triphenylamine doped poly(styrene), P.M. Borsenberger and M.B. O'Regan 200 (1995) 257
The capture rate of an ion by a symmetrical top quadrupole, J. Turulski, J. Niedzielski and B. Pezler 192 (1995) 319
Low-work-function surfaces with φ as low as 2.0 eV produced by alkaline earth element carbonate decomposition, H. Kishi and T. Fujii 192 (1995) 387

Phenomena

Molecular structure

Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions, F.Yu. Naumkin, P.J. Knowles and J.N. Murrell 193 (1995) 27
Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts, J. Limtrakul 193 (1995) 79
NMR evidence for strained carbon bonding in tetrahedral amorphous carbon, M.M. Golzan, P.B. Lukins, D.R. McKenzie, A.M. Vassallo and J.V. Hanna 193 (1995) 167
Evidence for quasibound states in highly excited CO^+ and NO^+, A.B. van der Kamp, P.B. Athmer, R.S. Hiemstra, J.R. Peterson and W.J. van der Zande 193 (1995) 181
Ab initio determination of the rate coefficient for radiative association of $He(^1S) + H^+$, M. Jufek, V. Špirko and W.P. Kraemer 193 (1995) 287
Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities, C. Runser, A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger 193 (1995) 309
A multiple scattering EXAFS study of organometallic compounds: $W(CO)_6$ and (1,3,5-trimethylbenzene)$W(CO)_3$, R. Crüsemann, F. Bökman, V. Fritzsche and H. Bertagnolli 194 (1995) 81
A theoretical investigation of solvatochromism. Application to merocyanines similar to colored forms obtained by flash-photolysis of spiropyrans, A. Botrel, B. Aboab, F. Corre and F. Tonnard 194 (1995) 101
Fluoride substitution in the Mn cluster from Photosystem II: EPR and X-ray absorption spectroscopy studies, V.J. DeRose, M.J. Latimer, J.-L. Zimmermann, I. Mukerji, V.K. Yachandra, K. Sauer and M.P. Klein 194 (1995) 443
Formally tetravalent cerium and thorium compounds: a configuration interaction study of cerocene $Ce(C_8H_8)_2$ and thorocene $Th(C_8H_8)_2$ using energy-adjusted quasirelativistic ab initio pseudopotentials, M. Dolg, P. Fulde, H. Stoll, H. Preuss, A. Chang and R.M. Pitzer 195 (1995) 71
Accurate magnetizabilities of the isoelectronic series BeH^-, BH, and CH^+. The MCSCF-GIAO approach, K. Ruud, T. Helgaker, K.L. Bak, P. Jørgensen and J. Olsen 195 (1995) 157
NMR relaxation studies in water-alcohol mixtures: the water-rich region, R. Ludwig 195 (1995) 329
A theoretical study on the structure of acetonitrile (CH_3CN) and its anion CH_3CN^-, G.L. Gutsev, A.L. Sobolewski and L. Adamowicz 196 (1995) 1
Evidence for molecular distortion involving the carbonyl group in triplet states of carbonyl derivatives of naphthalene obtained from time resolved vibrational spectroscopic studies, M.J. van der Burgt, A.H. Huizer, C.A.G.O. Varma, B.D. Wagner and J. Lusztyk 196 (1995) 193
Single vibronic level fluorescence spectra from $\tilde{A}$ ($^1B_{2u}$) benzene: Fermi resonances and S_0 IVR lifetimes, J.A. Nicholson, W.D. Lawrance and G. Fischer 196 (1995) 327

Electronic structure of donor–spacer–acceptor molecules of potential interest for molecular electronics. III. Geometry and absorption spectrum of CH_3-αP3CNQ, A. Broo and M.C. Zerner 196 (1995) 407
Electronic structure of donor–spacer–acceptor molecules of potential interest for molecular electronics. IV. Geometry and device properties of P3CNQ and Q3CNQ, A. Broo and M.C. Zerner 196 (1995) 423
A theoretical analysis of the lowest excited states in HNO/NOH and HPO/POH, A. Luna, M. Merchán and B.O. Roos 196 (1995) 437
NMR study of the F–H $\cdots$ F hydrogen bond. Relation between hydrogen atom position and F–H $\cdots$ F bond length, A.M. Panich 196 (1995) 511
Pre-chemical interactions in a pulsed jet: the angular geometry of thiirane $\cdots$ HCl and the nonlinearity of its hydrogen bond from rotational spectroscopy, C.M. Evans and A.C. Legon 198 (1995) 119
Ab initio study of the cyclic isomers of N_2S_4, G.S. Chandler, D. Jayatilaka and M. Wajrak 198 (1995) 169
SCF and electron correlation studies on structure, force constants and vibrational spectra of borane monoammoniate complex, A. Vijay and D.N. Sathyanarayana 198 (1995) 345
An unscaled quantum mechanical harmonic force field for *p*-benzoquinone, M. Nonella and P. Tavan 199 (1995) 19
Ab initio study of the molecular structure and vibrational spectra of dichlorine hexoxide and its significance to stratospheric ozone depletion, S. Parthiban, B.N. Raghunandan and R. Sumathi 199 (1995) 183
Fourier transform infrared study of sulfur dioxide dimer. II. Argon matrix, L. Schriver-Mazzuoli, A. Schriver and M. Wierzejewska-Hnat 199 (1995) 227
Magnetization exchange network editing: mathematical principles and experimental demonstration, Z. Zolnai, N. Juranić, J.L. Markley and S. Macura 200 (1995) 161
Electronic states of symmetrically disubstituted *s*-tetrazines, J. Waluk, J. Spanget-Larsen and E.W. Thulstrup 200 (1995) 201
Ab initio computation of the potential energy surfaces of the water $\cdots$ hydrocarbon complexes $H_2O \cdots C_2H_2$, $H_2O \cdots C_2H_4$ and $H_2O \cdots CH_4$: minimum energy structures, vibrational frequencies and hydrogen bond energies, M.C. Rovira, J.J. Novoa, M.-H. Whangbo and J.M. Williams 200 (1995) 319
The energetics of fragmentation of the naphthalene cation, G. Granucci, Y. Ellinger and P. Boissel 191 (1995) 165
The electronic states of furan studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction calculations, M.H. Palmer, I.C. Walker, C.C. Ballard and M.F. Guest 192 (1995) 111
An ab initio study of the chemical bond and the ^{129}Xe NMR chemical shifts in M^+–Xe compounds, M = Li, Na, K, Cu, Ag, A. Freitag, Ch. van Wüllen and V. Staemmler 192 (1995) 267
CASSCF, CASPT2, and MRCI investigations of formyloxyl radical ($HCOO^\cdot$), A. Rauk, D. Yu, P. Borowski and B. Roos 197 (1995) 73
Design of substituted semibullvalenes suitable for control of the Cope rearrangement by two ps IR laser pulses, M. Dohle, J. Manz, G.K. Paramonov and H. Quast 197 (1995) 91
Structural characterization of the primary donor in photosynthetic bacteria by its electronic *g*-tensor, M. Plato and K. Möbius 197 (1995) 289

Vibrations and rotations of molecules

Ab initio determination of the rate coefficient for radiative association of $He(^1S) + H^+$, M. Juřek, V. Špirko and W.P. Kraemer 193 (1995) 287

The ammonia dimer: new infrared–far infrared double resonance results, H. Linnartz, W.L. Meerts and M. Havenith 193 (1995) 327
Molecular adsorption on ionic substrates: characterization of terrace and step sites, S. Briquez, A. Lakhlifi, S. Picaud and C. Girardet 194 (1995) 65
Calculation of the asymptotic interaction and modelling of the potential energy curves of OH and OH^+, A.J.C. Varandas and A.I. Voronin 194 (1995) 91
A theoretical study on the ionic states, with analysis of vibrational levels of the photoelectron spectrum, of formic acid (CH_2O_2 and CD_2O_2), K. Takeshita 195 (1995) 117
Intensities of CH-stretching overtones in 2-butenes, D.M. Turnbull, H.G. Kjaergaard and B.R. Henry 195 (1995) 129
Evidence for molecular distortion involving the carbonyl group in triplet states of carbonyl derivatives of naphthalene obtained from time resolved vibrational spectroscopic studies, M.J. van der Burgt, A.H. Huizer, C.A.G.O. Varma, B.D. Wagner and J. Lusztyk 196 (1995) 193
Single vibronic level fluorescence spectra from $\tilde{A}$ ($^1B_{2u}$) benzene: Fermi resonances and S_0 IVR lifetimes, J.A. Nicholson, W.D. Lawrance and G. Fischer 196 (1995) 327
Dynamics of vibrationally inelastic collisions in H^+–H_2: comparing quantum calculations with experiments, F.A. Gianturco and S. Kumar 196 (1995) 485
An infrared study of the interaction-induced vibrational spectra of benzene in liquid binary mixtures containing CS_2 and C_6F_6, E. Zoidis, M. Besnard and J. Yarwood 196 (1995) 521
Generation of transient species by laser induced pyrolysis. The high resolution Fourier transform infrared spectrum of NCN, D. McNaughton, G.F. Metha and R. Tay 198 (1995) 107
Vibrational sidelines in the localized ^{3}MLCT luminescence of $[Ru(bpy)_{3-x}(L)_x]^{2+}$ ($x = 0$ to 3, L = 3,3′-bipyridazine, bpy-d_8) in the C2/c $[Zn(bpy)_3](ClO_4)_2$ lattice, H. Riesen, L. Wallace and E. Krausz 198 (1995) 269
SCF and electron correlation studies on structure, force constants and vibrational spectra of borane monoammoniate complex, A. Vijay and D.N. Sathyanarayana 198 (1995) 345
An unscaled quantum mechanical harmonic force field for *p*-benzoquinone, M. Nonella and P. Tavan 199 (1995) 19
Ab initio CI calculations of electronic and vibrational spectra of diazomethane, M.-p. Habas and A. Dargelos 199 (1995) 177
Ab initio study of the molecular structure and vibrational spectra of dichlorine hexoxide and its significance to stratospheric ozone depletion, S. Parthiban, B.N. Raghunandan and R. Sumathi 199 (1995) 183
Vibrational structure of the Ar–NO^+ van der Waals cation, I. Fourré and M. Raoult 199 (1995) 215
High-resolution absorption, excitation, and microwave–UV double resonance spectroscopy on a molecular beam: S_1 aniline, E.R.Th. Kerstel, M. Becucci, G. Pietraperzia and E. Castellucci 199 (1995) 263
Unexpectedly rich vibronic structure in supersonic jet spectra of sulfur dioxide between 360 and 308 nm, J.S. Baskin, F. Al-Adel and A. Hamdan 200 (1995) 181
Near-IR absorption transition of $^3H_4$ to $^3F_2$ for UCl_6^{2-} complex in M_2ZrCl_6 host crystals ($M = K^+$, Rb^+, and Cs^+): an experimental and theoretical study, S. Dai, L.M. Toth, G.D. Del Cul and D.H. Metcalf 200 (1995) 271
A further test of the shape and anisotropy of the F–H_2 interaction potential, F.A. Gianturco, F. Ragnetti, M. Faubel, B. Martínez-Haya, L.Y. Rusin, F. Sondermann and U. Tappe 200 (1995) 405
Coherent effects in femtosecond infrared spectroscopy, P. Hamm 200 (1995) 415
Detection of higher excited states of *p*-fluorotoluene with (3 + 1)RMPI spectra, L. Mei-Rong, Z. Qing-Chun, L. Yao-Ming, Z. Bao-Zheng and C. Wen-Ju 200 (1995) 439

A comparison between experimental, quantum and quasiclassical properties for the $N(^4S) + O_2(X^3\Sigma_g^-)_r NO(X^2\Pi) + O(^3P)$ reaction, M. Gilibert, X. Giménez, M. González, R. Sayós and A. Aguilar 191 (1995) 1
Diffusional description of vibrational relaxation in a binary mixture of diatomic molecules – quantum oscillators, O.V. Skrebkov 191 (1995) 87
Ab initio study of the LiH_+ molecule, electronic interaction analysis and LiH UV photoelectron spectrum, H. Berriche and F.X. Gadea 191 (1995) 119
A Raman analysis of C_{60} at low temperatures: a study of molecular and crystal-field effects, L. Akselrod, H.J. Byrne, S. Donovan and S. Roth 192 (1995) 307
The spectroscopy of thioformaldehyde. MR-CI studies on the triplet states of H_2CS, M.R.J. Hachey and F. Grein 197 (1995) 61
Inelastic neutron scattering study of proton dynamics in $Ca(OH)_2$ at 20 K, R. Baddour-Hadjean, F. Fillaux, N. Floquet, S. Belushkin, I. Natkaniec, L. Desgranges and D. Grebille 197 (1995) 81

Electronic structure and states

Towards reliable modelling of large clusters: on the overall accuracy of the diatomics-in-molecule method for rare gas cluster ions, F.Yu. Naumkin, P.J. Knowles and J.N. Murrell 193 (1995) 27
Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the $(ArCO)^+$ cluster, P. Archirel 193 (1995) 55
Character and spectra of triplet states in short polyenes, B.F. Minaev, D. Jonsson, P. Norman and H. Ågren 194 (1995) 19
Nonadiabatic coupling of the 1 $^1A''$ and 2 $^1A''$ states of ozone, T. Neuheuser, N. Sukumar and S.D. Peyerimhoff 194 (1995) 45
Calculation of the asymptotic interaction and modelling of the potential energy curves of OH and OH^+, A.J.C. Varandas and A.I. Voronin 194 (1995) 91
A theoretical investigation of solvatochromism. Application to merocyanines similar to colored forms obtained by flash-photolysis of spiropyrans, A. Botrel, B. Aboab, F. Corre and F. Tonnard 194 (1995) 101
Densities of states and band widths of excitons in anthracene microcrystallites embedded in PMMA, A.H. Matsui, K. Mizuno, O. Nishi, Y. Matsushima, M. Shimizu, T. Goto and M. Takeshima 194 (1995) 167
Double ionization of the propyne molecule to ground and electronically excited states of the doubly charged ion, S.R. Andrews, F.M. Harris and D.E. Parry 194 (1995) 215
The application of the energy gap law to the S_1 energies and dynamics of carotenoids, V. Chynwat and H.A. Frank 194 (1995) 237
Triplet–singlet difference spectra of *Rps. viridis* recorded with magneto-optical difference spectroscopy at 1.2–286 K. Temperature dependence of position and width of the long-wavelength absorption band, P. Gast, E.J. Lous and A.J. Hoff 194 (1995) 387
ENDOR and ESEEM of the ^{15}N labelled radical cations of chlorophyll a and the primary donor P_{700} in Photosystem I, H. Käß, E. Bittersmann-Weidlich, L.-E. Andréasson, B. Bönigk and W. Lubitz 194 (1995) 419
Intraconfigurational transitions in tetrahedral d^2 ions: on the expediency of the ligand field model for transition metal ions in high-oxidations states, M. Atanasov 195 (1995) 49
Formally tetravalent cerium and thorium compounds: a configuration interaction study of cerocene $Ce(C_8H_8)_2$ and thorocene $Th(C_8H_8)_2$ using energy-adjusted quasirelativistic

ab initio pseudopotentials, M. Dolg, P. Fulde, H. Stoll, H. Preuss, A. Chang and R.M. Pitzer 195 (1995) 71
On solitonic defects in hydrogen-bonded $(HF)_x$, M. Springborg 195 (1995) 143
Infrared, Raman, resonance Raman spectra and lattice dynamics calculations of the solid potassium(I) nickel(II) thiophosphate compound, $KNiPS_4$, C. Sourisseau, R. Cavagnat, M. Fouassier, R. Brec and S.H. Elder 195 (1995) 351
Excited state absorption of 5CB (4′-*n*-pentyl-4-cyanobiphenyl) in cyclohexane, H.J. Eichler, R. Macdonald, R. Menzel and R. Sander 195 (1995) 381
An experimental study of the valence shell photoelectron spectrum of hydrogen sulphide, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg, D.M.P. Holland and M.A. MacDonald 195 (1995) 403
Valence electron momentum distributions of ethylene; comparison of EMS measurements with near Hartree–Fock limit, configuration interaction and density functional theory calculations, B.P. Hollebone, J.J. Neville, Y. Zheng, C.E. Brion, Y. Wang and E.R. Davidson 196 (1995) 13
Pseudopotential calculations for the potential energies of LiHe and BaHe, E. Czuchaj, F. Rebentrost, H. Stoll and H. Preuss 196 (1995) 37
Local description of a polyenic radical cation, P. Karafiloglou and G. Kapsomenos 196 (1995) 69
On electron localization in periodic $(C_2H_nCl_{4-n})_x$ polymers, M. Springborg 196 (1995) 101
Absolute oscillator strengths for the photoabsorption of silane in the valence and Si 2p and 2s regions (7.5–350 eV), G. Cooper, G.R. Burton, W.F. Chan and C.E. Brion 196 (1995) 293
Influence of aggregation on the optical spectra of a polymethine dye in single crystals, L. Dähne, A. Horvath and G. Weiser 196 (1995) 307
Electronic structure of donor–spacer–acceptor molecules of potential interest for molecular electronics. III. Geometry and absorption spectrum of CH_3-αP3CNQ, A. Broo and M.C. Zerner 196 (1995) 407
Electronic structure of donor–spacer–acceptor molecules of potential interest for molecular electronics. IV. Geometry and device properties of P3CNQ and Q3CNQ, A. Broo and M.C. Zerner 196 (1995) 423
A theoretical analysis of the lowest excited states in HNO/NOH and HPO/POH, A. Luna, M. Merchán and B.O. Roos 196 (1995) 437
Incipient manifestation of the shell structure of atoms within the WDA model for the exchange and kinetic energy density functionals, M.D. Glossman, L.C. Balbás and J.A. Alonso 196 (1995) 455
Excited-state geometries derived from the analysis of resonance Raman spectra. Example: $^1(\pi-\pi^*)$ state of 3,5-di-tert-butyl-*o*-benzoquinone, H. Bettermann and I. Dasting 196 (1995) 531
An experimental and theoretical study of the valence shell photoelectron spectrum of allene, P. Baltzer, B. Wannberg, M. Lundqvist, L. Karlsson, D.M.P. Holland, M.A. MacDonald and W. von Niessen 196 (1995) 551
The electronic spectrum of phthalazine. Theory and experiment, G. Fischer and P. Wormell 198 (1995) 183
Vibrational sidelines in the localized ^{3}MLCT luminescence of $[Ru(bpy)_{3-x}(L)_x]^{2+}$ ($x = 0$ to 3, L = 3,3′-bipyridazine, bpy-d_8) in the C2/c $[Zn(bpy)_3](ClO_4)_2$ lattice, H. Riesen, L. Wallace and E. Krausz 198 (1995) 269
Ab initio CI study of the electronic spectrum of bismuth iodide employing relativistic effective core potentials, A.B. Alekseyev, K.K. Das, H.-P. Liebermann, R.J. Buenker and G. Hirsch 198 (1995) 333
A study of the absolute photoabsorption, photoionisation and photodissociation cross sections and the photoionisation quantum efficiency of carbon dioxide from the ionisa-

tion threshold to 345 Å, D.A. Shaw, D.M.P. Holland, M.A. Hayes, M.A. MacDonald, A. Hopkirk and S.M. McSweeney 198 (1995) 381

Theoretical charge-transfer cross-sections for $H^+ + HCl(X\ ^1\Sigma^+) \rightarrow H(^2S_g) + HCL^+(A\ ^2\Sigma^+)$ from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová and R. Polák 199 (1995) 53

The solvent shift in the $n \rightarrow \pi^*$ excitation of $CH_2O \cdot nH_2O$: An MRD-CI investigation using effective potentials for the representation of the water molecules, I. Frank, S. Grimme, M. von Arnim and S.D. Peyerimhoff 199 (1995) 145

Does the electronegativity scale apply to ionic crystals as to molecules? A theoretical study of the bonding character in molecular and crystalline alkaline-earth oxides based on dipole moments, G. Pacchioni and F. Illas 199 (1995) 155

Ab initio CI calculations of electronic and vibrational spectra of diazomethane, M.-p. Habas and A. Dargelos 199 (1995) 177

The $A(0^+)$–$X(0^+)$ transition of BiBr: radiative lifetimes of the A state, E. Martínez, M.R. López, A. Notario and F. Poblete 199 (1995) 305

Charge transfer and electron–vibron coupling in dense solid hydrogen, Z.G. Soos, J.H. Eggert, R.J. Hemley, M. Hanfland and H.-k. Mao 200 (1995) 23

Theoretical study of the electronic structure of the Ba_2 molecule, A.R. Allouche, M. Aubert-Frécon, G. Nicolas and F. Spiegelmann 200 (1995) 63

Electronic states of symmetrically disubstituted *s*-tetrazines, J. Waluk, J. Spanget-Larsen and E.W. Thulstrup 200 (1995) 201

Ultrafast excited singlet state absorption/gain spectroscopy of perylene in solution, Y.H. Meyer and P. Plaza 200 (1995) 235

The low-lying electronic states of YCu, A. Ricca and C.W. Bauschlicher Jr. 200 (1995) 337

Ab initio study of the LiH_+ molecule, electronic interaction analysis and LiH UV photoelectron spectrum, H. Berriche and F.X. Gadea 191 (1995) 119

The lowest-lying Rydberg states of Si_2: an ab initio study, F.L. Sefyani and J. Schamps 191 (1995) 155

Spin–lattice relaxation in Mössbauer spectra of metmyoglobin: investigation of crystals, water and water–glycerol solutions, A.R. Bizzarri, O.A. Iakovleva and F. Parak 191 (1995) 185

Experimental and ab initio study of the molybdenum K and L edges excitation in $Mo(CO)_6$ and MoF_6, F. Guillot, C. Dézarnaud-Dandine, M. Tronc, A. Lisini, P. Decleva and G. Fronzoni 191 (1995) 289

Charge transport in molecularly doped polymers at low dopant concentrations: simulation and experiment, B. Hartenstein, H. Bässler, S. Heun, P. Borsenberger, M. Van der Auweraer and F.C. De Schryver 191 (1995) 321

A quantum chemical ab initio study of the superexchange coupling in binuclear oxygen-bridged Ni(II) complexes, C. Wang, K. Fink and V. Staemmler 192 (1995) 25

Higher excited states of aromatic hydrocarbons. III. Assigning the in-plane polarized transitions of low-symmetry molecules: chrysene and E-stilbene, M.S. Gudipati, M. Maus, J. Daverkausen and G. Hohlneicher 192 (1995) 37

An experimental and theoretical study of the valence shell photoelectron spectrum of sulphur hexafluoride, D.M.P. Holland, M.A. MacDonald, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg and W. von Niessen 192 (1995) 333

A theoretical investigation on the electron–acceptor properties of polar CS bonds of $CH_{3-n}F_nSH$ ($n = 0$–3) thiols and $CH_{3-n}F_nSCH_{3-n}F_n$ ($n = 0$–3) sulfides, C. Dézarnaud-Dandine and A. Sevin 197 (1995) 51

The spectroscopy of thioformaldehyde. MR-CI studies on the triplet states of H_2CS, M.R.J. Hachey and F. Grein 197 (1995) 61

Potential energy curves of HgCd and spectroscopic constants of group IIB metal dimers, J.R. Bieroń and W.E. Baylis 197 (1995) 129
Short-lived charge-transfer-to-solvent-states and multiple electronic relaxations following femtosecond excitation of aqueous chloride ion, Y. Gauduel, H. Gelabert and M. Ashokkumar 197 (1995) 167
The ultraviolet absorption cross sections of CH_3I temperature dependent gas and liquid phase measurements, A. Fahr, A.K. Nayak and M.J. Kurylo 197 (1995) 195
On the validity of the standard model for primary charge separation in the bacterial reaction center, G.J. Small 197 (1995) 239
Structural characterization of the primary donor in photosynthetic bacteria by its electronic *g*-tensor, M. Plato and K. Möbius 197 (1995) 289
Pressure dependence of primary charge separation in a photosynthetic reaction center, H.-C. Chang, R. Jankowiak, N.R.S. Reddy and G.J. Small 197 (1995) 307

Electric and magnetic properties
Ab initio calculation of the nuclear quadrupole coupling constants of rovibrational levels in the $X^2\Sigma^+$ state of all isotopic variants of LiH^-, J. Vojtík and J. Fišer 193 (1995) 47
NMR evidence for strained carbon bonding in tetrahedral amorphous carbon, M.M. Golzan, P.B. Lukins, D.R. McKenzie, A.M. Vassallo and J.V. Hanna 193 (1995) 167
Preparation and characterisation of the C_{60} charge transfer complex C_{60}^-[1,1′,3,3′-tetramethyl-$\Delta^{2,2'}$-bi(imidazolidine)]$^+$, A. Schilder, B. Gotschy, A. Seidl and R. Gompper 193 (1995) 321
High-field EPR on the primary electron donor cation radical in single crystals of heterodimer mutant reaction centers of photosynthetic bacteria – first characterization of the *G*-tensor, M. Huber and J.T. Törring 194 (1995) 379
Exchange of chloride by bromide in the manganese Photosystem-II complex studied by cw- and pulsed-EPR, A. Boussac 194 (1995) 409
Mixed-valence polyoxometalate clusters. I. Delocalization of electronic pairs in dodecanuclear heteropoly blues with Keggin structure, J.J. Borrás-Almenar, J.M. Clemente, E. Coronado and B.S. Tsukerblat 195 (1995) 1
Mixed-valence polyoxometalate clusters. II. Delocalization of electronic pairs in 18-site heteropoly blues with Wells–Dawson structure, J.J. Borrás-Almenar, J.M. Clemente, E. Coronado and B.S. Tsukerblat 195 (1995) 17
Mixed-valence polyoxometalate clusters. III. Vibronic problem for the 2-electron reduced heteropoly blue with the Keggin structure, J.J. Borrás-Almenar, J.M. Clemente, E. Coronado and B.S. Tsukerblat 195 (1995) 29
A perturbation treatment of oscillating magnetic fields in the radical pair mechanism using the Liouville equation, J.M. Canfield, R.L. Belford, P.G. Debrunner and K. Schulten 195 (1995) 59
An MO study of nuclear quadrupolar coupling constant and nuclear shielding of the carbonyl oxygen in solid peptides with hydrogen bonds, S. Kuroki, S. Ando and I. Ando 195 (1995) 107
Accurate magnetizabilities of the isoelectronic series BeH^-, BH, and CH^+. The MCSCF-GIAO approach, K. Ruud, T. Helgaker, K.L. Bak, P. Jørgensen and J. Olsen 195 (1995) 157
Hole transport in tri-*p*-tolylamine doped polymers: the role of the polymer dipole moment, P.M. Borsenberger, W.T. Gruenbaum, E.H. Magin and L.J. Sorriero 195 (1995) 435
Efficiency of charge recombination in organic light emitting diodes, U. Albrecht and H. Bässler 199 (1995) 207
A comparative study of hole transport in vapor-deposited molecular glasses of N,N′,N″,N‴-tetrakis(4-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine and N,N′-diphenyl-N,N′-bis(3-methylphenyl)-(1,1′-biphenyl)-4,4′-diamine, S. Heun and P.M. Borsenberger 200 (1995) 245

The role of dipole moments on hole transport in triphenylamine doped poly(styrene), P.M. Borsenberger and M.B. O'Regan 200 (1995) 257
The spectral assessment of the origin of the polaronic contribution to charge transport in a highly conjugated triarylamine donor molecule, S. Heun, H. Bässler and P. Borsenberger 200 (1995) 265
Charge transport in molecularly doped polymers at low dopant concentrations: simulation and experiment, B. Hartenstein, H. Bässler, S. Heun, P. Borsenberger, M. Van der Auweraer and F.C. De Schryver 191 (1995) 321
An ab initio study of the chemical bond and the ^{129}Xe NMR chemical shifts in M^+–Xe compounds, M = Li, Na, K, Cu, Ag, A. Freitag, Ch. van Wüllen and V. Staemmler 192 (1995) 267
Ising model for low-spin high-spin transitions in molecular compounds; within and beyond the mean-field approximation, H. Bolvin and O. Kahn 192 (1995) 295
The effect of magnetic and spin interactions on outer-sphere electron transfer, A.I. Ivanov, V.A. Mikhailova and A.M. Volodin 197 (1995) 19
Effects of applied electric fields on the quantum yields for the initial electron transfer steps in bacterial photosynthesis. II. Dynamic Stark effect, K. Lao, S. Franzen, M. Steffen, D. Lambright, R. Stanley and S.G. Boxer 197 (1995) 259

Spin splittings
Time-resolved W-band (95 GHz) EPR spectroscopy of Zn-substituted reaction centers of *Rhodobacter sphaeroides* R-26, T.F. Prisner, A. van der Est, R. Bittl, W. Lubitz, D. Stehlik and K. Möbius 194 (1995) 361
Spin–orbit configuration interaction study of the electronic spectrum of antimony iodide, K.K. Das, A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker 196 (1995) 395
Non-secular simulation of frequency domain two-pulse powder ESEEM signals in multinuclear systems, N.P. Benetis and U.E. Nordh 200 (1995) 107
The influence of ^{13}C nuclei on quantum beats in the recombination luminescence of radical ion pairs undergoing ion–molecular charge transfer, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev 200 (1995) 119
A quantum chemical ab initio study of the superexchange coupling in binuclear oxygen-bridged Ni(II) complexes, C. Wang, K. Fink and V. Staemmler 192 (1995) 25

Optical activity
Fluorescence-detected two-photon circular dichroism of Gd^{3+} in trigonal $Na_3[Gd(C_4H_4O_5)_3] \cdot 2NaClO_4 \cdot 6H_2O$, K.E. Gunde and F.S. Richardson 194 (1995) 195
Nonlinear optical vibrations in organic superlattices with interface Fermi resonance, V.M. Agranovich, O.A. Dubovsky and A.M. Kamchatnov 198 (1995) 245

Molecular interactions
Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts, J. Limtrakul 193 (1995) 79
Semiclassical study of polarization-dependent optical collisions: application to $Mg(3p\ ^1P_1 \rightarrow 5s\ ^1S_0)$ and $Ar(^1S_0)$ collision, D.V. Kupriyanov 193 (1995) 141
Calculation of the asymptotic interaction and modelling of the potential energy curves of OH and OH^+, A.J.C. Varandas and A.I. Voronin 194 (1995) 91
Transient absorption changes of a degenerate dimer induced by exciton scattering; implications for Photosystem II of photosynthesis, J.P.M. Schelvis and T.J. Aartsma 194 (1995) 303
FTIR spectroscopy of the photoreduction of the bacteriopheophytin electron acceptor in reaction centers of *Rb. sphaeroides* and *Rps. viridis*, E. Nabedryk, S. Andrianambinintsoa, D. Dejonghe and J. Breton 194 (1995) 371

Quasiclassical trajectory study of the $F + H_2$ system. Rate constants, kinetic isotope effects and energy partitioning among reaction products, E. Rosenman and A. Persky 195 (1995) 291
Representations of dispersion energy damping functions for interactions of closed shell atoms and molecules, A.K. Dham, A.R. Allnatt, A. Koide and W.J. Meath 196 (1995) 81
Exchange–Coulomb potential energy surfaces, and related physical properties, for $Kr–N_2$, A.K. Dham and W.J. Meath 196 (1995) 125
Far infrared interaction induced absorption spectra of $CS_2–C_6H_6$ liquid mixtures. A low concentration study, E. Zoidis and T. Dorfmüller 196 (1995) 171
Angular momentum state mixing and quenching of $n = 3$ atomic hydrogen fluorescence, B.L. Preppernau, K. Pearce, A. Tserepi, E. Wurzberg and T.A. Miller 196 (1995) 371
Two- and three-body dispersion forces with one excited molecule, E.A. Power and T. Thirunamachandran 198 (1995) 5
Polarisation analysis of bimolecular excitations mediated by energy transfer: A common theoretical framework for fluorescence migration and sequential Raman scattering, D.L. Andrews and P. Allcock 198 (1995) 35
Molecular interactions: a study of charge transfer effects, C. Amovilli and R. McWeeny 198 (1995) 71
Pre-chemical interactions in a pulsed jet: the angular geometry of thiirane $\cdots$ HCl and the nonlinearity of its hydrogen bond from rotational spectroscopy, C.M. Evans and A.C. Legon 198 (1995) 119
The interatomic potential for the $X\ ^1\Sigma^+$ state of $ArNa^+$, $NeNa^+$ and $HeNa^+$, G. Reza Ahmadi, J. Almlöf and I. Røeggen 199 (1995) 33
Statistical mechanical simulations on properties of liquid pyridine, K. Sagarik and E. Spohr 199 (1995) 73
Electronic quenching of $CH(A^2\Delta)$ and $NH(A^3\Pi)$ between 300 and 950 K, P. Heinrich and F. Stuhl 199 (1995) 105
The solvent shift in the $n \rightarrow \pi^*$ excitation of $CH_2O \cdot nH_2O$: An MRD-CI investigation using effective potentials for the representation of the water molecules, I. Frank, S. Grimme, M. von Arnim and S.D. Peyerimhoff 199 (1995) 145
Temperature dependent quenching of $CH(A^2\Delta)$, $NH(A^3\Pi)$, $NH(c\ ^1\Pi)$, and $PH(A^3\Pi)$ by H_2, P. Heinrich and F. Stuhl 199 (1995) 297
Quasiclassical trajectory study of the C + NO reaction on a new potential energy surface, M. Simonson, N. Marković, S. Nordholm and B.J. Persson 200 (1995) 141
Non-exponential solvation dynamics of electronically excited 4-aminophthalimide in *n*-alcohols, T.O. Harju, A.H. Huizer and C.A.G.O. Varma 200 (1995) 215
The role of dipole moments on hole transport in triphenylamine doped poly(styrene), P.M. Borsenberger and M.B. O'Regan 200 (1995) 257
The spectral assessment of the origin of the polaronic contribution to charge transport in a highly conjugated triarylamine donor molecule, S. Heun, H. Bässler and P. Borsenberger 200 (1995) 265
Ab initio computation of the potential energy surfaces of the water $\cdots$ hydrocarbon complexes $H_2O \cdots C_2H_2$, $H_2O \cdots C_2H_4$ and $H_2O \cdots CH_4$: minimum energy structures, vibrational frequencies and hydrogen bond energies, M.C. Rovira, J.J. Novoa, M.-H. Whangbo and J.M. Williams 200 (1995) 319
SCF calculations of the interactions of alkali and halide ions with the mercury surface, G. Tóth, E. Spohr and K. Heinzinger 200 (1995) 347
Further examination of the BEBO model with the results of ab initio calculations of a reaction series, A.K. Chandra and V. Sreedhara Rao 200 (1995) 387
A further test of the shape and anisotropy of the $F–H_2$ interaction potential, F.A. Gianturco, F. Ragnetti, M. Faubel, B. Martínez-Haya, L.Y. Rusin, F. Sondermann and U. Tappe 200 (1995) 405

Potential energy surface effects on differential cross sections for polyatomic reactions, G. Nyman, D.C. Clary and R.D. Levine 191 (1995) 223
Ising model for low-spin high-spin transitions in molecular compounds; within and beyond the mean-field approximation, H. Bolvin and O. Kahn 192 (1995) 295
Symmetry breakage in the electronic structure of bacterial reaction centers, P.O.J. Scherer, C. Scharnagl and S.F. Fischer 197 (1995) 333

Spectral bandshapes and intensities
Absolute UV and Soft X-ray photoabsorption of ethylene by high resolution dipole (e, e) spectroscopy, G. Cooper, T.N. Olney and C.E. Brion 194 (1995) 175
A perturbation treatment of oscillating magnetic fields in the radical pair mechanism using the Liouville equation, J.M. Canfield, R.L. Belford, P.G. Debrunner and K. Schulten 195 (1995) 59
Intensities of CH-stretching overtones in 2-butenes, D.M. Turnbull, H.G. Kjaergaard and B.R. Henry 195 (1995) 129
Pseudopotential calculations for the potential energies of LiHe and BaHe, E. Czuchaj, F. Rebentrost, H. Stoll and H. Preuss 196 (1995) 37
IR spectrum of HCF_2CF_2Br: hindered intramolecular vibrational energy redistribution, W. Fuß, K.L. Kompa and S. Weizbauer 196 (1995) 179
Absolute oscillator strengths for the photoabsorption of silane in the valence and Si 2p and 2s regions (7.5–350 eV), G. Cooper, G.R. Burton, W.F. Chan and C.E. Brion 196 (1995) 293
Spin–orbit configuration interaction study of the electronic spectrum of antimony iodide, K.K. Das, A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker 196 (1995) 395
Ab initio CI study of the electronic spectrum of bismuth iodide employing relativistic effective core potentials, A.B. Alekseyev, K.K. Das, H.-P. Liebermann, R.J. Buenker and G. Hirsch 198 (1995) 333
An ab initio investigation of the infrared and visible–UV spectra of BN^+, and photoionization spectrum of BN, R.C. Mawhinney, P.J. Bruna and F. Grein 199 (1995) 163
Temperature dependence of the ultraviolet absorption cross section of CF_3I, A. Fahr, A.K. Nayak and R.E. Huie 199 (1995) 275
Relation between X-ray absorption near-edge spectra and interatomic distances, H. Nakamatsu 200 (1995) 49
Ultrafast excited singlet state absorption/gain spectroscopy of perylene in solution, Y.H. Meyer and P. Plaza 200 (1995) 235
Picosecond transient spectral hole-burning studies on oxazine 750 in a silicate xerogel, P. Weidner and A. Penzkofer 191 (1995) 303
The ultraviolet absorption cross sections of CH_3I temperature dependent gas and liquid phase measurements, A. Fahr, A.K. Nayak and M.J. Kurylo 197 (1995) 195
Nature of the ground and first excited states of the radical cations of photosynthetic bacterial reaction centres, J.R. Reimers and N.S. Hush 197 (1995) 323

Coupling of electronic and nuclear motion
Semiclassical study of polarization-dependent optical collisions: application to $Mg(3p\,^1P_1 \rightarrow 5s\,^1S_0)$ and $Ar(^1S_0)$ collision, D.V. Kupriyanov 193 (1995) 141
Nonadiabatic coupling of the $1\,^1A''$ and $2\,^1A''$ states of ozone, T. Neuheuser, N. Sukumar and S.D. Peyerimhoff 194 (1995) 45
Temperature dependence of electron–vibronic spectra of photosynthetic systems. Computer simulations and comparison with experiment, T. Pullerits, R. Monshouwer, F. van Mourik and R. van Grondelle 194 (1995) 395

Mixed-valence polyoxometalate clusters. III. Vibronic problem for the 2-electron reduced heteropoly blue with the Keggin structure, J.J. Borrás-Almenar, J.M. Clemente, E. Coronado and B.S. Tsukerblat 195 (1995) 29
Pseudopotential calculations for the potential energies of LiHe and BaHe, E. Czuchaj, F. Rebentrost, H. Stoll and H. Preuss 196 (1995) 37
Picosecond time-dependent Stokes shift studies of fluoroprobe in liquid solution, E.R. Middelhoek, P. van der Meulen, J.W. Verhoeven and M. Glasbeek 198 (1995) 373
Theoretical charge-transfer cross-sections for $H^+ + HCl(X\ ^1\Sigma^+) \rightarrow H(^2S_g) + HCL^+(A\ ^2\Sigma^+)$ from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová and R. Polák 199 (1995) 53
Path-integral treatment of the real-time dynamics of few-mode spin–boson models, H. Plöhn, S. Krempl, M. Winterstetter and W. Domcke 200 (1995) 11
Charge transfer and electron–vibron coupling in dense solid hydrogen, Z.G. Soos, J.H. Eggert, R.J. Hemley, M. Hanfland and H.-k. Mao 200 (1995) 23
Vibronic coupling between Rydberg and ion-pair states of I_2 investigated by $(2 + 1)$ resonance enhanced multiphoton ionization spectroscopy, K.P. Lawley, T. Ridley, Z. Min, P.J. Wilson, M.S.N. Al-Kahali and R.J. Donovan 197 (1995) 37
Nature of the ground and first excited states of the radical cations of photosynthetic bacterial reaction centres, J.R. Reimers and N.S. Hush 197 (1995) 323

Energy transfer processes

Semiclassical study of polarization-dependent optical collisions: application to $Mg(3p\ ^1P_1 \rightarrow 5s\ ^1S_0)$ and $Ar(^1S_0)$ collision, D.V. Kupriyanov 193 (1995) 141
The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces, Th. Lill, H.-G. Busmann, F. Lacher and I.V. Hertel 193 (1995) 199
Influence of dichotomic colored energy fluctuations on excitonic optical line shapes of trimers and tetramers, Ch. Warns, I. Barvík, P. Reineker and Th. Neidlinger 194 (1995) 117
Energy transfer processes and surface corrugation: a combined collision dynamics and experimental study of the Xe–GaSe(001) system, S. Iannotta, C. Gravili, A. Boschetti, A. Cagol and M. Cacciatore 194 (1995) 133
Vibrational energy dependence of nonradiative decay rate: triplet benzene studied by time-resolved and steady-state photosensitized phosphorescence, Y. Ide and T. Hikida 194 (1995) 159
Exciton theory of spectra and energy transfer in photosynthesis: spectral hole burning in the antenna of purple bacteria, T.V. Dracheva, V.I. Novoderezhkin and A.P. Razjivin 194 (1995) 223
The application of the energy gap law to the S_1 energies and dynamics of carotenoids, V. Chynwat and H.A. Frank 194 (1995) 237
Ultrafast energy transfer in light-harvesting chlorosomes from the green sulfur bacterium *Chlorobium tepidum*, S. Savikhin, P.I. van Noort, Y. Zhu, S. Lin, R.E. Blankenship and W.S. Struve 194 (1995) 245
Energy trapping and detrapping in the photosynthetic bacterium *Rhodopseudomonas viridis*: transfer-to-trap-limited dynamics, K. Timpmann, A. Freiberg and V. Sundström 194 (1995) 275
Energy transfer between antenna complexes in the purple sulfur bacteria *Chromatium tepidum* and *Chromatium vinosum*, J.T.M. Kennis, T.J. Aartsma and J. Amesz 194 (1995) 285
Energy transfer in photosystem I. Time resolved fluorescence of the native photosystem I complex and its core complex, L.-O. Pålsson, S.E. Tjus, B. Andersson and T. Gillbro 194 (1995) 291
Femtosecond transient absorption spectroscopy on the light-harvesting Chl *a*/*b* protein complex of Photosystem II at room temperature and 12 K, T. Bittner, G.P. Wiederrecht, K.-D. Irrgang, G. Renger and M.R. Wasielewski 194 (1995) 311

Temperature dependent hole burning of the 684 nm chlorophyll *a* of the isolated reaction center of Photosystem II: confirmation of the linker model, H.-C. Chang, G.J. Small and R. Jankowiak 194 (1995) 323
Primary processes in isolated Photosystem II reaction centres probed by magic angle transient absorption spectroscopy, D.R. Klug, T. Rech, D.M. Joseph, J. Barber, J.R. Durrant and G. Porter 194 (1995) 433
Dispersive electronic energy transfer in an organically doped xerogel glass, D. L'Espérance and E.L. Chronister 195 (1995) 387
Infrared fluorescence study of electronic-to-vibrational energy transfer in the $Br(^2P_{1/2})$–NO system, M.R. Hawks, R.O. Johnson and G.P. Perram 195 (1995) 395
Transfer of vibrational energy to electronic excited states and vibration enhanced carbon production in optically excited V–V pumped CO, H.L. Wallaart, B. Piar, M.-Y. Perrin and J.-P. Martin 196 (1995) 149
Quantum beat spectroscopic studies of Zeeman anticrossings in the $\tilde{A}\,^1A_u$ state of the acetylene molecule (C_2H_2), P. Dupré, P.G. Green and R.W. Field 196 (1995) 211
Study of Zeeman anticrossing spectra of the $\tilde{A}\,^1A_u$ state of the acetylene molecule (C_2H_2) by Fourier transform: product $\rho_{vib}\langle V \rangle$ and isomerization barrier, P. Dupré 196 (1995) 239
The use of UV photoelectron spectroscopy to monitor production of excited states of atomic lead from the $Pb(^3P_0) + O_2(a\,^1\Delta_g)$ reaction, D. Haggerston, J.M. Dyke and A. Morris 196 (1995) 353
Relativistic causality and quantum-mechanical states in the Fermi problem, G. Compagno, G.M. Palma, R. Passante and F. Persico 198 (1995) 19
Polarisation analysis of bimolecular excitations mediated by energy transfer: A common theoretical framework for fluorescence migration and sequential Raman scattering, D.L. Andrews and P. Allcock 198 (1995) 35
Chiral discrimination in electronic energy-transfer processes in solution. Effects of temperature and solution properties on chirality-dependent rate parameters, D.P. Glover-Fischer, D.H. Metcalf, J.P. Bolender and F.S. Richardson 198 (1995) 207
Classical dynamics of vibrational-translational energy transfer in linear collisions of an atom and a diatomic molecule/anharmonic oscillator, O.V. Skrebkov and A.L. Smirnov 198 (1995) 297
Orientation factor in Förster energy transfer with photoselection of donor and acceptor, B. Nickel 198 (1995) 353
Picosecond time-dependent Stokes shift studies of fluoroprobe in liquid solution, E.R. Middelhoek, P. van der Meulen, J.W. Verhoeven and M. Glasbeek 198 (1995) 373
A simulation study of energy transfer in methyl isocyanide–inert gas collisions, L. Ming, T.D. Sewell and S. Nordholm 199 (1995) 83
Electronic quenching of $CH(A^2\Delta)$ and $NH(A^3\Pi)$ between 300 and 950 K, P. Heinrich and F. Stuhl 199 (1995) 105
Rotational energy relaxation of symmetric top molecules by collisions with atoms, A.V. Storozhev and M.L. Strekalov 200 (1995) 125
The symmetrization in the classical path approach applied to vibrational cross sections, J.C. Belchior and J.P. Braga 200 (1995) 137
Fluorescence quenching of ultrathin anthracene films by dielectric and metallic substrates, M. Daffertshofer, H. Port and H.C. Wolf 200 (1995) 225
Dynamics of electronic polarization in molecular crystals, V. Čápek and E.A. Silinsh 200 (1995) 309
Vibrational energy relaxation dynamics of Si–H stretching modes on stepped H/Si(111)1 × 1 surfaces, Ying-Chieh, H. Gai and G.A. Voth 200 (1995) 357

Theory of excitation energy transfer in the primary processes of photosynthesis. III. Mono-exponential regime, J. Dvořák and L. Skála 191 (1995) 31
Forward and reverse electronic energy transport and trapping in solution. I. Theory, L. Kułak and C. Bojarski 191 (1995) 43
Forward and reverse electronic energy transport and trapping in solution. II. Numerical results and Monte Carlo simulations, L. Kułak and C. Bojarski 191 (1995) 67
Diffusional description of vibrational relaxation in a binary mixture of diatomic molecules – quantum oscillators, O.V. Skrebkov 191 (1995) 87
High-resolution study of the luminescent electronic energy transfer reaction of $Xe(^3P_{0,2})$ with $^{14}N_2$ and $^{15}N_2$, Ch. Ottinger, A.F. Vilesov and D.D. Xu 192 (1995) 49
Energy transfer between finite-sized interacting molecules in a one-dimensional system, J. Grabowska and K. Sienicki 192 (1995) 89
Vibrational relaxation of $N_2(C, v)$ state in N_2 pulsed rf discharge: electron impact and pooling reactions, S. De Benedictis and G. Dilecce 192 (1995) 149
Concentration-dependent fluorescence behaviour of oxazine 750 and rhodamine 6G in porous silicate xerogel monoliths, F. Ammer, A. Penzkofer and P. Weidner 192 (1995) 325
Simulation of exciton transport in binary molecular crystals and comparison with experiments in chemically mixed crystals, F. Otto, E. Tränkle and C. von Borczyskowski 197 (1995) 139
Ultrafast internal conversion in 13^2-OH-Ni-bacteriochlorophyll in reaction centers of *Rhodobacter sphaeroides* R26, G. Hartwich, M. Friese, H. Scheer, A. Ogrodnik and M.E. Michel-Beyerle 197 (1995) 423

Molecular photophysical processes

Photodesorption of neutrals from metal surfaces: a wave packet study, P. Saalfrank 193 (1995) 119
Power broadening of the spectral hole width in an optically thick sample, E.S. Maniloff, F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild 193 (1995) 173
The theory of ultrafast vibrational spectroscopy, K. Wynne and R.M. Hochstrasser 193 (1995) 211
Influence of dichotomic colored energy fluctuations on excitonic optical line shapes of trimers and tetramers, Ch. Warns, I. Barvík, P. Reineker and Th. Neidlinger 194 (1995) 117
Absolute UV and Soft X-ray photoabsorption of ethylene by high resolution dipole (e, e) spectroscopy, G. Cooper, T.N. Olney and C.E. Brion 194 (1995) 175
Differences in the binding of the primary quinone acceptor in Photosystem I and reaction centres of *Rhodobacter Sphaeroides*-R26 studied with transient EPR spectroscopy, A. van der Est, I. Sieckmann, W. Lubitz and D. Stehlik 194 (1995) 349
Time-resolved W-band (95 GHz) EPR spectroscopy of Zn-substituted reaction centers of *Rhodobacter sphaeroides* R-26, T.F. Prisner, A. van der Est, R. Bittl, W. Lubitz, D. Stehlik and K. Möbius 194 (1995) 361
Triplet–singlet difference spectra of *Rps. viridis* recorded with magneto-optical difference spectroscopy at 1.2–286 K. Temperature dependence of position and width of the long-wavelength absorption band, P. Gast, E.J. Lous and A.J. Hoff 194 (1995) 387
Infrared fluorescence study of electronic-to-vibrational energy transfer in the $Br(^2P_{1/2})$–NO system, M.R. Hawks, R.O. Johnson and G.P. Perram 195 (1995) 395
An experimental study of the valence shell photoelectron spectrum of hydrogen sulphide, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg, D.M.P. Holland and M.A. MacDonald 195 (1995) 403
Effect of high pressure on photoionization of N,N,N′,N′-tetramethyl-*p*-phenylenediamine (TMPD) in liquid 2,2-dimethylbutane (DMB), R. Katoh, K. Lacmann and W.F. Schmidt 195 (1995) 457

Near-edge core photoabsorption in polyacenes: model molecules for graphite, H. Ågren, O. Vahtras and V. Carravetta 196 (1995) 47
Dissociation of acetyl bromide: an experimental and theoretical study, Y. Su, T.S. Dibble, J.S. Francisco and Z. Li 196 (1995) 59
Photochemical population of KHg^* states, D. Azinović, S. Milošević and G. Pichler 196 (1995) 267
Electronic structure of donor–spacer–acceptor molecules of potential interest for molecular electronics. IV. Geometry and device properties of P3CNQ and Q3CNQ, A. Broo and M.C. Zerner 196 (1995) 423
An experimental and theoretical study of the valence shell photoelectron spectrum of allene, P. Baltzer, B. Wannberg, M. Lundqvist, L. Karlsson, D.M.P. Holland, M.A. MacDonald and W. von Niessen 196 (1995) 551
Polarisation analysis of bimolecular excitations mediated by energy transfer: A common theoretical framework for fluorescence migration and sequential Raman scattering, D.L. Andrews and P. Allcock 198 (1995) 35
The harmonic two-colour rotating wave approximation; its validity and an application to the effects of permanent dipoles and laser phase in molecular excitations, A. Brown and W.J. Meath 198 (1995) 91
Molecule–radiation and molecule–molecule processes in condensed media: a microscopic QED theory, G. Juzeliūnas 198 (1995) 145
A study of the absolute photoabsorption, photoionisation and photodissociation cross sections and the photoionisation quantum efficiency of carbon dioxide from the ionisation threshold to 345 Å, D.A. Shaw, D.M.P. Holland, M.A. Hayes, M.A. MacDonald, A. Hopkirk and S.M. McSweeney 198 (1995) 381
An ab initio investigation of the infrared and visible–UV spectra of BN^+, and photoionization spectrum of BN, R.C. Mawhinney, P.J. Bruna and F. Grein 199 (1995) 163
Analysis of temperature dependent fluorescence polarization for dimethylaminobenzonitrile, A. Barbon, P. Lettinga and P.L. Nordio 200 (1995) 41
Relation between X-ray absorption near-edge spectra and interatomic distances, H. Nakamatsu 200 (1995) 49
An algorithm for analyzing the polarization-free picosecond fluorescence experiments on TICT, CT, PT and other relevant systems in solutions, J.J. Fisz 192 (1995) 163
Ultrafast intramolecular charge transfer in the merocyanine dye DCM, M.M. Martin, P. Plaza and Y.H. Meyer 192 (1995) 367
Measurements of the subpicosecond relaxation rates of the first excited singlet states of some pseudoazulenes in solution, D. Tittelbach-Helmrich and R.P. Steer 197 (1995) 99
Nature of the ground and first excited states of the radical cations of photosynthetic bacterial reaction centres, J.R. Reimers and N.S. Hush 197 (1995) 323
Symmetry breakage in the electronic structure of bacterial reaction centers, P.O.J. Scherer, C. Scharnagl and S.F. Fischer 197 (1995) 333
Ultrafast internal conversion in 13^2-OH-Ni-bacteriochlorophyll in reaction centers of *Rhodobacter sphaeroides* R26, G. Hartwich, M. Friese, H. Scheer, A. Ogrodnik and M.E. Michel-Beyerle 197 (1995) 423

Intramolecular dynamics
A simple model for proton transfer, P.M. Kiefer, V.B.P. Leite and R.M. Whitnell 194 (1995) 33
Infrared, Raman, resonance Raman spectra and lattice dynamics calculations of the solid potassium(I) nickel(II) thiophosphate compound, $KNiPS_4$, C. Sourisseau, R. Cavagnat, M. Fouassier, R. Brec and S.H. Elder 195 (1995) 351

IR spectrum of HCF_2CF_2Br: hindered intramolecular vibrational energy redistribution, W. Fuß, K.L. Kompa and S. Weizbauer 196 (1995) 179
Quantum beat spectroscopic studies of Zeeman anticrossings in the $\tilde{A}\,^1A_u$ state of the acetylene molecule (C_2H_2), P. Dupré, P.G. Green and R.W. Field 196 (1995) 211
Study of Zeeman anticrossing spectra of the $\tilde{A}\,^1A_u$ state of the acetylene molecule (C_2H_2) by Fourier transform: product $\rho_{vib}\langle V \rangle$ and isomerization barrier, P. Dupré 196 (1995) 239
Control of the yield of photophysical/photochemical processes by excitation with properly delayed ultrashort phase-locked light pulses: a model study on the pyrazine $S_2 \rightarrow S_1$ internal conversion, A. Ferretti, A. Lami and G. Villani 196 (1995) 447
Metastable decay of ionic argon clusters: rotational predissociation of $(Ar)_4^+$, E. Buonomo and F.A. Gianturco 196 (1995) 465
Broken dynamical symmetry condition to control a chemical reaction by the complex coordinate (t, t') method, O.E. Alon and N. Moiseyev 196 (1995) 499
Vibrational analysis of the inelastic neutron scattering spectrum of s-triazine and trichloro-s-triazine, A. Navarro, J.J. López González, G.J. Kearley, J. Tomkinson, S.F. Parker and D.S. Sivia 200 (1995) 395
Spin–lattice relaxation in Mössbauer spectra of metmyoglobin: investigation of crystals, water and water–glycerol solutions, A.R. Bizzarri, O.A. Iakovleva and F. Parak 191 (1995) 185
NMR relaxation in long-chain quaternary ammonium ions: the role of torsional flexibility, F. Coletta, A. Ferrarini, F. Gottardi and P.L. Nordio 192 (1995) 19
Peripheral dynamics of the $Cl + CH_4 \rightarrow HCl + CH_3$ reaction. A classical trajectory computation, X. Wang, M. Ben-Nun and R.D. Levine 197 (1995) 1
Guided motion in a dissipative quantum system: vibrational state preparation using picosecond infrared pulses, D. Malzahn and V. May 197 (1995) 205

-radiationless transitions
A simple model for proton transfer, P.M. Kiefer, V.B.P. Leite and R.M. Whitnell 194 (1995) 33
The application of the energy gap law to the S_1 energies and dynamics of carotenoids, V. Chynwat and H.A. Frank 194 (1995) 237
Role of internal conversion on the excited state properties of trans-styrylpyridines, G. Marconi, G. Bartocci, U. Mazzucato, A. Spalletti, F. Abbate, L. Angeloni and E. Castellucci 196 (1995) 383
Control of the yield of photophysical/photochemical processes by excitation with properly delayed ultrashort phase-locked light pulses: a model study on the pyrazine $S_2 \rightarrow S_1$ internal conversion, A. Ferretti, A. Lami and G. Villani 196 (1995) 447
Isomerisation dynamics of a thiacarbocyanine dye in different electronic states and in different classes of solvents, E. Vauthey 196 (1995) 569
A study of the carbon–halogen bond breaking in tert-butyl halides by the PM3 quantum chemical method, V.A. Tikhomirov, E.D. German and A.M. Kuznetsov 191 (1995) 25

-vibrational energy redistribution (including vibrational dissociation)
Transfer of vibrational energy to electronic excited states and vibration enhanced carbon production in optically excited V–V pumped CO, H.L. Wallaart, B. Piar, M.-Y. Perrin and J.-P. Martin 196 (1995) 149
IR spectrum of HCF_2CF_2Br: hindered intramolecular vibrational energy redistribution, W. Fuß, K.L. Kompa and S. Weizbauer 196 (1995) 179
Ultrafast excited singlet state absorption/gain spectroscopy of perylene in solution, Y.H. Meyer and P. Plaza 200 (1995) 235

Coherent effects in femtosecond infrared spectroscopy, P. Hamm 200 (1995) 415
Adiabatically corrected quasiclassical model for the vibrational predissociation of van der Waals complexes, Y. Karni and E.E. Nikitin 191 (1995) 235
Determination of the vibrationless level of Sn states of chlorobenzene by double resonance multiphoton ionization photoelectron spectroscopy. Evidence of IVR within these states, P. Asselin, F. Piuzzi, M. Mons and I. Dimicoli 191 (1995) 261

Luminescence spectra, yields and lifetimes
Blue up-conversion emission from U^{4+}-ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation, W. Xu, S. Dai, L.M. Toth and J.R. Peterson 193 (1995) 339
Solvent relaxation of oxazine-4 in 2-methyltetrahydrofuran, E. Görlach, H. Gygax, P. Lubini and U.P. Wild 194 (1995) 185
Intraconfigurational transitions in tetrahedral d^2 ions: on the expediency of the ligand field model for transition metal ions in high-oxidations states, M. Atanasov 195 (1995) 49
Reaction cross-section and product polarization in the $Ca(^1D_2) + HBr \rightarrow CaBr(A,B) + H$ reaction, M. Garay, M. Esteban, E. Verdasco and A. González Ureña 195 (1995) 235
Role of internal conversion on the excited state properties of trans-styrylpyridines, G. Marconi, G. Bartocci, U. Mazzucato, A. Spalletti, F. Abbate, L. Angeloni and E. Castellucci 196 (1995) 383
Molecule–radiation and molecule–molecule processes in condensed media: a microscopic QED theory, G. Juzeliūnas 198 (1995) 145
Chiral discrimination in electronic energy-transfer processes in solution. Effects of temperature and solution properties on chirality-dependent rate parameters, D.P. Glover-Fischer, D.H. Metcalf, J.P. Bolender and F.S. Richardson 198 (1995) 207
Vibrational sidelines in the localized ^{3}MLCT luminescence of $[Ru(bpy)_{3-x}(L)_x]^{2+}$ ($x = 0$ to 3, L = 3,3′-bipyridazine, bpy-d_8) in the C2/c $[Zn(bpy)_3](ClO_4)_2$ lattice, H. Riesen, L. Wallace and E. Krausz 198 (1995) 269
The $A(0^+)$–$X(0^+)$ transition of BiBr: radiative lifetimes of the A state, E. Martínez, M.R. López, A. Notario and F. Poblete 199 (1995) 305
Fluorescence quenching of ultrathin anthracene films by dielectric and metallic substrates, M. Daffertshofer, H. Port and H.C. Wolf 200 (1995) 225
The low-lying electronic states of YCu, A. Ricca and C.W. Bauschlicher Jr. 200 (1995) 337
The lowest-lying Rydberg states of Si_2: an ab initio study, F.L. Sefyani and J. Schamps 191 (1995) 155
Picosecond transient spectral hole-burning studies on oxazine 750 in a silicate xerogel, P. Weidner and A. Penzkofer 191 (1995) 303
An algorithm for analyzing the polarization-free picosecond fluorescence experiments on TICT, CT, PT and other relevant systems in solutions, J.J. Fisz 192 (1995) 163
Concentration-dependent fluorescence behaviour of oxazine 750 and rhodamine 6G in porous silicate xerogel monoliths, F. Ammer, A. Penzkofer and P. Weidner 192 (1995) 325

Coherence loss processes
Transient absorption changes of a degenerate dimer induced by exciton scattering; implications for Photosystem II of photosynthesis, J.P.M. Schelvis and T.J. Aartsma 194 (1995) 303
Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density matrix approach, V. Szőcs, P. Bañacký and P. Reineker 199 (1995) 1
An exactly solvable model of the dipole–dipole relaxation of the electron spins of micellized radical pairs, S.V. Isakov, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev 199 (1995) 119
Proton tunneling in symmetric H-bond. A simple microscopic model, D. Vitali 192 (1995) 79

Non-linear responses (including optical)
Power broadening of the spectral hole width in an optically thick sample, E.S. Maniloff, F.R. Graf, H. Gygax, S.B. Altner, S. Bernet, A. Renn and U.P. Wild 193 (1995) 173
Solvent effect on the intramolecular charge transfer of zwitterions. Structures and quadratic hyperpolarizabilities, C. Runser, A. Fort, M. Barzoukas, C. Combellas, C. Suba, A. Thiébault, R. Graff and J.P. Kintzinger 193 (1995) 309
The harmonic two-colour rotating wave approximation; its validity and an application to the effects of permanent dipoles and laser phase in molecular excitations, A. Brown and W.J. Meath 198 (1995) 91
Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene vinylenes, W. Werncke, M. Pfeiffer, T. Johr, A. Lau and H.-J. Jüpner 199 (1995) 65
Large quadratic hyperpolarizabilities with donor–acceptor polyenes functionalized with strong donors. Comparison with donor–acceptor diphenylpolyenes, M. Blanchard-Desce, C. Runser, A. Fort, M. Barzoukas, J.-M. Lehn, V. Bloy and V. Alain 199 (1995) 253
The stability of propagating chemical spike structures and the transition to traveling pulses, R.F. Sultan 192 (1995) 239
Molecular orbital expressions for approximate uncoupled Hartree–Fock second hyperpolarizabilities. A Pariser–Parr–Pople assessment for model polyacetylene chains, D. Jacquemin, B. Champagne and J.-M. André 197 (1995) 107

Multiphoton phenomena
Blue up-conversion emission from U^{4+}-ion doped into Cs_2ZrCl_6 single crystal under green light (19436 cm^{-1}) excitation, W. Xu, S. Dai, L.M. Toth and J.R. Peterson 193 (1995) 339
Fluorescence-detected two-photon circular dichroism of Gd^{3+} in trigonal $Na_3[Gd(C_4H_4O_5)_3] \cdot 2NaClO_4 \cdot 6H_2O$, K.E. Gunde and F.S. Richardson 194 (1995) 195
Control of quantum dynamics by a locally optimized laser field. Multi-photon dissociation of hydrogen fluoride, M. Sugawara and Y. Fujimura 196 (1995) 113
The harmonic two-colour rotating wave approximation; its validity and an application to the effects of permanent dipoles and laser phase in molecular excitations, A. Brown and W.J. Meath 198 (1995) 91
Electron control in photodissociation by two-color multiphoton processes, A.D. Bandrauk and E.E. Aubanel 198 (1995) 159
Quantum electrodynamics of bimolecular multiphoton processes in the condensed phase, G. Juzeliūnas and D.L. Andrews 200 (1995) 3
Detection of higher excited states of *p*-fluorotoluene with (3 + 1)RMPI spectra, L. Mei-Rong, Z. Qing-Chun, L. Yao-Ming, Z. Bao-Zheng and C. Wen-Ju 200 (1995) 439

Reactions (including dissociation)
False isokinetic relationships found in the nonisothermal decomposition of solids, S. Vyazovkin and W. Linert 193 (1995) 109
Photodesorption of neutrals from metal surfaces: a wave packet study, P. Saalfrank 193 (1995) 119
Improved finite difference calculation of magnetic field effects; inclusion of analytic asymptotics, K.L. Aminov and J.B. Pedersen 193 (1995) 297
Preparation and characterisation of the C_{60} charge transfer complex C_{60}^{-}[1,1′,3,3′-tetramethyl-$\Delta^{2,2'}$-bi(imidazolidine)]$^{+\cdot}$, A. Schilder, B. Gotschy, A. Seidl and R. Gompper 193 (1995) 321
The diffusive interaction in diffusion-limited reactions: the time-dependent case, S.D. Traytak 193 (1995) 351

Vibrational energy dependence of nonradiative decay rate: triplet benzene studied by time-resolved and steady-state photosensitized phosphorescence, Y. Ide and T. Hikida 194 (1995) 159
Vibrational relaxation models for dilute shock heated gases, D.A. Gonzales and P.L. Varghese 195 (1995) 83
Reaction cross-section and product polarization in the $Ca(^1D_2) + HBr \rightarrow CaBr(A,B) + H$ reaction, M. Garay, M. Esteban, E. Verdasco and A. González Ureña 195 (1995) 235
Rate constant calculations for atom–diatom reactions involving an open shell atom and a molecule in a Π electronic state: Application to the $C(^3P) + NO(X\ ^2\Pi)$ reaction, A. Beghin, T. Stoecklin and J.C. Rayez 195 (1995) 259
Catalytic properties of surfaces with respect to generation of CO_2 molecules in the plasma, D.K. Otorbaev 196 (1995) 543
Electron–proton free-energy surfaces for proton transfer reaction in polar solvents: test calculations for carbon–carbon reaction centres, M.V. Basilevsky, A.V. Soudackov and M.V. Vener 200 (1995) 87
A modification of the non-Markovian encounter theory. III. Hopping and diffusion mechanisms of reactions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 191 (1995) 101
Reactions of cyanogen radical with alkanes and an explanation for negative temperature dependence of rate constants, V. Sreedhara Rao and A.K. Chandra 192 (1995) 247

-gas phase

Dynamics of CO formation in the reaction $O(^3P) + C_2H_3$, D.J. Donaldson, I.V. Okuda and J.J. Sloan 193 (1995) 37
Evidence for quasibound states in highly excited CO^+ and NO^+, A.B. van der Kamp, P.B. Athmer, R.S. Hiemstra, J.R. Peterson and W.J. van der Zande 193 (1995) 181
The chemiluminescent studies of the orbital aligned $Ca(^1P_1)$ with $CH_{4-n}Cl_n$ ($n = 1, 2, 3, 4$) reactions, W.-s. Yang, G.-w. Ding, D.-l. Xu, W.-z. Sun, Y.-s. Gu, G.-z. He and N.-q. Lou 193 (1995) 345
Vibrational energy dependence of nonradiative decay rate: triplet benzene studied by time-resolved and steady-state photosensitized phosphorescence, Y. Ide and T. Hikida 194 (1995) 159
Vibrational relaxation models for dilute shock heated gases, D.A. Gonzales and P.L. Varghese 195 (1995) 83
The effect of rotational excitation on the reaction $^{18}O(^3P) + {}^{16}O{}^{16}O(^3\Sigma_g^-) \rightarrow {}^{18}O{}^{16}O(^3\Sigma_g^-) + {}^{16}O(^3P)$. A comparison of quasiclassical and hemiquantal hyperspherical dynamics, M. Chajia and M. Jacon 195 (1995) 195
A test of the semiclassical Wigner method for the reaction $F + H_2 \rightarrow H + HF$, V.M. Azriel, G.D. Billing, L.Yu. Rusin and M.B. Sevryuk 195 (1995) 243
Rate constant calculations for atom–diatom reactions involving an open shell atom and a molecule in a Π electronic state: Application to the $C(^3P) + NO(X\ ^2\Pi)$ reaction, A. Beghin, T. Stoecklin and J.C. Rayez 195 (1995) 259
Dynamic orientation of diatomic fragments formed in the decomposition of statistical triatomic complexes. I. Semiclassical study, A. Berengolts, E.I. Dashevskaya, E.E. Nikitin and J. Troe 195 (1995) 271
Dynamic orientation of diatomic fragments formed in the decomposition of statistical triatomic complexes. II. Classical simulation, A. Berengolts, E.I. Dashevskaya, E.E. Nikitin and J. Troe 195 (1995) 283
Quasiclassical trajectory study of the $F + H_2$ system. Rate constants, kinetic isotope effects and energy partitioning among reaction products, E. Rosenman and A. Persky 195 (1995) 291

The dissociative ionization of C_2H_2. The C^+, C_2^+ and CH_2^+ dissociation channels. The vinylidene ion as a transient?, R. Locht and M. Davister 195 (1995) 443
Control of quantum dynamics by a locally optimized laser field. Multi-photon dissociation of hydrogen fluoride, M. Sugawara and Y. Fujimura 196 (1995) 113
Photochemical population of KHg^* states, D. Azinović, S. Milošević and G. Pichler 196 (1995) 267
The use of UV photoelectron spectroscopy to monitor production of excited states of atomic lead from the $Pb(^3P_0) + O_2(a\,^1\Delta_g)$ reaction, D. Haggerston, J.M. Dyke and A. Morris 196 (1995) 353
Catalytic properties of surfaces with respect to generation of CO_2 molecules in the plasma, D.K. Otorbaev 196 (1995) 543
Generation of transient species by laser induced pyrolysis. The high resolution Fourier transform infrared spectrum of NCN, D. McNaughton, G.F. Metha and R. Tay 198 (1995) 107
A hard-sphere model for the reactions of two diatomic molecules with ionic bond, V.M. Azriel, L.Y. Rusin and M.B. Sevryuk 199 (1995) 195
Temperature dependence of the ultraviolet absorption cross section of CF_3I, A. Fahr, A.K. Nayak and R.E. Huie 199 (1995) 275
Fano plot of the Paschen line of the excited hydrogen atom ($n = 4$) produced in $e–H_2$ collisions, N. Yonekura, K. Furuya, K. Nakashima and T. Ogawa 199 (1995) 313
Quasiclassical trajectory study of the C + NO reaction on a new potential energy surface, M. Simonson, N. Marković, S. Nordholm and B.J. Persson 200 (1995) 141
Influence of the potential energy surface on the reaction cross section: the K + HF → KF + H system, M. González, M. Gilibert, A. Aguilar and R. Sayós 200 (1995) 289
Rates of the reactions CN + H_2CO and NCO + H_2CO in the temperature range 294–769 K, Y.-W. Chang and N.S. Wang 200 (1995) 431
A comparison between experimental, quantum and quasiclassical properties for the $N(_4S) + O_2(X_3\Sigma_g)_r NO(X_2\Pi) + O(_3P)$ reaction, M. Gilibert, X. Giménez, M. González, R. Sayós and A. Aguilar 191 (1995) 1
Potential energy surface effects on differential cross sections for polyatomic reactions, G. Nyman, D.C. Clary and R.D. Levine 191 (1995) 223
Wave packet calculations on ion–molecule reactions, N. Marković and G.D. Billing 191 (1995) 247
The dissociative ionization of C_2H_2 and C_2D_2. The $[CH(CD)]_+$ dissociation channel. The H(D)C ≡ C(D)H binding energy, M. Davister and R. Locht 191 (1995) 333
Reaction window in the single-electron capture by ammonia dications, B. Leyh and A. Hoxha 192 (1995) 65
Is there a hydride transfer between N_2OH^+ and saturated hydrocarbons?, J. Mestres, M. Duran, J. Bertrán, E. Ballesteros, M. Herreros and J.-L.M. Abboud 192 (1995) 99
The capture rate of an ion by a symmetrical top quadrupole, J. Turulski, J. Niedzielski and B. Pezler 192 (1995) 319
Dissociative excitation of K and K^+ emission by electron impact on KI molecules, Yu.M. Smirnov 192 (1995) 379
Peripheral dynamics of the Cl + CH_4 → HCl + CH_3 reaction. A classical trajectory computation, X. Wang, M. Ben-Nun and R.D. Levine 197 (1995) 1
A quantum mechanical study of dissociative He + H_2 collisions, K. Nobusada and K. Sakimoto 197 (1995) 147

-condensed phase

False isokinetic relationships found in the nonisothermal decomposition of solids, S. Vyazovkin and W. Linert 193 (1995) 109

The diffusive interaction in diffusion-limited reactions: the time-dependent case, S.D. Traytak 193 (1995) 351
The thermal ageing of poly(3,4-ethylenedioxythiophene). An investigation by X-ray absorption and X-ray photoelectron spectroscopy, I. Winter, C. Reese, J. Hormes, G. Heywang and F. Jonas 194 (1995) 207
The influence of deep traps for gas molecules on oxygen transport in the glass of 2-methylpentanol-2, S.V. Vasenkov, V.V. Korolev and V.A. Tolkatchev 195 (1995) 305
Diffusion of silver ions towards radiation-induced traps in the glass $37.2Na_2O$–$12.8CaO$–$50P_2O_5$, V.M. Syutkin, V.A. Tolkatchev, A.V. Dmitryuk and S.E. Paramzina 196 (1995) 139
Isomerisation dynamics of a thiacarbocyanine dye in different electronic states and in different classes of solvents, E. Vauthey 196 (1995) 569
An analytical study of the Berezhkovskii–Pollak–Zitserman theory of rate processes in the memory-suppression region, S. Singh and G.W. Robinson 198 (1995) 257
Electron–proton free-energy surfaces for proton transfer reaction in polar solvents: test calculations for carbon–carbon reaction centres, M.V. Basilevsky, A.V. Soudackov and M.V. Vener 200 (1995) 87
Non-exponential non-Arrhenius relaxation in the course of CO rebinding to heme proteins, Yu.A. Berlin, S.F. Fischer, N.I. Chekunaev and V.I. Goldanskii 200 (1995) 369
A study of the carbon–halogen bond breaking in tert-butyl halides by the PM3 quantum chemical method, V.A. Tikhomirov, E.D. German and A.M. Kuznetsov 191 (1995) 25
A modification of the non-Markovian encounter theory. III. Hopping and diffusion mechanisms of reactions, A.A. Kipriyanov, I.V. Gopich and A.B. Doktorov 191 (1995) 101
Diffusion-controlled reaction rate to an active site, S.D. Traytak 192 (1995) 1

-photochemical
Differences in the binding of the primary quinone acceptor in Photosystem I and reaction centres of *Rhodobacter Sphaeroides*-R26 studied with transient EPR spectroscopy, A. van der Est, I. Sieckmann, W. Lubitz and D. Stehlik 194 (1995) 349
The concerted photodissociation of azomethane at 193 nm, T. Gejo, P. Felder and J.R. Huber 195 (1995) 423
Investigation of the predissociation of SO_2: state selective detection of the SO and O fragments, S. Becker, C. Braatz, J. Lindner and E. Tiemann 196 (1995) 275
Energy partitioning in photodissociation of methyl, ethyl and *n*-propyl iodides at 304 nm, W.K. Kang, K.W. Jung, D.C. Kim, K.-H. Jung and H.-S. Im 196 (1995) 363
Role of internal conversion on the excited state properties of trans-styrylpyridines, G. Marconi, G. Bartocci, U. Mazzucato, A. Spalletti, F. Abbate, L. Angeloni and E. Castellucci 196 (1995) 383
Broken dynamical symmetry condition to control a chemical reaction by the complex coordinate (t, t') method, O.E. Alon and N. Moiseyev 196 (1995) 499
Proton tunnelling reactions in pentacene doped benzoic acid crystals, P.F. Barbara, C. von Borczyskowski, R. Casalegno, A. Corval, C. Kryschi, Y. Romanowski and H.P. Trommsdorff 199 (1995) 285
Photochemistry in jet-cooled aniline derivatives, C. Dedonder-Lardeux, C. Jouvet, S. Martrenchard, D. Solgadi, J. McCombie, B.D. Howells, T.F. Palmer, A. Subaric-Leitis, C. Monte, W. Rettig and P. Zimmermann 191 (1995) 271
Electron localization in laser ionization of liquid water, L.V. Lukin 192 (1995) 135
An algorithm for analyzing the polarization-free picosecond fluorescence experiments on TICT, CT, PT and other relevant systems in solutions, J.J. Fisz 192 (1995) 163

The influence of scavenging on CIDNP field dependences in biradicals during the photolysis of large-ring cycloalkanones, A.V. Yurkovskaya, O.B. Morozova, R.Z. Sagdeev, S.V. Dvinskih, G. Buntkowsky and H.-M. Vieth 197 (1995) 157
On the validity of the standard model for primary charge separation in the bacterial reaction center, G.J. Small 197 (1995) 239
The role of reaction center excited state evolution during charge separation in a *Rb. sphaeroides* mutant with an initial electron donor midpoint potential 260 mV above wild type, N.W. Woodbury, S. Lin, X. Lin, J.M. Peloquin, A.K.W. Taguchi, J.A.C. Williams and J.P. Allen 197 (1995) 405

Tunnelling

Tunneling splittings in model 2D potentials. II. $V(X, Y) = \lambda(X^2 - X_0^2)^2 - CX^2(Y - Y_0) + \frac{1}{2}\Omega^2(Y - Y_0 + CX_0^2/\Omega^2)^2 - C^2X_0^4/2\Omega^2$, V.A. Benderskii, S.Yu. Grebenshchikov and G.V. Mil'nikov 194 (1995) 1
A simple model for proton transfer, P.M. Kiefer, V.B.P. Leite and R.M. Whitnell 194 (1995) 33
Mixed-valence polyoxometalate clusters. III. Vibronic problem for the 2-electron reduced heteropoly blue with the Keggin structure, J.J. Borrás-Almenar, J.M. Clemente, E. Coronado and B.S. Tsukerblat 195 (1995) 29
Tunneling splittings in model 2D potentials. III. $V(X, Y) = \lambda(X^2 - X_0^2)^2 - CXY + \frac{1}{2}kY^2 + (C^2/2k)X^2$. Generalization to N-dimensional case, V.A. Benderskii, S.Yu. Grebenshchikov and G.V. Mil'nikov 198 (1995) 281
Proton tunnelling reactions in pentacene doped benzoic acid crystals, P.F. Barbara, C. von Borczyskowski, R. Casalegno, A. Corval, C. Kryschi, Y. Romanowski and H.P. Trommsdorff 199 (1995) 285
Proton tunneling in symmetric H-bond. A simple microscopic model, D. Vitali 192 (1995) 79

Electron transfer

Direct calculation of non-adiabatic states using non-orthogonal CI. Application to the study of the $(ArCO)^+$ cluster, P. Archirel 193 (1995) 55
Absolute cross-section measurements for collisional destruction of He Rydberg atoms and single electron capture of He^+ ions in collision with SF_6, H. Martínez and T.J. Morgan 193 (1995) 193
Electron-transfer properties of quantum molecular wires, E.G. Petrov, I.S. Tolokh, A.A. Demidenko and V.V. Gorbach 193 (1995) 237
Preparation and characterisation of the C_{60} charge transfer complex $C_{60}^{-\cdot}$[1,1',3,3'-tetramethyl-$\Delta^{2,2'}$-bi(imidazolidine)]$^{+\cdot}$, A. Schilder, B. Gotschy, A. Seidl and R. Gompper 193 (1995) 321
Temperature dependent hole burning of the 684 nm chlorophyll *a* of the isolated reaction center of Photosystem II: confirmation of the linker model, H.-C. Chang, G.J. Small and R. Jankowiak 194 (1995) 323
EPR properties of the four hemes in the cytochrome subunit of reaction centres from *Rhodopseudomonas viridis*: characterization of the individual hemes, O. Kaminskaya, P.J. Bratt and M.C.W. Evans 194 (1995) 335
Differences in the binding of the primary quinone acceptor in Photosystem I and reaction centres of *Rhodobacter Sphaeroides*-R26 studied with transient EPR spectroscopy, A. van der Est, I. Sieckmann, W. Lubitz and D. Stehlik 194 (1995) 349
FTIR spectroscopy of the photoreduction of the bacteriopheophytin electron acceptor in reaction centers of *Rb. sphaeroides* and *Rps. viridis*, E. Nabedryk, S. Andrianambinintsoa, D. Dejonghe and J. Breton 194 (1995) 371

High-field EPR on the primary electron donor cation radical in single crystals of heterodimer mutant reaction centers of photosynthetic bacteria – first characterization of the *G*-tensor, M. Huber and J.T. Törring 194 (1995) 379
Primary processes in isolated Photosystem II reaction centres probed by magic angle transient absorption spectroscopy, D.R. Klug, T. Rech, D.M. Joseph, J. Barber, J.R. Durrant and G. Porter 194 (1995) 433
Mixed-valence polyoxometalate clusters. I. Delocalization of electronic pairs in dodecanuclear heteropoly blues with Keggin structure, J.J. Borrás-Almenar, J.M. Clemente, E. Coronado and B.S. Tsukerblat 195 (1995) 1
Mixed-valence polyoxometalate clusters. II. Delocalization of electronic pairs in 18-site heteropoly blues with Wells–Dawson structure, J.J. Borrás-Almenar, J.M. Clemente, E. Coronado and B.S. Tsukerblat 195 (1995) 17
Mixed-valence polyoxometalate clusters. III. Vibronic problem for the 2-electron reduced heteropoly blue with the Keggin structure, J.J. Borrás-Almenar, J.M. Clemente, E. Coronado and B.S. Tsukerblat 195 (1995) 29
Hole transport in tri-*p*-tolylamine doped polymers: the role of the polymer dipole moment, P.M. Borsenberger, W.T. Gruenbaum, E.H. Magin and L.J. Sorriero 195 (1995) 435
Local description of a polyenic radical cation, P. Karafiloglou and G. Kapsomenos 196 (1995) 69
Electronic structure of donor–spacer–acceptor molecules of potential interest for molecular electronics. IV. Geometry and device properties of P3CNQ and Q3CNQ, A. Broo and M.C. Zerner 196 (1995) 423
Dynamics of vibrationally inelastic collisions in H^+–H_2: comparing quantum calculations with experiments, F.A. Gianturco and S. Kumar 196 (1995) 485
Molecular interactions: a study of charge transfer effects, C. Amovilli and R. McWeeny 198 (1995) 71
Molecular polaron states in polyacene crystals. Formation and transfer processes, E.A. Silinsh, A. Klimkāns, S. Larsson and V. Čápek 198 (1995) 311
Path-integral treatment of the real-time dynamics of few-mode spin–boson models, H. Plöhn, S. Krempl, M. Winterstetter and W. Domcke 200 (1995) 11
Dynamics of electronic polarization in molecular crystals, V. Čápek and E.A. Silinsh 200 (1995) 309
A study of the carbon–halogen bond breaking in tert-butyl halides by the PM3 quantum chemical method, V.A. Tikhomirov, E.D. German and A.M. Kuznetsov 191 (1995) 25
Wave packet calculations on ion–molecule reactions, N. Marković and G.D. Billing 191 (1995) 247
Charge transport in molecularly doped polymers at low dopant concentrations: simulation and experiment, B. Hartenstein, H. Bässler, S. Heun, P. Borsenberger, M. Van der Auweraer and F.C. De Schryver 191 (1995) 321
Reaction window in the single-electron capture by ammonia dications, B. Leyh and A. Hoxha 192 (1995) 65
Proton tunneling in symmetric H-bond. A simple microscopic model, D. Vitali 192 (1995) 79
Ultrafast intramolecular charge transfer in the merocyanine dye DCM, M.M. Martin, P. Plaza and Y.H. Meyer 192 (1995) 367
The effect of magnetic and spin interactions on outer-sphere electron transfer, A.I. Ivanov, V.A. Mikhailova and A.M. Volodin 197 (1995) 19
A theoretical investigation on the electron–acceptor properties of polar CS bonds of $CH_{3-n}F_nSH$ ($n = 0$–3) thiols and $CH_{3-n}F_nSCH_{3-n}F_n$ ($n = 0$–3) sulfides, C. Dézarnaud-Dandine and A. Sevin 197 (1995) 51
Short-lived charge-transfer-to-solvent-states and multiple electronic relaxations following femtosecond excitation of aqueous chloride ion, Y. Gauduel, H. Gelabert and M. Ashokkumar 197 (1995) 167

Free-energy dependence of the rate of electron transfer to the primary quinone in beta-type reaction centers, L. Laporte, C. Kirmaier, C.C. Schenck and D. Holten 197 (1995) 225
Effects of applied electric fields on the quantum yields for the initial electron transfer steps in bacterial photosynthesis. II. Dynamic Stark effect, K. Lao, S. Franzen, M. Steffen, D. Lambright, R. Stanley and S.G. Boxer 197 (1995) 259
Docking and electron transfer between cytochrome c_2 and the photosynthetic reaction center, A.J.A. Aquino, P. Beroza, D.N. Beratan and J.N. Onuchic 197 (1995) 277
Primary photosynthesis in reaction centers containing four different types of electron acceptors at site H_A, H. Huber, M. Meyer, T. Nägele, I. Hartl, H. Scheer, W. Zinth and J. Wachtveitl 197 (1995) 297
Pressure dependence of primary charge separation in a photosynthetic reaction center, H.-C. Chang, R. Jankowiak, N.R.S. Reddy and G.J. Small 197 (1995) 307
Symmetry breakage in the electronic structure of bacterial reaction centers, P.O.J. Scherer, C. Scharnagl and S.F. Fischer 197 (1995) 333
Initial charge separation kinetics of bacterial photosynthetic reaction centers in oriented Langmuir–Blodgett films in an applied electric field, C.C. Moser, R.J. Sension, A.Z. Szarka, S.T. Repinec, R.M. Hochstrasser and P.L. Dutton 197 (1995) 343
Direct charge recombination from $D^+Q_AQ_B^-$ to DQ_AQ_B in bacterial reaction centers from *Rhodobacter sphaeroides* containing low potential quinone in the Q_A site, A. Labahn, J.M. Bruce, M.Y. Okamura and G. Feher 197 (1995) 355
Superexchange versus sequential long range electron transfer; density matrix pathways in Liouville space, S.S. Skourtis and S. Mukamel 197 (1995) 367
A kinetic analysis of the primary charge separation in bacterial photosynthesis. Energy gaps and static heterogeneity, M. Bixon, J. Jortner and M.E. Michel-Beyerle 197 (1995) 389
The role of reaction center excited state evolution during charge separation in a *Rb. sphaeroides* mutant with an initial electron donor midpoint potential 260 mV above wild type, N.W. Woodbury, S. Lin, X. Lin, J.M. Peloquin, A.K.W. Taguchi, J.A.C. Williams and J.P. Allen 197 (1995) 405
Theoretical analyses on femtosecond time-resolved spectra of initial electron transfer of photosynthetic reaction centers at low temperatures, S.H. Lin, M. Hayashi, S. Suzuki, X. Gu, W. Xiao and M. Sugawara 197 (1995) 435

Ionization (including Rydberg states)

Absolute cross-section measurements for collisional destruction of He Rydberg atoms and single electron capture of He^+ ions in collision with SF_6, H. Martínez and T.J. Morgan 193 (1995) 193
Double ionization of the propyne molecule to ground and electronically excited states of the doubly charged ion, S.R. Andrews, F.M. Harris and D.E. Parry 194 (1995) 215
A theoretical study on the ionic states, with analysis of vibrational levels of the photoelectron spectrum, of formic acid (CH_2O_2 and CD_2O_2), K. Takeshita 195 (1995) 117
Correlation effects in core and valence photoelectron spectra of alkene molecules, G. Fronzoni, G. De Alti, P. Decleva and A. Lisini 195 (1995) 171
The dissociative ionization of C_2H_2. The C^+, C_2^+ and CH_2^+ dissociation channels. The vinylidene ion as a transient?, R. Locht and M. Davister 195 (1995) 443
Absolute oscillator strengths for the photoabsorption of silane in the valence and Si 2p and 2s regions (7.5–350 eV), G. Cooper, G.R. Burton, W.F. Chan and C.E. Brion 196 (1995) 293
Vibrational structure of the Ar–NO^+ van der Waals cation, I. Fourré and M. Raoult 199 (1995) 215
Relation between X-ray absorption near-edge spectra and interatomic distances, H. Nakamatsu 200 (1995) 49

The lowest-lying Rydberg states of Si_2: an ab initio study, F.L. Sefyani and J. Schamps 191 (1995) 155
The dissociative ionization of C_2H_2 and C_2D_2. The $[CH(CD)]_+$ dissociation channel. The H(D)C ≡ C(D)H binding energy, M. Davister and R. Locht 191 (1995) 333
Electron localization in laser ionization of liquid water, L.V. Lukin 192 (1995) 135
An experimental and theoretical study of the valence shell photoelectron spectrum of sulphur hexafluoride, D.M.P. Holland, M.A. MacDonald, P. Baltzer, L. Karlsson, M. Lundqvist, B. Wannberg and W. von Niessen 192 (1995) 333
Low-work-function surfaces with φ as low as 2.0 eV produced by alkaline earth element carbonate decomposition, H. Kishi and T. Fujii 192 (1995) 387

Molecular motion (including diffusive)

A comparison between the rigid and flexible model of cyclohexane in the plastic phase by molecular dynamic simulations, G. Cardini 193 (1995) 101
Photodesorption of neutrals from metal surfaces: a wave packet study, P. Saalfrank 193 (1995) 119
Improved finite difference calculation of magnetic field effects; inclusion of analytic asymptotics, K.L. Aminov and J.B. Pedersen 193 (1995) 297
The influence of deep traps for gas molecules on oxygen transport in the glass of 2-methylpentanol-2, S.V. Vasenkov, V.V. Korolev and V.A. Tolkatchev 195 (1995) 305
H-atom abstraction from alcohols by alkyl radicals. Cooperative effects in the reactions of alkyl radicals in glassy methanol-d_3, V.L. Vyazovkin and V.A. Tolkatchev 195 (1995) 313
NMR relaxation studies in water-alcohol mixtures: the water-rich region, R. Ludwig 195 (1995) 329
Low-frequency motions in an alkali phosphate glass studied by ^{7}Li and ^{31}P NMR, B. Rufflé, S. Beaufils and J. Gallier 195 (1995) 339
Diffusion of silver ions towards radiation-induced traps in the glass $37.2Na_2O–12.8CaO–50P_2O_5$, V.M. Syutkin, V.A. Tolkatchev, A.V. Dmitryuk and S.E. Paramzina 196 (1995) 139
Diffusion of molecular oxygen in glassy matrices, studied by luminescence quenching, V.V. Korolev, V.V. Bolotsky, N.V. Shokhirev, E.B. Krissinel', V.A. Bagryansky and N.M. Bazhin 196 (1995) 317
Picosecond time-dependent Stokes shift studies of fluoroprobe in liquid solution, E.R. Middelhoek, P. van der Meulen, J.W. Verhoeven and M. Glasbeek 198 (1995) 373
Statistical mechanical simulations on properties of liquid pyridine, K. Sagarik and E. Spohr 199 (1995) 73
Rattling of carbon disulphide molecules in liquids, K. Pasterny and A. Bròdka 200 (1995) 79
Non-exponential non-Arrhenius relaxation in the course of CO rebinding to heme proteins, Yu.A. Berlin, S.F. Fischer, N.I. Chekunaev and V.I. Goldanskii 200 (1995) 369
Molecular dynamics study of water adopting a potential function with explicit atomic dipole moments and anisotropic polarizabilities, P.-O. Åstrand, P. Linse and G. Karlström ua 191 (1995) 195
Diffusion-controlled reaction rate to an active site, S.D. Traytak 192 (1995) 1
NMR relaxation in long-chain quaternary ammonium ions: the role of torsional flexibility, F. Coletta, A. Ferrarini, F. Gottardi and P.L. Nordio 192 (1995) 19
Theory of avoided level-crossing relaxation dynamics for axial muonated radicals, S.R. Kreitzman and E. Roduner 192 (1995) 189
Reorientational dynamics of C_{60} in the solid state. An avoided level-crossing muon spin resonance study, E. Roduner, K. Prassides, R.M. Macrae, I.M. Thomas, C. Niedermayer, U. Binninger, C. Bernhard, A. Hofer and I.D. Reid 192 (1995) 231
Dynamical properties of carbonyl sulphide diluted in argon at different densities. A molecular dynamics investigation, D. Dellis and J. Samios 192 (1995) 281

Isotopic effects
FTIR spectroscopy of the photoreduction of the bacteriopheophytin electron acceptor in reaction centers of *Rb. sphaeroides* and *Rps. viridis*, E. Nabedryk, S. Andrianambinintsoa, D. Dejonghe and J. Breton 194 (1995) 371
Exchange of chloride by bromide in the manganese Photosystem-II complex studied by cw- and pulsed-EPR, A. Boussac 194 (1995) 409
Quasiclassical trajectory study of the $F + H_2$ system. Rate constants, kinetic isotope effects and energy partitioning among reaction products, E. Rosenman and A. Persky 195 (1995) 291
High-resolution study of the luminescent electronic energy transfer reaction of $Xe(^3P_{0,2})$ with $^{14}N_2$ and $^{15}N_2$, Ch. Ottinger, A.F. Vilesov and D.D. Xu 192 (1995) 49

Collective motion and excitations
Dielectric relaxation of binary dipolar liquids, A. Chandra 195 (1995) 93
On the theory of Frenkel excitonic polarons, J. Singh 198 (1995) 63
Pressure and temperature effects in lattice dynamics: the case of naphthalene, R.G. Della Valle, E. Venuti and A. Brillante 198 (1995) 79
The nonlinear stretching model of hydrogen bonds and local self-fluctuation of base rotation in DNA, C.-T. Zhang and K.-C. Chou 191 (1995) 17

Surface effects and catalysis
Adsorption of methanol in zeolite, gallosilicate and SAPO catalysts, J. Limtrakul 193 (1995) 79
Analysis of powder EPR and ENDOR spectra of the biphenyl radical cation on H-ZSM-5 zeolite, silica gel and in $CFCl_3$ matrix, R. Erickson, A. Lund and M. Lindgren 193 (1995) 89
The influence of the surface nature on scattering, fragmentation and deposition processes in C_{60}^+ collisions with solid surfaces, Th. Lill, H.-G. Busmann, F. Lacher and I.V. Hertel 193 (1995) 199
Molecular adsorption on ionic substrates: characterization of terrace and step sites, S. Briquez, A. Lakhlifi, S. Picaud and C. Girardet 194 (1995) 65
Energy transfer processes and surface corrugation: a combined collision dynamics and experimental study of the Xe–GaSe(001) system, S. Iannotta, C. Gravili, A. Boschetti, A. Cagol and M. Cacciatore 194 (1995) 133
Molecular dynamics simulation of the adsorption of benzene on charged metal electrodes in the presence of aqueous electrolyte, M.R. Philpott and J.N. Glosli 198 (1995) 53
LEED crystallographic determination for the restructured surface formed by phosphorus bonded at Cu(110), W. Liu, D.T. Vu and K.A.R. Mitchell 198 (1995) 235
A method for including environment polarization effects in ab initio cluster embedded calculations. Application to the water deprotonation over an ideal Al–MgO surface, J.A. Mejías, J. Oviedo and J.F. Sanz 191 (1995) 133
Theoretical study of interactions among surface defects by He scattering technique: the reason for the failure of the cross section geometric overlap hypothesis, G. Petrella and L. Cassidei 191 (1995) 203
Low-work-function surfaces with φ as low as 2.0 eV produced by alkaline earth element carbonate decomposition, H. Kishi and T. Fujii 192 (1995) 387

Thermodynamic and transport properties
Transport of diatomic ions in atomic gases, L.A. Viehland and A.S. Dickinson 193 (1995) 255
Free energies and structures of hydrated cations, based on effective pair potentials, F. Floris, M. Persico, A. Tani and J. Tomasi 195 (1995) 207

Exchange–Coulomb potential energy surfaces, and related physical properties, for Kr–N_2, A.K. Dham and W.J. Meath 196 (1995) 125
Temperature dependence of the thermal conductivity for two models of liquid butane, P.J. Daivis and D.J. Evans 198 (1995) 25
The roughness factor for polyatomic molecules from the shear viscosity coefficient, J. Amoros 200 (1995) 281
Molecular dynamics study of water adopting a potential function with explicit atomic dipole moments and anisotropic polarizabilities, P.-O. Åstrand, P. Linse and G. Karlström ua 191 (1995) 195

Structure of solids and liquids
Preparation and characterisation of the C_{60} charge transfer complex C_{60}^{-}[1,1′,3,3′-tetramethyl-$\Delta^{2,2'}$-bi(imidazolidine)]$^{+\cdot}$, A. Schilder, B. Gotschy, A. Seidl and R. Gompper 193 (1995) 321
The thermal ageing of poly(3,4-ethylenedioxythiophene). An investigation by X-ray absorption and X-ray photoelectron spectroscopy, I. Winter, C. Reese, J. Hormes, G. Heywang and F. Jonas 194 (1995) 207
NMR study of the F–H $\cdots$ F hydrogen bond. Relation between hydrogen atom position and F–H $\cdots$ F bond length, A.M. Panich 196 (1995) 511
Pressure and temperature effects in lattice dynamics: the case of naphthalene, R.G. Della Valle, E. Venuti and A. Brillante 198 (1995) 79
Raman spectra and relaxation in amorphous naphthalene, K. Ishii, H. Nakayama, M. Kawahara, K. Koyama, K. Ando and J. Yokoyama 199 (1995) 245

Critical phenomena
The stability of propagating chemical spike structures and the transition to traveling pulses, R.F. Sultan 192 (1995) 239
Ising model for low-spin high-spin transitions in molecular compounds; within and beyond the mean-field approximation, H. Bolvin and O. Kahn 192 (1995) 295

Phase transitions
High-spin–low-spin transitions in Fe(II) complexes by effective Hamiltonian method, A.L. Tchougréeff, A.V. Soudackov, I.A. Misurkin, H. Bolvin and O. Kahn 193 (1995) 19
Vibrational study of various crystalline phases of thallium dihydrogen arsenate TlH_2AsO_4. Comparison with thallium dihydrogen phosphate TlH_2PO_4, Z. Ouafik, N. Le Calvé and B. Pasquier 194 (1995) 145
Low-frequency motions in an alkali phosphate glass studied by ^{7}Li and ^{31}P NMR, B. Rufflé, S. Beaufils and J. Gallier 195 (1995) 339
A Raman study of the disorder induced by polymer chains in mixed monomer–polymer crystals of the diacetylene pTS-D, S. Longeville, M. Bertault, J. Even, J.L. Fave, A. Girard and Y. Delugeard 195 (1995) 371
Pressure and temperature effects in lattice dynamics: the case of naphthalene, R.G. Della Valle, E. Venuti and A. Brillante 198 (1995) 79
Pressure-induced phase transitions in 9,10-anthracene derivatives: anthraquinone, A. Brillante, R.G. Della Valle, R. Farina and E. Venuti 191 (1995) 177
Reorientational dynamics of C_{60} in the solid state. An avoided level-crossing muon spin resonance study, E. Roduner, K. Prassides, R.M. Macrae, I.M. Thomas, C. Niedermayer, U. Binninger, C. Bernhard, A. Hofer and I.D. Reid 192 (1995) 231

Catalysis by Microporous Materials

Proceedings of ZEOCAT '95, Szombathely, Hungary, 9-13 July, 1995

Edited by **H.K. Beyer, H.G. Karge, I. Kiricsi** and **J.B. Nagy**

Studies in Surface Science and Catalysis, Volume 94

ZEOCAT '95 is the eleventh in the series of symposia devoted to special fields of zeolite chemistry. Six plenary lectures, forty oral and forty-two poster presentations were included in the program. The accepted papers cover every aspect of catalysis on microporous materials.

A significant number of the contributions describe the synthesis, modification, instrumental and chemical characterisation of zeolites and other micro- and mesoporous materials. Catalytic reactions involve hydrocarbon cracking, nucleophilic aromatic substitution, methanol to hydrocarbon conversion, hydration of acetylene, various alkylation reactions, redox transformations, Claisen rearrangement, etc.

Contents: (A selection).

The future of shape selective catalysis (S.M. Csicsery).

Pillared layered structures (PLS): From microporous to nano-phase materials (R. Szostak, C. Ingram).

Powder X-ray diffraction and solid waste NMR techniques for zeolite structure determination (G.T. Kokotailo *et al.*).

New aspects and trends in zeolite catalysis (J. Weitkamp *et al.*).

Covalent interactions in zeolites: The influence of zeolite composition and structure on acid softness and hardness (A. Corma).

Author index.

Subject index.

©1995 812 pages Hardbound
Price: Dfl. 495.00
US$ 309.50
ISBN 0-444-82049-3

ELSEVIER
An imprint of Elsevier Science

ORDER INFORMATION
ELSEVIER SCIENCE
Customer Service Department,
P.O. Box 211
1000 AE Amsterdam
The Netherlands
Fax: +31 (20) 485 3432

For USA and Canada:
ELSEVIER SCIENCE
Customer Service Department,
P.O. Box 945, New York
NY 10159-0945
Fax: +1 (212) 633 3764

US$ prices are valid only for the USA & Canada and are subject to exchange rate fluctuations; in all other countries the Dutch guilder price (Dfl.) is definitive. Customers in the European Union should add the appropriate VAT rate applicable in their country to the price(s). Books are sent postfree if prepaid.

AVAILABLE AT YOUR FINGERTIPS:

THE ELSEVIER SCIENCE COMPLETE CATALOGUE ON INTERNET

NOW AVAILABLE:

THE ELSEVIER SCIENCE COMPLETE CATALOGUE 1995 ON CD-ROM

These catalogues feature all journals, books and major reference works from Elsevier Science. Furthermore they allow you to access information about the electronic and CD-ROM products now published by Elsevier Science. Demonstration examples of some of these products are included.

Features include:

- All the journals, with complete information about journal editors and editorial boards
- Listings of special issues and volumes
- Listings of recently published papers for many journals
- Complete descriptions and contents lists of book titles
- Clippings of independent reviews of published books
- Book series, dictionaries, reference works
- Electronic and CD-ROM products
- Demonstration versions of electronic products
- Free text search facilities
- Ordering facilities
- Print options
- Hypertext features

ELSEVIER SCIENCE

Catalogue on **INTERNET**

ELSEVIER SCIENCE

Catalogue on **CD-ROM**

Extra features with the Catalogue on Internet

- Alerting facility for new & forthcoming publications
- Updated monthly

ELSEVIER SCIENCE COMPLETE CATALOGUE INTERNET: TRY IT TODAY!

gopher to: gopher.elsevier.nl
WWW: http://www.elsevier.nl/

CD-ROM (published yearly, free of charge)

Please contact:

Customer Service Department
Tel.: +31 (20) 485 3757
Fax: +31 (20) 485 3432
e-mail: nlinfo-f@elsevier.nl

ELSEVIER | PERGAMON | NORTH HOLLAND | EXCERPTA MEDICA

0301-0104(199511)191/200;1-S